

elite range of products

Full Catalogue

STORAGE DESIGN LIMITED



Storage Lockers

Cupboards & Cabinets

Office & Industrial Shelving



Hazardous, Coshh, Acid & Pesticide Cabinets

First Aid Cabinets & Lockers

PPE Lockers & Cabinets

Cloakroom Equipment









Airflow venting system











Index

Storage Lockers	3 - 5
PPE Lockers & Cabinets	6 - 7
Space Saving Lockers	8
Modular / Educational Storage	9
Workwear Lockers	10 - 11
Garment Lockers	12
First Aid Cabinets & Lockers	13
Perforated & Disability Lockers	14
Cloakroom Equipment	15 - 17
Mesh Lockers	17
Hazardous Storage	18 - 21
Hazardous Bin Units	22
Industrial Cupboards	23
Delta Profile Boltless Shelving	24 - 25
Locker Features	26

Guidance to Locker Room Design



27





Storage Lockers


- Anti-Bacterial Powder Coating
- Robust Construction
- Welded Frame Design
- Lock Options
- Metric Sized Lockers
- Sloping Top Option

These coloured lockers are manufactured to the highest specification.

Lockers are welded and riveted in construction. Semi concealed hinges are welded to the door and riveted to the frame, allowing easy replacement of doors. Doors positioned within a rebated frame to enhance compartment security. The carcass incorporates nesting holes on all sides and a return flange at the base for extra strength and to reduce floor damage. Lockers are manufactured using cold rolled steel. Material thickness specification 0.9mm doors and frame, 0.7mm carcass and shelves. Components are polyester powder coated prior to assembly to ensure all surfaces are protected.

UK manufactured products.

Door Colour Options







Airflow venting system



Storage















Hanging Rail

Key Fob





Lockers









£1 Coin Return or Token Return Lock



Padlock Fitting

Single Door Locker

Order Code	Size H x W x Dmm	Opening Size H x W x Dmm	Single	Nest of 2	Nest of 3
183030S	1800 x 300 x 300	1410 x 235 x 275	~	/	~
183038S	1800 x 300 x 380	1410 x 235 x 355	~	~	~
183045S	1800 x 300 x 450	1410 x 235 x 425	~	~	~
184545S	1800 x 450 x 450	1410 x 385 x 425	~	V	

Supplied with a top shelf and double coat hook

Two Door Locker

Order Code	Size H x W x Dmm	Opening Size H x W x Dmm	Single	Nest of 2	Nest of 3
1830302	1800 x 300 x 300	835 x 235 x 275	~	/	~
1830382	1800 x 300 x 380	835 x 235 x 355	V	~	~
1830452	1800 x 300 x 450	835 x 235 x 425	V	~	V
1845452	1800 x 450 x 450	835 x 385 x 425	~	~	

Supplied with a double coat hook in each compartment

Three Door Locker

Order Code	Size H x W x Dmm	Opening Size H x W x Dmm	Single	Nest of 2	Nest of 3
1830303	1800 x 300 x 300	540 x 235 x 275	~	/	V
1830383	1800 x 300 x 380	540 x 235 x 355	✓	~	~
1830453	1800 x 300 x 450	540 x 235 x 425	✓	~	~

Supplied with no internal fittings

Four Door Locker

Order Code	Size H x W x Dmm	Opening Size H x W x Dmm	Single	Nest of 2	Nest of 3
1830304	1800 x 300 x 300	400 x 235 x 275	~	V	/
1830384	1800 x 300 x 380	400 x 235 x 355	✓	~	~
1830454	1800 x 300 x 450	400 x 235 x 425	~	~	V
1845454	1800 x 450 x 450	400 x 385 x 425	V	/	

Supplied with no internal fittings

Six Door Locker

Order Code	Size H x W x Dmm	Opening Size H x W x Dmm	Single	Nest of 2	Nest of 3
1830306	1800 x 300 x 300	260 x 235 x 275	~		
1830386	1800 x 300 x 380	260 x 235 x 355	~		
1830456	1800 x 300 x 450	260 x 236 x 425	~		

Supplied with no internal fittings

Eight Door Locker

Order	Size	Opening Size	Single	Nest	Nest
Code	H x W x Dmm	H x W x Dmm		of 2	of 3
	1800 x 300 x 300 1800 x 300 x 450	185 x 235 x 275 185 x 235 x 425	-		

Supplied with no internal fittings



An effective secondary support to existing cleaning practices

elite GUARD - Anti-bacterial powder coating an effective solution to fight against bacterial contamination for the life of the coating. Independently tested and found to be 99.9% effective against MRSA and E-coli. Also shown to exhibit zero growth for fungi and moulds.

elite GUARD offers the healthcare, food and those users requiring stringent hygienic environments an effective secondary support to existing cleaning practices in the fight against bacterial contamination.





PE Lockers









Robust Industrial Strength

Locker compartment doors are individually labelled with "Personal Protective Equipment" mandatory label and incorporate a number plate holder. Product codes prefixed PPE will be supplied with a Grey carcass and Dark Blue doors.

Single door unit supplied with shelf and double coat hook. Two door unit supplied with double coat hook to each compartment. Four and Six door units have no internal fittings. All lockers 1800H and 300W mm.

Special sizes available subject to application

- Reinforced Doors
- Hardwearing Powder Coated Finish
- Key Camlock or Padlock Option
- Welded Frame Design
- Seat & Stand Options Available
- Sloping Top Option

Locker compartment doors are individually labelled with

"Personal Protective Equipment"

PPE Lockers 300mm Deep PPE Lockers 450mm Deep

Order Code	Size H x W x Dmm	Description
PPE183030S	1800 x 300 x 300	Single Door
PPE1830302	1800 x 300 x 300	Two Door
PPE1830304	1800 x 300 x 300	Four Door
PPF1830306	1800 x 300 x 300	Six Door

Order Code	Size H x W x Dmm	Description
PPE183045S	1800 x 300 x 450	Single Door
PPE1830452	1800 x 300 x 450	Two Door
PPE1830454	1800 x 300 x 450	Four Door
PPE1830456	1800 x 300 x 450	Six Door

6






PPE Cabinets

Extra strength cabinets manufactured with a welded frame and reinforced doors.

- → 3 Point Security Locking
- Galvanised Cabinet Base and Shelves
- Labelled 'Personal Protective Equipment'



Wardrobe Cabinet

Order	Size
Code	H x W x Dmm
PPE723618W	1830 x 915 x 457

Supplied with an Adjustable Top Shelf Fitted with Hanging Rail

General Storage Cabinet

Order	Size
Code	H x W x Dmm
PPE723618C	1830 x 915 x 457

Supplied with Three Adjustable Shelves

Clothing and **Equipment Cabinet**

Order	Size
Code	H x W x Dmm
PPE723618CE	1830 x 915 x 457

Supplied with a Vertical Hanging Compartment plus Individual Storage





Additional Units

Single Door Cabinet

Order Code	Size H x W x Dmm
PPE361818C	910 x 457 x 457
Complete with Two Adjustable Shelves	

Double Door Cabinet

Order Code	Size H x W x Dmm
PPE393618C	1000 x 915 x 457
Complete with One Adjustable Shelf	





Airflow venting system

Garment Hanging Unit - 900mm Width

	300mm	380mm	450mm Deep
Top Cover & Base	GHU30	GHU38	GHU45
Top Cover & Base	GHU30S	GHU38S	GHU45S
(plus extra shelf level at top)			

- Maximises Available Space
- Extra Shelf Option
- Attaches To Any Compartment Locker

On-Site Assembly Required





Space Saving Units

Archway Unit

Order	Size	Number Of
Code	H x W x Dmm	Compartments
11ARCH	1800 x 1500 x 450	11
19ARCH	1800 x 2100 x 450	19

- Space Saving Unit
- Garment Hanging Facility
- Lock Options
- £1 Coin Return Lock Option

On-Site Assembly Required

page







Cube Locker

Lockers for Education



Order	Size
Code	H x W x Dmm
303030C	300 x 300 x 300
383838C	380 x 380 x 380
454545C	450 x 450 x 450







- Ideal for Personal Possessions
- Bolted to Form Stacks or Nests
- Three Sizes 300, 380 & 450mm
- Lock Options
 - Perforated Door Option

Three Door Quarto

Ideal Modular Storage Solution

Pre-Drilled for Nesting

Perforated Door Option

Lock Options

Reinforced Doors



Three Door Quarto

Order Code	Size H x W x Dmm	Single	Nest of 2	Nest of 3
1330303	1370 x 300 x 300	~	/	~
1330453	1370 x 300 x 450	~	•	V

School Locker

Order Code	Size H x W x Dmm	Single	Nest of 2	Nest of 3
	1370 x 300 x 300	V	V	V
133045SL	1370 x 300 x 450	/		•



Reinforced Doors Lock Options





- Special Height for Younger Users
- Cost Saving Supplied in Nests
- Reinforced Doors
- Double Coat Hook

Lock Options storage-design.co.uk







Workwear

Combi Locker

Order	Size
Code	H x W x Dmm
1845N	1800 x 450 x 450

- Ideal for The Storage of Personal Possessions and Equipment
- Vertical Hanging Compartment Plus Storage Compartments
- Integral Seat and Stands Available
- ◆ Sloping Top Option







Order	Size
Code	H x W x Dmm
1845CD	1800 x 450 x 450

- Two Vertical Compartments to Separate Workwear and Daywear
- Integral Seat and Stands Available
- ◆ Sloping Top Option
- Lock Options







ockers

Two Person Locker

Order	Size
Code	H x W x Dmm
1845TP	1800 x 450 x 450

- Space Saving Unit for 2 Users
- Each User Having a Vertical Hanging and a Personal Possession Compartment
- Integral Seat and Stands Available
- Sloping Top Option
- Lock Options









Twin Locker

Order	Size
Code	H x W x Dmm
1845TW	1800 x 450 x 450

- Space Saving Unit
- Accommodates Two Users Each Having a Slim Vertical Storage Compartment
- Locker Stands Available
- ◆ Sloping Top Option
- Lock Options







Garment Lockers



Garment Collector

Garment Dispenser

Optional Sloping Top

Optional Stand

Garment Collector

Order	Size
Code	H x W x Dmm
721518GC	1830 x 381 x 457

Garment Dispenser

elite GUARD

Order Code	Size H x W x Dmm	No. Doors
721518GD5	1830 x 381 x 457	5
721518GD10	1830 x 381 x 457	10
721518GD15	1830 x 381 x 457	15

Garment Service Locker

Order	Size
Code	H x W x Dmm
183845GS	1800 x 380 x 450

- Space Saving Unit
- ◆ Top Compartment Used for Service Laundry

No Access to User Personal Compartments

- Lower Compartments Suitable for Hanging, Shoe and Small Item Storage
- Sloping Top Option







First Aid Cabinets

MEDICAL CABINETS... floorstanding. Reinforced doors. Complete with adjustable shelves. Choice of three sizes.

FIRST AID WORKSTATION... ideal unit for positioning close to work activities in remote areas of factories and businesses etc. Provides lockable secure storage for small and bulky items. Useful raised sloping desk top. Mobile base option available.

CUBE LOCKER... ideal for individual storage. Units available in three options. Can either be stacked together or wall mounted. Number plate holder. Fixings not supplied.

UNIFORM LOCKER... ideal for the storage of protective clothing and emergency equipment. Vertical hanging compartment and four smaller storage compartments. (not shown)





First Aid





Medical Cabinet



First Aid Cabinets

Order Code	Size H x W x Dmm	Number Shelves	Description
FA723618	1800 x 915 x 457	3	Double Door Cabinet
FA393618	1000 x 915 x 457	1	Double Door Cabinet
FA361818	910 x 457 x 457	2	Single Door Cabinet
FA184545	1800 x 450 x 450	3	Uniform Locker
FA30	300 x 300 x 300		Cube Locker
FA38	380 x 380 x 380		Cube Locker
FA45	450 x 450 x 450		Cube Locker
FAMDK2 FAMDK3	1066/1200 x 915 x 457 2 x Brake, 2 x Swivel	2	First Aid Workstation Workstation Mobile Base







Airflow venting system

Perforated Lockers

page

- Increased Ventilation
- Allows Compartment Inspection From Outside of Door
- Reinforced Doors
- Available on the Complete Range of Lockers

Details on application







Disability Locker

- Special Height for Disabled Users
- Benefits from a Low Level Shelf
- Reinforced Doors
- Double Coat Hook
- ◆ Lock Options

Disability Locker

Order	Size	Single	Nest	Nest
Code	H x W x Dmm		of 2	of 3
	1370 x 300 x 300 1370 x 300 x 450	V	V	V



Labelled as shown







Cloakroom Equipment

Seat & Stand

- Welded 38mm Tubular Steel
- Powder Coated to Match Locker Carcass
- Adjustable Feet
- Supplied with Two Solid Hardwood Slats

Seat & Stand

Order Code	Size Width mm
LSS30	300
LSS45	450
LSS60	600
LSS90	900
LSS120	1200

The above sizes correspond to the various locker widths.

Locker Stand



- Powder Coated to Match Locker Carcass
- Adjustable Feet
- Helps Maintain a Clean Floor Surface
- Locker Raised 150mm



Locker Stand

Order Code	Size Width mm
LS30	300
LS38	380
LS45	450
LS60	600
LS90	900
LS120	1200
T 1	

The above sizes correspond to the various locker widths.





Cloakroom Equipment

Island Seating

- → Welded 38mm Tubular Steel
- ◆ Supplied with Double Coat Hooks
- Shoe Compartments or Tray Options
- Powder Coated to Match Locker Carcass
- Floor Fixing Bracket



On Site Assembly Required

Single Sided Fitted with Shoe Tray



Island Seating

Sinale Sided 400mm Deep

Order	Number of	Size
Code	Hooks	H x Lmm
IS120S	9	1800 x 1200
IS150S	12	1800 x 1500

Double Sided 760mm Deep

Order	Number of	Size
Code	Hooks	H x Lmm
IS120D	18	1800 x 1200
IS150D	24	1800 x 1500

Single Sided Fitted with Shoe Compartments

Order Code	Number of Compartments	Size H x Lmm
IS120SSB	8	1800 x 1200
IS150SSB	10	1800 x 1500

Double Sided Fitted with Shoe Compartments


Order Code	Number of Compartments	Size H x Lmm
IS120DSB	16	1800 x 1200
IS150DSB	20	1800 x 1500

Single Sided Fitted with Shoe Tray

Number of	Size
Hooks	H x Lmm
9	1800 x 1200
12	1800 x 1500
	Hooks 9

Double Sided Fitted with Shoe Trav

200.0.0	0.00.11.11.00.11.11.1	a mar once may		
Order Code	Number of Hooks	Size H x L mm		
IS120DST	18	1800 x 1200		
IS150DST	24	1800 x 1500		



→ Welded 38mm Tubular Steel

Supplied with Three Solid Hardwood Slats

Powder Coated to Match Locker Carcass

Free Standing

Size Length mm
600
900
1200
1500



Mesh Lockers

ite range of products

- Offers High Visual Security
- Ideal for Airing Damp Clothes
- Suitable for Drying Rooms
- → 3 Point Locking
- Bright Zinc Finish

Mesh Lockers

Size H x W x Dmm	Single	Nest of 2	Nest of 3
1980 x 305 x 305	~	/	V
1980 x 305 x 450	~	/	~
1980 x 305 x 305	~	/	~
1980 x 305 x 450	~	~	~
1980 x 305 x 305	~	/	~
1980 x 305 x 450	~	/	~
1980 x 305 x 305	~	/	~
1980 x 305 x 450	V	~	~
	H x W x Dmm 1980 x 305 x 305 1980 x 305 x 450 1980 x 305 x 305 1980 x 305 x 450 1980 x 305 x 305 1980 x 305 x 450 1980 x 305 x 450 1980 x 305 x 305	H x W x Dmm 1980 x 305 x 305 1980 x 305 x 450 1980 x 305 x 305 1980 x 305 x 305 1980 x 305 x 450 1980 x 305 x 305 1980 x 305 x 450 1980 x 305 x 450 1980 x 305 x 305 **Total control of the control of	H x W x Dmm of 2 1980 x 305 x 305 ✓ 1980 x 305 x 450 ✓ 1980 x 305 x 305 ✓ 1980 x 305 x 305 ✓ 1980 x 305 x 450 ✓ 1980 x 305 x 450 ✓ 1980 x 305 x 305 ✓ 1980 x 305 x 305 ✓ 1980 x 305 x 305 ✓



Hazardous Substance



These robust cabinets benefit from welded seams to increase structural stability and reduce the risk of leakages. Designed to provide safe and secure storage of chemicals, paints and hazardous substances as defined by Coshh guidelines.

Conforms to Health & Safety Executive Guide HSG51 and DSEAR 2002.



Hazardous Substance Cabinets

Order Code	Size H x W x Dmm	Number Shelves	Sump Capacity	Sloping Top	3 Point Locking
723618CSC	1830 x 915 x 457	3	50 Ltr	Option	V
603618CSC	1525 x 915 x 457	2	50 Ltr	Option	V
483618CSC	1220 x 915 x 457	2	50 Ltr	Option	✓
363618CSC	915 x 915 x 457	1	30 Ltr	Option	~
361818CSC	915 x 457 x 457	1	15 Ltr		✓
283618CSC	710 x 915 x 457	1	30 Ltr	Option	~

Labelled 'Flammable' and 'Highly Flammable'

Mini Hazardous Substance Cabinets

243618CSC	610 x 915 x 457	1	30 Ltr	✓
243615CSC	610 x 915 x 381	1	15 Ltr	✓
301818CSC	760 x 457 x 457	1	10 Ltr	
281812CSC	710 x 457 x 305	1	10 Ltr	
281412CSC	710 x 355 x 305	1	5 Ltr	
241818CSC	610 x 457 x 457	1	10 Ltr	
181818CSC	457 x 457 x 457	1	10 Ltr	
181812CSC	457 x 457 x 305	1	5 Ltr	

Labelled 'Flammable' and 'Highly Flammable'



Sloping Top Add-On

3618STU 150 x 915 x 457

Specification:

Manufactured using high quality mild steel in a range of 0.9mm (20swg) - 1.5mm (16swg) thickness to give a robust unit. Each unit is assembled from pre-formed steel and welded together for extra rigidity. Doors are reinforced with steel door stiffeners. Integral leakproof welded base sump. Welded seams will also assist in maintaining the structural integrity under extreme conditions. Sloping tops and stands available. Powder coated paint finish. These products are not fire proof.

Safety Cabinets

- Heavy Duty Construction
- Powder Coated Paint Finish
- Reinforced Doors
- Leak-proof Cabinet Base
- 3 Point Locking



Hazardous Stackable Cabinets

Order	Size	Number	Sump	Sloping	3 Point
Code	H x W x Dmm	Shelves	Capacity	Top	Locking
283618CSCK 243618CSCK	710 x 915 x 457 610 x 915 x 457	1 1	30 Ltr 30 Ltr		V

Hazardous Wall Mounted Cabinets

243615CSCW	610 x 915 x 381	1	15 Ltr		~
203618CSCW	480 x 915 x 457	1	20 Ltr	Option	~







Coshh Cabinets



Coshh Cabinets

Order Code	Size H x W x Dmm	Number Shelves	Sump Capacity	Sloping Top	3 Point Locking
723618COS	1830 x 915 x 457	3	50 Ltr	Option	V
603618COS	1525 x 915 x 457	2	50 Ltr	Option	~
483618COS	1220 x 915 x 457	2	50 Ltr	Option	/
363618COS	915 x 915 x 457	1	30 Ltr	Option	/
361818COS	915 x 457 x 457	1	15 Ltr		~
283618COS	710 x 915 x 457	1	30 Ltr	Option	V

Mini Coshh Cabinets

243615COS	610 x 915 x 381	1	15 Ltr	✓
301818COS	760 x 457 x 457	1	10 Ltr	
281812COS	710 x 457 x 305	1	10 Ltr	
241818COS	610 x 457 x 457	1	10 Ltr	
181812COS	457 x 457 x 305	1	5 Ltr	

Coshh Stackable Cabinets

283618COSK	710 x 915 x 457	1	30 Ltr	V
243618COSK	610 x 915 x 457	1	30 Ltr	~

Stands

3618ST	533 x 915 x 457	With adjustable feet
1818ST	533 x 457 x 457	With adjustable feet

Acid Cabinets

Order Code	Size H x W x Dmm	Number Shelves	Sump Capacity	Sloping Top	3 Point Locking
723618AC	1830 x 915 x 457	3	50 Ltr	Option	V
603618AC	1525 x 915 x 457	2	50 Ltr	Option	~
483618AC	1220 x 915 x 457	2	50 Ltr	Option	~
363618AC	915 x 915 x 457	1	30 Ltr	Option	~
361818AC	915 x 457 x 457	1	15 Ltr		~
283618AC	710 x 915 x 457	1	30 Ltr	Option	~

Mini Acid Cabinets

301818AC	760 x 457 x 457	1	10 Ltr	
281812AC	710 x 457 x 305	1	10 Ltr	
20101210	710 / 107 / 000		10 20	

Acid Stackable Cabinets

283618ACK	710 x 915 x 457	1	30 Ltr	✓
243618ACK	610 x 915 x 457	1	30 Ltr	✓

Pesticide Cabinets

723618PFS	1830 x 915 x 457	0	50 l tr	Option	.,
		3	00 2	2""	ν.
363618PES	915 x 915 x 457	1	30 Ltr	Option	~
361818PES	915 x 457 x 457	1	15 Ltr		~

Acid Cabinets

Control of Substances Hazardous to Health Regulations apply to virtually all UK workplaces. There are mandatory requirements for employers to carry out Coshh Risk Assessments. Substances hazardous to health are those products that are capable of causing adverse effects or disease arising out of exposure from work activates. It is the employers responsibility to gather information on these products and either eradicate the risk or at least control it. Any substance labelled as Toxic, Irritant, Poison, Corrosive or Harmful fall within identifiable categories defined by Coshh.

Coshh, Pesticide and Acid cabinets are manufactured to the same height specification as Hazardous Substance cabinets.







Hazardous Bin Units

Hazardous Substance Sloping Top Bin Units





Hazardous Substance Sloping Top Bin Units

Order	Size	Sump	Lock
Code	H x W x Dmm	Capacity	Type
ST244618CSC	610/540 x 1170 x 457	35 Ltr	Hasp & Staple
ST202415CSC	510/450 x 610 x 381	15 Ltr	Hasp & Staple

Hazardous Substance Flat Top Bin Units

Order	Size	Sump	Lock
Code	H x W x Dmm	Capacity	Type
FT244618CSC	610 x 1170 x 457	35 Ltr	Hasp & Staple
FT202413CSC	510 x 610 x 330	15 Ltr	Hasp & Staple

Labelled 'Flammable' and 'Highly Flammable'





Flame Store bin suitable for the storage of petroleum products or highly flammable substances for external use. Removable leak-proof sump detachable from main storage compartment. Supplied with 'conditions of licence for petroleum spirits'. Fitted with hasp & staple locking and carrying handles.

Flame Store Bin Unit

Order	Size	Sump	Lock
Code	H x W x Dmm	Capacity	Type
FST	685 x 915 x 635	75 Ltr	Hasp & Staple

Galvanised Bin Units

Order	Size	Sump	Lock
Code	H x W x Dmm	Capacity	Type
GB	765 x 685 x 508	N/A	Hasp & Staple
GBS	765 x 685 x 508	40 l tr	Hasp & Staple



Galvanised Bin Units

Industrial Cupboards

and Workstation

- Secure Office Storage Solution
- ♦ 3 Point Security Locking Supplied With 2 Keys
- Welded Frame With Reinforced Doors
- Supplied Built Up...
 - ... No Awkward On-site Assembly
- Shelf Loading 70Kg (UDL)
- Hasp & Staple Lock Option Available

(for added security)







e range of products

Janitorial /

Industrial Cupboards - Workstation

Order Code	Size H x W x Dmm	Description
723618C	1830 x 915 x 457	General Storage with 3 Shelves
723618CE	1830 x 915 x 457	Janitorial/Equipment Cupboard
723618W	1830 x 915 x 457	Wardrobe Cupboard
393618C	1000 x 915 x 457	Double Door Cupboard
361818C	910 x 457 x 457	Single Door Cupboard
723618SEC	1830 x 915 x 457	Large Security Cupboard*
393618SEC	1000 x 915 x 457	Small Security Cupboard*
42/483618MDK1	1066/1200 x 915 x 457	Workstation (Single Drawer)
42/483618MDK2	1066/1200 x 915 x 457	Workstation (Two Drawer)
MDK3	2 x Brake & 2 x Swivel	Mobile Base (for Workstation)
361818DT	925 x 457 x 457	Tool Locker plus Recessed Top







Delta Profile



Boltless Shelving

- Ideal Solution for Mobile, Media, Archive, Medical & Office Environments,
- Bay Loading 450kg
- Shelf Loading 80kg (UDL)
- Polyester Powder Coated
- Open (braced) and closed (back clad) bay options.
- Duplex shelves for lateral file storage available in 900, 1000 and 1200 mm widths.
- Quick and easy to assemble.
- Self assembly components available.







Add-on Bay Open



Starter Bay Closed



Add-on Bay Closed

Bay Heights

Hei	Size ight mm	
	1875 2175 2475	

Bay Widths

He	Size eight mm	l
	900 1000 1200	
	1000	

Bay Depths

Day Dopti	10
Size Height mm	
150* 300 350 400* 450 600	

*Available on application

Shelving System

Quick Reference Bay Options...

...1875mm High

Starter Bay Open

Order Code	Size H x W x Dmm
DP189030SO	1875 x 900 x 300
DP189035SO	1875 x 900 x 350
DP189045SO	1875 x 900 x 450
DP181030SO	1875 x 1000 x 300
DP181035SO	1875 x 1000 x 350
DP181045SO	1875 x 1000 x 450
DP181230SO	1875 x 1200 x 300
DP181235SO	1875 x 1200 x 350
DP181245SO	1875 x 1200 x 450

Pack contents - 2 Upright panels, 6 shelves, plinth and 2 pairs of back bracing plus fixings

Add-on Bay Open

Order	Size
Code	H x W x Dmm
DP189035AO DP189045AO DP181030AO DP181035AO DP181045AO DP181230AO DP181235AO	1875 x 900 x 300 1875 x 900 x 350 1875 x 900 x 450 1875 x 1000 x 300 1875 x 1000 x 350 1875 x 1000 x 450 1875 x 1200 x 350 1875 x 1200 x 350 1875 x 1200 x 450

Pack contents - 1 Upright panel, 6 shelves, plinth and 2 pairs of back bracing plus fixings

Starter Bay Closed

DP181035SC 1875 x 1000 x 350 DP181045SC 1875 x 1000 x 450 DP181230SC 1875 x 1200 x 300		
DP189035SC 1875 x 900 x 350 DP189045SC 1875 x 900 x 450 DP181030SC 1875 x 1000 x 300 DP181035SC 1875 x 1000 x 350 DP181045SC 1875 x 1000 x 450 DP181230SC 1875 x 1200 x 300	0.00.	
	DP189035SC DP189045SC DP181030SC DP181035SC DP181045SC DP181230SC DP181235SC	1875 x 900 x 350

Pack contents - 2 Upright panels, 6 shelves, plinth and back panel plus fixings

Add-on Bay Closed

	-)
Order Code	Size H x W x Dmm
DP189030AC DP189035AC DP189045AC DP181030AC DP181035AC DP181045AC	1875 x 900 x 300 1875 x 900 x 350 1875 x 900 x 450 1875 x 1000 x 300 1875 x 1000 x 350 1875 x 1000 x 450
DP181230AC DP181235AC	1875 x 1200 x 300 1875 x 1200 x 350

Pack contents - 1 Upright panel, 6 shelves, plinth and back panel plus fixings



Delta Shelving Features & Options



Full Height Dividers

To create subdivisions on shelf levels. Minimum spacing 50mm. Standard heights 300 & 450mm.



Shelf Back Stop

Alternative to back cladding. Easy to fit push in fixing.



Recessed Shelf Clip

Provides an unobstructed shelf clearance. Clip is common to adjacent shelf levels.



Adjustable Shelf Clip

Simple to adjust, easy to build flexible shelving system. 25mm adjustable increments.



Duplex Shelf

Accepts a 330mm lateral file cradle on a 350mm deep shelf. Minimum shelf centre 300mm.




Adjustable Dividers

Drop on dividers adjustable along length of shelf. 200mm high.





Locker Features



2100mm

Minimum distances to allow clear movement of users in gangways. In dry changing room environments lockers can be floor mounted.

1500mm

Guidance to

Locker Room Design

Important factors to consider

- (1) The size and configuration of the locker compartment will be determined by the items to be stored e.g the need to hang garments, size of bags/holdalls, the storage of motor cycle helmets and footwear etc.
- (2) There may be a need to store work wear separately from personal clothing if so then PPE or Clean/Dirty locker options are available.
- (3) If hygiene is important consider a factory fitted sloping top option on lockers. This prevents an unwanted build up of dirt and debris and also encourages storage within the locker and not outside. Locker stands can provide cleaning access to beneath the locker.
- (4) Check floor surfaces are level, lockers are designed to be floor standing. To overcome uneven floors locker stands are supplied with adjustable feet.
- (5) Will users be changing footwear, it would be useful to offer freestanding benches or an integral seat and stand option.
- (6) Is there a need to air damp clothing....then consider lockers where garments can be hanged or opt for a compartment locker with perforated holes in doors to increase air circulation.
- (7) Type of lock required....Key cam lock, Padlock type fitting, £1 coin return or token return lock options available.
- (8) Additional locker accessories e.g. hanging rail, sloping top, number plates etc.

1200mm

- (9) Is there a need for locker compartments to be visually monitored. Perforated doors allow inspection from outside the locker.
- (10) Factors relating to the positioning and off-loading of lockers should be considered e.g. will labour be required. Nested lockers are more difficult to manoeuvre than single lockers.
- (11) Check if delivery vehicle access is sufficient.
- (12) Coloured door requirements.

900mm

General Info

Metal lockers are not intended for use in damp or wet areas. Under the Workplace (Health, Safety and Welfare regulations 1992) employers are required to provide suitable and sufficient accommodation for workwear and personal clothing. The Personal Protective Equipment at work regulations 1992 also require the provision of suitable storage to protect personal protective equipment from damage, contamination or loss.

STORAGE DESIGN LIMITED TEL: 01446 772614 info@storage-design.co.uk www.storage-design.co.uk







Hazardous Substance Safety Cabinets


Modular Storage



Delta Profile Shelving



PPE Lockers & Cabinets



For information and pricing on all our products please contact your Local Authorised Distributor

STORAGE DESIGN LIMITED

Primrose Hill Cowbridge South Wales CF71 7DU

Tel: 01446 772614 Fax: 01446 774770

www.storage-design.co.uk info@storage-design.co.uk