


FOOD GRADE PRODUCTS



Double & Single Dollies



- Solid and open deck options
- Suit all euro 600 x 400 containers stacking or stack-nest
- Any quantity in any colour



- RM50DY open deck double dolly- overall dim.830 x 600
- RM52DY closed deck double dolly - overall dim.910 x 660



- To suit containers up to 640 x 385mm based including 10083 attached lid container, M118,RB15506 and AT704604 containers



- To suit containers upto 645x 395mm base including DH740002 tray

Product Code	External	L x W x H	Tray Code	Standard Colours
RM75DY	L x W x H			
	685 X 430	640X 385		
	762x457x92	715x412x72		

Products Designed For Your Application



- Multipurpose tub designed specifically for a major UK food manufacturing group
- 15 litre capacity
- Can be produced with slot for tagging and tracing

Sieves

Special sieves designed to fit any container - give us a call.



Mobiles



- New mobile fits specific dough tippers
- Ideal for areas with height restrictions
- Overall dimensions - 830 x 480 x 690mm

Containers



- Coloured box with lid
- Any colour any quantity
- 3 sizes available

Product
Code

RM75DY

External
Dimensions
L x W x H

685 X 430

Internal Dimensions
L x W x H

640X 385

Standard
Colours



Eurobin Lid



- 2 sizes available: 710 x 465
- EBL01 Euro bin lid suits bins 750 x 700mm
- EBL02 Euro bin lid suits bins 560 x 575mm inc. peaked front
- Colours available: ● ● ● ● ● ●



Special Coloured Trays



Container Code	External Dimensions L x W x H	Internal Dimensions L x W x H	Litres Capacity	Lid Code	Single Dolly Code	Double Dolly Code	Standard Colours
SN190	600X400X199	546X349X172	35	RM905L	RM90D	RM50DY	● ● ● ● ● ●
2A045	600X400X235	555X355X220	45	RM905L	RM90D	RM50DY	● ● ● ● ● ●

Special Size Containers - * Minimum order



Product Code	External L x W x H	L x W x H	Litres Capacity	Quantity	Lid Code	Dolly Code	Standard Colours
RM10T&L	365x365x600	275x275x575	45	-	Included	-	○ ● ● ● ● ●
BT100	415x315x180	375x275x170	18	-	BT100L	-	○ ● ● ● ● ●
BT200 *	546x381x152	431x279x139	14	-	-	-	○
BT300 *	469x317x165	457x304x152	18	-	-	-	○
ST1915 *	584x482x177	482x381x165	32	-	ST1915L	-	○ ●

Wheeled Dollies



RM30DY



RM35DY



RM90D



RMSBD

RMTBD



RMSBDD
Double Dolly



RM25D

RM20D

RM10D

RM35D

RM5D

RM15D

Product Code	Description	Material	Colours
RM30DY	Made to order in any size	Stainless steel or galvanised	-
RM35DY	To suit trays 762x457mm (30x18in)	Polyethylene	
RMSBD	To suit bins up to 385mm diameter	Polyethylene	
RMTBD	To suit bins up to 445mm diameter	Polyethylene	
RMSBDD	To suit 2 bins up to 385mm diameter	Polyethylene/Galvanised	
RM90D	To suit 600x400 Euro stackers and stack nesters	Polyethylene	
RM5D	To suit bins up to 295mm diameter	Mild Steel Powder Coated	
RM10D	To suit bins up to 360mm diameter	Mild Steel Powder Coated	
RM15D	To suit bins up to 400mm diameter	Mild Steel Powder Coated	
RM20D	To suit bins up to 450mm diameter	Mild Steel Powder Coated	
RM25D	To suit bins up to 480mm diameter	Mild Steel Powder Coated	
RM35D	To suit bins up to 515mm diameter	Mild Steel Powder Coated	

Inter-stacking Bins


Bins and lids interstackable.
Moulded in tough food grade polyethylene.

Temperature range -30°C to +80°C.



Ingredients Capacities Guide

		RMS B4	RMS B7	RMS B11	RMS B16
Capacity	litres	18	31	46	73
Currants	kgs	11	17	29	41
Fat	kgs	12	25	38	50
Flour	kgs	7	14	24	38
Sugar	kgs	12	23	36	49
Sultanas	kgs	12	19	31	45



RMSBDD Double Dolly



Product Code	External Dimensions	Litres Capacity	Gallons Capacity	Dolly Code	Lid Code	Standard Colours
RMSB4	425x178	18	4	RMSBD	RMSBL	☉ ● ● ● ● ●
RMSB7	425x300	31	7	RMSBD	RMSBL	☉ ● ● ● ● ●
RMSB11	425x438	46	11	RMSBD	RMSBL	☉ ● ● ● ● ●
RMSB16	425x650	73	16	RMSBD	RMSBL	☉ ● ● ● ● ●
RMSBD	430x430x185	-	-	-	-	☉ ● ● ● ● ●
RMSBDD	910x450x1010	-	-	-	-	☉ ● ● ● ● ●
RMSBTRI	155 HIGH	-	-	-	-	☉ ● ● ● ● ●
RMSBTRI	265 HIGH	-	-	-	-	☉ ● ● ● ● ●


Mixing Bowl Unit

Illustration shows:

RM24 Natural Bowl moulded in food grade polyethylene.

RM24ST Powder coated mobile stand. Range -30°C to +80°C.

Lid available (Code RM35L). Stainless steel stand optional.



Stainless Steel Sieve Unit

Illustration shows:

Sieve straining unit comprising:-

1 x RMSBD (Natural), 1 x Sieve, 1 x RMSB7 (Green),

1 x RMSB11 (Natural), 1 x RMSBL (Natural)



Product Code	External Dimensions Diameter x H	Litres Capacity	Gallons Capacity	Kilograms Capacity	Lid Code	Standard Colours
RM19	480x230	45	10	-	RM15L	☐
RM24	640x265	60	13	-	RM35L	☐ ● ● ● ● ●
RM24ST	H = 1000	-	-	-	-	
RMSBD	430 x430 x185	-	-	-	-	☐ ● ● ● ● ●
RMSB7	425x300	31	7	12	RMSBL	☐ ● ● ● ● ●
RMSB11	425x438	46	11	18	RMSBL	☐ ● ● ● ● ●

SIEVE

Available in either 1.0mm or 2.5mm mesh size stainless

Tapered Moulded Bins

Heavy duty design
Moulded in food grade
polyethylene.
Choice of five colours.

Snag free, easy clean design.
Nest when empty for space saving.
Lids available.

Bins can be drilled and fitted with drainage bung.
Bins can be supplied with galvanised or
stainless steel handles.
-30°C to +80°C temperature range.



Product Code	External Dimensions Diameter x H	Internal Dimensions Diameter x H	Litres Capacity	Gallons Capacity	Lid Code	Dolly Code	Standard Colours
RM4B	455x315	445x285	18	4	RM4L	-	☉ ● ● ● ●
RM4BSS	455x315	445x285	18	4	RM4L	-	☉ ● ● ● ●
RM5B	385x420	345x415	23	5	RM5L	RM5D	☉ ● ● ● ●
RM10B	465x475	395x460	45	10	RM10L	RM10D	☉ ● ● ● ●
RM15B	505x555	450x550	68	15	RM15L	RMSBD	☉ ● ● ● ●
RM14A	540x520	500x500	82	18	C20L	RMSBD	●
RM20B	540x635	480x605	90	20	RM20L	RMTBD	☉ ● ● ● ●
RM25B	590x690	510x670	114	25	RM25L	RMTBD	☉ ● ● ● ●
RM30B	540x920	465x910	136	30	RM20L	-	☉ ● ● ● ●
RM35B	660x690	575x680	160	35	RM35L	RM35D	☉ ● ● ● ●
RM60B	700x910	890x620	273	60	-	-	☉ ● ● ● ●

Tapered Moulded Bins - please see table on previous page for dimensions and capacities



All bins can be drilled and fitted with drainage bung if required.

Buckets



Product Code	External Dimensions Diameter x H	Litres Capacity	Handle Finish	Standard Colours
CR20	330x280	20	Galvanised	☉
CR30	370x420	30	Galvanised	☉
RM2B	280x280	9	Chrome Plated	☉ ● ● ● ● ●
MBK5	325x330	15	Stainless Steel	-
MBK9	360x270	12	Stainless Steel	-

Airtight Containers - White colour as standard. V30 available with choice of coloured lid.



Product Code	External Dimensions Diameter x H	Litres Capacity	Boxed Quantity	Lid Code	Standard Colours
V25	195x134	2.5	130	Included	○
V30	195x155	3	130	Included	○
V50	233x203	5	100	Included	○
V110	282x253	11	50	Included	○
V120	282x274	12	50	Included	○
V160	323x272	16	40	Included	○
V200	323x335	20	30	Included	○
V250	323x418	25	20	Included	○
V330	370x415	33	62	Included	○
V600	430x560	60	60	Included	○
RM75B	510x530	75	-	RM75A	○
RM110B	510x730	110	-	RM75A	○

Ingredient Dispense Systems



Illustration above shows:-
 1xStainless Steel Table.
 5xRM20TR (Natural).
 3xRM15 I.D. Ingredient
 Dispensers (Natural).
 3xRM40 I.D. Ingredient
 Dispensers (Yellow).

Dispensers

Moulded in food grade polyethylene. Three sizes/capacities.
 Choice of two standard colours (Others optional). Food approved
 shatter proof flip lid.
 Full labelling facility. RM15 I.D. and RM40 I.D. designs ensure
 correct product rotation.



Ingredient Dispense Systems



Illustration above shows:-

- 1xStainless Steel Table (SST).
- 2xRM40 I.D. Ingredient Dispensers (Yellow).
- 1xRM15 I.D. Ingredient Dispenser (Natural).
- 2xRM8 I.D. Ingredient Dispensers (1 Yellow, 1 Natural).
- 4xRM20TR Ingredient Mobiles (Red, Green, Yellow and Natural).
- 1xRM15TR Ingredient Mobile (Blue).

Stainless lids
available.



* Other table sizes available to order.

Product Code	External Dimensions L x W x H	Litres Capacity	Kilograms Capacity	Standard Colours
RM15TR	600x355x675	65	30	○ ● ● ● ●
RM20TR	600x455x675	90	50	○ ● ● ● ●
RM8 I.D.	400x295x250	8	8	○ ● ● ● ●
RM15 I.D.	490x250x500	15	15	○ ●
RM40 I.D.	630x300x685	40	40	○ ●
SST (Table)*	2440x610x864	-	-	-

Multi Trolleys

Choice of three trolleys.
Mild steel frames with powder coated finish.
Stainless steel frame optional. Full labelling facility.
Containers can be supplied in a choice of five colours,
Natural, Yellow, Red, Green or Blue.



RM8 Multi

RM8 Multi Trolley
1 x Mild steel powder coated mobile frame.
9 x RM8 I.D. Dispensers.



Stainless lids available.



RM10 Multi

RM10 Multi Trolley

1 x Mild steel powder coated mobile frame.
3 x RM15T Tanks.
3 x RM8 I.D. Dispensers.



RM15 Multi

RM15 Multi Trolley

1 x Mild steel powder coated mobile frame.
3 x RM15T Tanks.

Product Code	External Dimensions L x W x H	Standard Colours
RM8	970x470x1405	⬜ ⬜ ⬜ ⬜ ⬜
RM10	1140x600x1406	⬜ ⬜ ⬜ ⬜ ⬜
RM15	1075x600x680	⬜ ⬜ ⬜ ⬜ ⬜

General Purpose Containers & Racks



RMFB & L containers available in five colours
(Designed to hold 12kg block of fat).

Containers have smooth interiors for easy cleaning.
Mild steel powder coated frame as standard.
Stainless steel optional.



Product Code	External Dimensions L x W x H	Litres Capacity	Gallons Capacity	Kilograms Capacity	Lid Code	Standard Colours
RMFB & L	480x380x270	30	6.5	15	RM35L	
RMFBR	910x465x1510	-	-	-	-	-
RMFBMR	510x465x1510	-	-	-	-	-
RM35DY	765x460x200	-	-	-	-	

Mobiles

Ideal for food, pharmaceutical or general purpose applications.
Heavy duty polyethylene mouldings complete with PET lids, stainless steel optional.
Easy to clean, choice of colours and full labelling facility.
Four 75mm swivel castors as standard, except RM45SS which has 4 x 100mm swivel castors.



Stainless lids
available.

* Stainless handle
available,
please specify when

RM18TR



RM45SSL



RM30SSL

Product Code	External Dimensions L x W x H	Internal Dimensions L x W x H	Litres Capacity	Kilograms Capacity	Lid Code	Standard Colours
RM15TR	600x355x675	535x275x560	65	30	Included	⊗ ● ● ● ● ●
RM18TR	660x315x710	600x240x570	90	50	Included	⊗ ● ● ● ● ●
RM20TR	600x455x675	540x380x560	90	50	Included	⊗ ● ● ● ● ●
RM35TR	600x555x675	540x480x560	150	70	Included	⊗ ● ● ● ● ●
RM30TR*	620x530x690	552x467x582	135	60	RM30SSL	⊗ ● ● ● ● ●
RM45TR*	825x480x750	760x380x546	200	90	RM45SSL	⊗ ● ● ● ● ●

Mobiles

Moulded in tough food grade polyethylene.
-30°C to +80°C temperature range.
Snag free, easy to clean design.
100% plastic inside ensuring hygienic design.
Watertight, can be drilled and fitted with drainage bung.

RM50TR, RM70TR and RM100TR supplied with reinforced plastic bases.
It is not recommended to overload Mobiles with liquid or heavy product. A chassis frame can be supplied if required for this purpose. Please ask for advice.



Castor arrangements:-

RM16TR, RM26TR, RM29TR,
RM30TR =
4x75mm swivel zinc plated.

RM45TR, RM50TR, RM70TR,
RM100TR =
2x100mm fixed & 2x100mm
swivel zinc plated.

Stainless steel castors can be
supplied on request.



Product Code	Ext Dimensions L x W x H	Top Int. Dims L x W x H	Base Int. Dims L x W x H	Load Capacity	Litres Capacity	Gallons Capacity	Lid Code	Standard Colours
RM16TR	460x460x510	412x412x412	380x380x412	40kg	72	16	RM26L	☉ ● ● ● ●
RM26TR	460x460x760	412x412x662	370x370x662	60kg	118	26	RM26L	☉ ● ● ● ●
RM29TR	740x585x550	620x475x440	610x460x440	80kg	132	29	-	☉ ● ● ● ●
RM30TR	620x530x690	552x467x582	520x425x582	120kg	135	30	RM30L	☉ ● ● ● ●
RM45TR	825x480x750	740x410x647	700x360x647	150kg	200	45	RM45L	☉ ● ● ● ●
RM50TR	830x640x740	755x555x600	730x530x600	180kg	227	50	-	☉ ● ● ● ●
RM70TR	1010x685x735	903x584x595	840x530x595	220kg	320	70	RM70L	☉ ● ● ● ●
RM100TR	1320x735x780	1225x615x630	1165x570x630	275kg	455	100	RM100L	☉ ● ● ● ●

Chassis Trucks

Ideal for movement of heavy products/liquids.
Tanks moulded in tough food grade polyethylene.
Mobile frames available in stainless steel or mild steel powder coated.

Tanks available in choice of five colours.
Lids available for all tanks.



Product Code	External Dimensions L x W x H	Internal Dimensions L x W x H	Litres Capacity	Gallons Capacity	Lid Code	Standard Colours
RM30CT	800x540x700	552x467x582	135	30	RM30L	☐ ● ● ● ● ●
RM45CT	1000x470x770	760x380x546	200	45	RM45L	☐ ● ● ● ● ●
RM70CT	1210x685x750	903x584x595	320	70	RM70L	☐ ● ● ● ● ●
RM100CT	1520x735x800	1225x615x630	455	100	RM100L	☐ ● ● ● ● ●

Bottle Trolleys for the Licensed Trade



Moulded Products for the Catering & Licensed Trades - Full labelling facility




Product Code	External Dimensions L x W x H	Litres Capacity	Kilograms Capacity	Standard Colours
MODEL 1	730x530x660	-	-	●
MODEL 5	1052x457x610	-	-	●
RM15TR	600x355x675	65	30	● ● ● ● ●
RM20TR	600x455x675	90	50	● ● ● ● ●
RM16TR	460x460x418	72	25	● ● ● ● ●
RM26TR	460x460x670	118	60	● ● ● ● ●

Plastic Tanks

Moulded in food grade polyethylene.
Lids available.
Choice of colours.

-30°C to 80°C temperature range.
Snag free, easy to clean design.
Acid/chemical resistant - please ask for advice.

Dollies available for easy mobility.



Product Code	Ext. Dimensions L x W x H	Top Int. Dims L x W	Base Int. Dims L x W	Litres Capacity	Gallons Capacity	Lid Code	Standard Colours
	365x365x600	275x275	225x225	45	10	Included	☐ ● ● ● ●
	600x355x575	535x275	505x255	65	15	Included	☐
	460x460x418	412x412	380x380	72	16		☐ ● ● ● ●
	600x455x575	540x380	515x350	90	20	Included	☐ ●
	460x460x670	412x412	370x370	118	26		☐ ● ● ● ●
	620x530x590	552x467	520x425	135	30		☐ ● ● ● ●
	600x555x575	540x480	510x450	150	35	Included	☐ ●


Plastic Tanks



Product Code	Ext. Dimensions L x W x H	Top Int. Dims L x W	Base Int. Dims L x W	Litres Capacity	Gallons Capacity	Lid Code	Standard Colours
R20	530x530x440	460x460	425x425	91	20	-	○ ● ● ● ●
R29	750x580x460	640x480	610x460	132	29	-	○ ● ● ● ●
R50	830x640x610	755x555	740x540	227	50	-	○ ● ● ● ●
RM45T	825x480x655	740x410	700x360	200	45	RM45L	○ ● ● ● ●
RM70T	1010x685x625	903x584	840x530	320	70	RM70L	○ ● ● ● ●
RM100T	1320x735x670	1225x615	1165x570	455	100	RM100L	○ ● ● ● ●

Moulded Mobile Troughs

Moulded in food grade polyethylene.
 -30°C to +80°C temperature range.
 Choice of five colours.
 Drop on lid or hinged lid in clear PET or stainless steel.
 Mild steel powder coated frames.
 100mm castors zinc plated, 2 fixed 2 swivel.
 Stainless steel frame option.
 Stainless steel castors can be fitted if required.



Free Standing Troughs

CR100TRA CR100TRB CR100TRA
 Moulded in food grade polyethylene. Aluminium stands. Natural colour only Drainage plug



Product Code	External Dimensions L x W x H	Internal Dimensions L x W x H	Litres Capacity	Gallons Capacity	Lid Code	Frame Code	Standard Colours
CR100TRA	975x500x285	905x435x280	100	22	-	STAND A	☉
CR100TRB	975x500x285	905x435x280	100	22	-	STAND A	☉
RM130	990x540x390	910x460x385	130	30	RM130L	RM130F	☉ ● ● ● ●
RM180	965x720x465	875x625x460	180	40	RM180L	RM180F	☉ ● ● ● ●

Electroconductive Products for the Electronics Industry

We can supply a range of products in electroconductive or anti static material.
Ideal for electronics and clean room applications.
Other models and sizes available.



RM30TC



Product Code	External Dimensions L x W x H	Internal Dimensions L x W x H	Litres Capacity	Gallons Capacity	Lid Code	Standard Colours
RM70TRC	1010x686x625	903x584x595	320	70	RM70LC	●
RM100TRC	1320x735x670	1225x615x630	455	100	RM100LC	●
RM25BC	590Øx690	510Øx670	114	25	RM25LC	●
RM30TC	620x530x590	552x467x582	135	30	RM30LC	●


Dosing Tanks

Manufactured in polyethylene, our range of Dosing Tanks are widely used in the water treatment industry for the accurate metering of fluids. Available in 100, 200 & 500 litre capacities, each tank has moulded graduations to show level of liquid.



Product Code	External Dimensions Ø x H	Internal Dimensions Ø x H	Gallons Capacity	Litres Capacity	Inlet Ø	Standard Colours
WT100	510x675	495x660	22	100	152	☐
WT200	675x805	660x790	44	200	152	☐
WT500	830x1100	810x1070	110	500	152	☐


Scoops, Shovels, Paddles, Display Trays, Stirrers and Spatulas



Hygiene Scoops ▲

Moulded in food grade polyethylene. Choice of five colours.
Tough and durable. Scoops have solid handle with finger grips.

HW105



Hygiene Paddles ▲

Moulded in food grade polyethylene.
Temperature up to 80c.
White as standard.
Black heat resistant also available.

Display Trays ▲

5 sizes available.
Colour White as standard.
Brown colour optional
subject to quantity.



Hygiene Shovels ▲

Moulded in food grade polyethylene.
Choice of five colours.
Tough and durable.



RMST



Stirrers & Spatulas ▲

Available in five colours.
SP01 75mm blade, SP02 100mm blade.

Product Code	L x W x H	Litres	Pack Quantity	Standard Colours
RMBS	360x220x80	-	12	☞ ☛ ☙ ☚ ☛
SC01	250x110x60	0.3	10	☞ ☛ ☙ ☚ ☛
SC02	310x138x74	0.5	10	☞ ☛ ☙ ☚ ☛
SC03	355x167x90	1	10	☞ ☛ ☙ ☚ ☛
SH01	242x264x478	-	-	☞ ☛ ☙ ☚ ☛
SH04	247x315x978	-	-	☞ ☛ ☙ ☚ ☛
SH09	334x410x1035	-	-	☞ ☛ ☙ ☚ ☛
HW105	1760 Long	-	-	☞
LP01	1200 Long	-	-	☞
LP02	1200 Long	-	-	☞
NY105	1760 Long	-	-	☛
RM971	350x250x50	-	20	☞
RM973	310x240x25	-	35	☞ ☛
RM974	350x250x25	-	30	☞ ☛
RM976	410x300x25	-	35	☞
RM977	460x350x25	-	25	☞
RMST	39x12x408	-	25	☞ ☛ ☙ ☚ ☛
SP01	75x205	-	25	☞ ☛ ☙ ☚ ☛
SP02	100x250	-	25	☞ ☛ ☙ ☚ ☛

Metal Detectable Sundries

These products have been specifically developed for the food processing industry and are manufactured from a specially formulated material based on high impact food contact approved polypropylene. This virtually unbreakable material has the ability to be detected and rejected by typical metal detection machines used in the food processing industry, so preventing damage to delicate and expensive equipment.



Product Code	Dimensions W x D x L	Description	Material	Pack Quantity	Standard Colours
HD11	75x205	3" (75mm) scraper	Polypropylene	5	■
HD12	100x250	4" (100mm) scraper	Polypropylene	5	■
HD13	150x97	Small flexi scraper	Polypropylene	5	■
HD14	230x118	Large flexi scraper	Polypropylene	5	■
HD40	110x150x250	Small hand scoop	Polypropylene	5	■
HD41	138x187x310	Medium hand scoop	Polypropylene	5	■
HD42	167x230x355	Large hand scoop	Polypropylene	5	■
HD44	220x80x360	Round bowl scoop	Polypropylene	5	■
HD50	39x12x408	Universal stirrer	Polypropylene	5	■
HD51	39x12x421	Universal stirrer with hanger	Polypropylene	5	■


Anti-microbial Sundries

This anti-microbial hand tool range contains an additive that inhibits bacteria build-up with the protective barrier being reformed after cleaning. This protection lasts the lifetime of the product. These products hold Food contact certificates and are lightweight, rot & rust proof, tough & durable, and non-stick.



Product Code	Dimensions W x D x L	Description	Material	Pack Quantity	Standard Colours
HAB03	247x315x966	Standard blade T grip	Polypropylene	1	●
HAB07	247x315x527	Standard pan shovel	Polypropylene	1	●
HAB11	75x205	3" (75mm) scraper	Polypropylene	5	●
HAB12	100x250	4" (100mm) scraper	Polypropylene	5	●
HAB13	150x97	Small flexi scraper	Polypropylene	25	●
HAB14	230x118	Large flexi scraper	Polypropylene	25	●
HAB40	110x150x250	Small hand scoop	Polypropylene	5	●
HAB41	138x187x310	Medium hand scoop	Polypropylene	5	●
HAB42	167x230x355	Large hand scoop	Polypropylene	5	●
HAB44	220x80x360	Round bowl scoop	Polypropylene	5	●
HAB50	39x12x408	Universal stirrer	Polypropylene	5	●
HAB51	39x12x421	Universal stirrer with hanger	Polypropylene	5	●

Hand Scrapers & Floor Scrapers



Pack sizes noted in black CANNOT BE SPLIT.

Pack sizes noted in green are available as split packs.

PSC5 heat resistant scraper can be used on surfaces up to 240°C, while the handle remains cool, BLACK ONLY.

Product Code	Description	Dimensions L x W	Pack quantity	Standard Colours
MSC3	Stainless steel hand scraper	75x0.8	4	● ● ● ●
MSC3/38	Stainless steel hand scraper	38x0.8	4	● ● ● ●
MSC4	Stainless steel dough cutter	155x0.56	4	● ● ● ●
MSC22W	Flexible s/s hand scraper	120x85	10	●
SP01	Plastic hand scraper	205x76	10	● ● ● ● ●
SP02	Plastic hand scraper	250x110	10	● ● ● ● ●
PSC5	Heat resistant hand scraper	250x110	4	●
PSC6	Plastic hand scraper	320x250	1	●
MSC1	s/s blade with aluminium handle	200x1.3x1300	6	● ● ● ● ●
MBLD1	s/s blade for MSC1	200x1.3	6	●
MSC2	Sprung steel blade with aluminium handle	200x0.8x1300	6	● ● ● ● ●
MBLD2	Sprung steel blade for MSC2	200x0.8	6	●
PSC7	Plastic blade with aluminium handle	250x1300	1	● ● ● ● ●
MSC7	s/s blade with aluminium handle	250x1x1300	1	● ● ● ● ●


General Purpose Brushes



Machine Brushes



216mm Bulk Tank Brushes



• These products are available with matching coloured backs. If you require a matching coloured back please add the prefix 'C' to the code.

Product Code	Description	Texture	Trim mm	Material mm	Pack Quantity	Standard Colours
D3	254mm General Purpose	Stiff	44	0.5 Polypropylene	6	
D4•	254mm General Purpose	Stiff	44	0.6 Polyester	6	
D5	254mm General Purpose	Soft	44	0.3 Crimped Polyester	6	
D6•	240mm General Purpose	Stiff, upright	30	0.6 Polyester	6	
D9•	406mm General Purpose	Stiff	40	0.6 Polyester	6	
D10	406mm General Purpose	Soft	40	0.3 Crimped Polyester	6	
B1423	550mm Machine, resin cast	Medium	60	0.46 Crimped Polyester	2	
B1606	225mm Detail Brush	Medium Stiff	17	0.4 Polyester	12	
B1538	240mm S/Steel Strin Brush	Medium Stiff	16	0.35 Polyester	12	
WS6S	279mm Plastic Scratch Brush	Abrasive	28	0.31 Type 316 S/Steel	6	
B1240	180x10mm Niche Brush	Abrasive	14	0.15 Type 316 S/Steel	10	
B1241	180x10mm Niche Brush	Medium Stiff	14	0.30 Crimped Polyester	10	
D77P	Bulk Tank	Medium Soft	41	0.35 Polyester	1	
D77PR	Bulk Tank	Stiff	41	0.6Polvester	1	

Tube Brushes 13-75mmØ



Product Code	Description	Texture	Trim mm	Material mm	Pack Quantity	Standard Colours
T831	305mm Twisted s/s wire brush	Medium Stiff	13Ø	0.3 Crimped Polyester	5	
T832	305mm Twisted s/s wire brush	Medium Stiff	25Ø	0.4 Polyester	5	
T833	390mm Twisted s/s wire brush	Medium Stiff	38Ø	0.4 Polyester	5	
T834	390mm Twisted s/s wire brush	Medium Stiff	50Ø	0.6 Polyester	5	
T835	390mm Twisted s/s wire brush	Medium Stiff	64Ø	0.6 Polyester	5	
T836	390mm Twisted s/s wire brush	Medium Stiff	75Ø	0.6 Polyester	5	
T971	762mm Twisted s/s wire brush	Medium Stiff	13Ø	0.3 Crimped Polyester	5	
T972	762mm Twisted s/s wire brush	Medium Stiff	25Ø	0.4 Polyester	5	
T973	762mm Twisted s/s wire brush	Medium Stiff	38Ø	0.4 Polyester	5	
T974	762mm Twisted s/s wire brush	Medium Stiff	50Ø	0.6 Polyester	5	
T975	762mm Twisted s/s wire brush	Medium Stiff	60Ø	0.6 Polyester	5	
T976	762mm Twisted s/s wire brush	Medium Stiff	75Ø	0.6 Polyester	5	
<i>The above brushes may be fitted with polypropylene handles. Heat tolerance A. Add the suffix H to the code.</i>						
T941	3M flexi-handle with s/s brush	Medium Stiff	13Ø	0.3 Crimped Polyester	1	
T942	3M flexi-handle with s/s brush	Medium Stiff	25Ø	0.4 Polyester	1	
T943	3M flexi-handle with s/s brush	Medium Stiff	38Ø	0.4 Polyester	1	
T944	3M flexi-handle with s/s brush	Medium Stiff	50Ø	0.6 Polyester	1	
T945	3M flexi-handle with s/s brush	Medium Stiff	64Ø	0.6 Polyester	1	
T946	3M flexi-handle with s/s brush	Medium Stiff	75Ø	0.6 Polyester	1	

Tube Brushes 62-130mmØ - to fit ALH7 handles (see page 60)



Product Code	Description	Texture	Trim mm	Material mm	Pack Quantity	Standard Colours
B1607	300mm Bottle Brush	Medium	62Ø	0.4 Polyester	12	
B1529/75	175mm solid core tube	Medium	75Ø	0.46 Crimped	2	
B1529/95	175mm solid core tube	Medium	95Ø	0.6 Polyester	2	
B1529/115	175mm solid core tube	Medium	115Ø	0.6 Polyester	2	
B800	160mm solid core tube	Medium	130Ø	0.6 Polyester	2	

Brooms 230 x 50mm



Brooms 300 x 75mm



Brooms 390 x 50mm



• These products are available with matching coloured backs. If you require a matching coloured back please add the prefix 'C' to the code.

Product Code	Description	Texture	Trim mm	Material mm	Pack Quantity	Standard Colours
B928	Floor Scrub	Very Stiff	38	0.6 Polyester	4	☉ ● ● ● ● ●
B929	Flat Sweeping	Medium	63	0.46 Crimped Polyester	4	☉ ● ● ● ● ●
B1342	Floor Scrub	Abrasive	24	0.3 Type 316 Stainless Steel	4	☉ ● ● ● ● ●
B757•	Yard Broom	Stiff	133	1.27 Polypropylene	4	☉ ● ● ● ● ● ●
B758•	Flat Sweeping	Medium	63	0.46 Crimped Polyester	4	☉ ● ● ● ● ● ●
B759	Floor Scrub	Very Stiff	44	0.76 Polypropylene	4	☉ ● ● ● ● ●
B770	Floor Scrub	Stiff	41	0.6 Polyester	4	☉ ● ● ● ● ● ●
B849•	Flat Sweeping	Soft	57	0.3 Crimped Polyester	4	☉ ● ● ● ● ●
B930	Flat Sweeping	Very Soft	57	0.2 Polyester	4	☉ ● ● ● ● ●
B993	Flat Sweeping	Stiff	63	0.76 Polyester	4	☉ ● ● ● ● ●
B1605	High/low Brush	Medium	44	0.4 Polyester	4	☉ ● ● ● ● ●
B1082	Narrow, for lightness	Soft	47	0.30 Crimped Polyester	4	☉ ● ● ● ● ●
B1083	Narrow, for lightness	Stiff	47	0.6 Polyester	4	☉ ● ● ● ● ●

Brooms 457 x 75mm



Brooms 609 x 75mm



All the brooms featured above have the same integral thread, and will fit standard aluminium handles of the following lengths:

340mm (ALH30), 700mm (ALH15), 1360mm (ALH7) and 1550mm (ALH8).


The handles are available in plain, blue, green, red or yellow.

Full details of these and all plastic, fibreglass and stainless steel handles are on page 60.

• These products are available with matching coloured backs. If you require a matching coloured back please add the prefix 'C' to the code.

Product Code	Description	Texture	Trim mm	Material mm	Pack Quantity	Standard Colours
B769	Flat Sweeping	Medium Stiff	82	0.5 Polypropylene	4	☐ ● ● ● ● ●
B808	Flat Sweeping	Very Soft	57	0.2 Polyester	4	☐ ● ● ● ● ●
B809•	Flat Sweeping	Medium	63	0.46 Crimped Polyester	4	☐ ● ● ● ● ● ●
B896•	Flat Sweeping	Soft	57	0.3 Crimped Polyester	4	☐ ● ● ● ● ●
B994	Flat Sweeping	Stiff	63	0.76 Polyester	4	☐ ● ● ● ● ●
B883	Flat Sweeping	Medium	82	0.6 Polyester	4	☐ ● ● ● ● ●
B994	Flat Sweeping	Soft	57	0.3 Crimped Polyester	4	☐ ● ● ● ● ●

Handles - for all brooms and bulk tank brushes



Product Code	Description	Material	Pack Quantity	Standard Colours
ALH30	340mm Handle	Aluminium	6	— — — — —
ALH15	700mm Handle	Aluminium	6	— — — — —
ALH7	1360mm Handle	Aluminium	12	— — — — —
ALH8	1550mm Handle	Aluminium	12	— — — — —
FGH2	1400mm Handle	Fibreglass	12	— — — — —
SSH2	1350mm Handle	Stainless Steel	4	— — — — —
SSH4	1550mm Handle	Stainless Steel	4	— — — — —
PLHGRP6	Spare Handgrip for above	Plastic	1	— — — — —
PLH3	1400mm Hygiene Handle	Polypropylene	10	— — — — —

Warning Signs - 67cm high, 5 per pack. Wording may be printed to



Product Code	Description
8613	Sign only, no wording or picture
8614GB	CAUTION WET FLOOR with slipping man on both
8614ESP/GB	As 8614GB, in Spanish & English
8614WEL	As 8614GB, in Welsh & English
8615GB	As 8614GB one side, CLEANING IN PROGRESS & '!' on
8617GB	CAUTION TRIP HAZARD with tripping man on both
8619GB	CAUTION WET FLOOR - TRAILING CABLES with
8620GB	CLEANING IN PROGRESS with '!' on both
8621GB	CAUTION SLIPPERY SURFACE with slipping man on
8623GB	DANGER OVERHEAD WORKING with '!' on both
8624GB	SORRY OUT OF ORDER with '!' on both
8625GB	CAUTION WINDOW CLEANING IN PROGRESS with '!' on