


Dollies and trolleys





Automotive supplier: dollies allow stable stacking of containers (ref. 91005).

Mobility

- Light and strong for effortlessly moving loads up to 250 kg.
- For manoeuvrability, most models are available with a choice of 2 fixed and 2 swivel or 4 swivel castors.
- A rim on each dolly ensures secure stacking of containers - they are ideal for handling many of the Allibert Buckhorn container ranges.
- 600 X 400 or 800 X 600 mm dimensions.




Pharmaceutical industry: manoeuvrability in cramped areas. (ref. 910A8).

Dollies and trolleys

Wheeled dollies

Allibert dollies for 400 x 300 mm and 600 x 400 mm European Standard Range stacking containers, 600 x 400 mm stacking & nesting containers (except refs. 13020, 13024, 13042, 13050 & 13060), 600 x 400 mm attached lid containers and insulated container refs. ISO23, ISO24, ISO51 and ISO04.



1 Ref. 91005 
Nylon wheels on galvanised mountings
Dim.: L 604 X w 402 X h 162 mm
Dim.: L 23.8 X w 15.8 X h 6.4"
four swivel castors, Ø 100 mm/4"
loading: 250 kg/550 lbs
Wt: 4.00 kg/8.8 lbs. Colour: red.




2 Ref. 91011
minimum order item
Rubber wheels on galvanised mountings
Dim.: L 604 X w 402 X h 162 mm
Dim.: L 23.8 X w 15.8 X h 6.4"
four swivel castors, Ø 100 mm/4"
loading: 250 kg/550 lbs
Wt: 4.00 kg/8.8 lbs. Colour: red.



3 Ref. 910A8
As dolly ref. 91005, with handle
Dim.: L 604 X w 402 X h 965 mm
Dim.: L 23.8 X w 15.8 X h 38.0"
four swivel castors, Ø 100 mm/4"
Wt: 8.90 kg/19.6 lbs. Colour: red.

Ref. 91012
Nylon wheels on stainless steel mountings
Dim.: L 604 X w 402 X h 162 mm
Dim.: L 23.8 X w 15.8 X h 6.4"
four swivel castors, Ø 100 mm/4"
loading: 250 kg/550 lbs
Wt: 4.00 kg/8.8 lbs. Colour: red.

Ref. 91021
minimum order item
Rubber wheels on galvanised mountings
Dim.: L 604 X w 402 X h 162 mm
Dim.: L 23.8 X w 15.8 X h 6.4"
four swivel castors, Ø 100 mm/4",
loading: 250 kg/550 lbs
with thread guards
Wt: 4.00 kg/8.8 lbs. Colour: red.



4 Ref. 99824
minimum order item
Nylon wheels on galvanised mountings
two fixed, two swivel castors
diameter 100 mm/4".



5 Ref. 99826
Rubber wheels on galvanised mountings
two fixed, two swivel castors,
diameter 100 mm/4".



6 Ref. D8060
steel dolly for 800 X 600 mm ESR containers
four swivel nylon castors,
diameter 76 mm/3"
Colour: black.

For all these 800 X 600 dollies
Ext dim.: L 825 X w 620 X h 155 mm
Ext dim.: L 32.5 X w 24.4 X h 6.1"
loading: 250 kg/550 lbs
Wt: 5.50 kg/12.1 lbs. Colour: red.

Ref. 99826
minimum order item
Rubber wheels on stainless steel mountings
two fixed, two swivel castors,
diameter 100 mm/4".

Ref. D6040
steel dolly for 600 X 400 mm ESR containers
four swivel nylon castors,
diameter 76 mm/3"
Colour: black.

 Strategic Product: We aim to always hold stock of strategic products in colours identified in bold.

Multimover trolleys



Service industry: for moving a variety of loads (ref. 97032 and 97042)

Versatile handling

- Ideal for moving a large variety of loads - in the office, factory, warehouse or when on the move.
- Light compact design with folding handle for easy storage in cupboard or car boot.
- Solid plastic platform covered with non-slip surface.

TROLLEYS WITH A FOLDING HANDLE

1 Ref. 97032

folding handles with automatic lock
 Dim.: L 750 X w 400 X h 960 mm
 Dim.: L 29.6 X w 15.8 X h 37.8"
 platform dim.: L 600 X w 400 mm
 platform dim.: L 23.6 X w 15.8"
 dimensions when folded:
 L 860 X w 400 X h 250 mm
 L 33.8 X w 15.8 X h 9.9"
 2 fixed, 2 swivel castors, Ø 100 mm/4"
 solid rubber tyres
 black epoxy coated steel handle
 HDPE platform with non-slip surface
 load: 210 kg/460 lbs.,
 Colour: beige.



2 Ref. 97042

folding handles with automatic lock
 Dim.: L 950 X w 600 X h 960 mm
 Dim.: L 37.4 X w 23.6 X h 37.8"
 platform dim.: L 800 X w 600 mm
 platform dim.: L 31.5 X w 23.6"
 dimensions when folded:
 L 910 X w 600 X h 250 mm
 L 35.9 X w 23.6 X h 9.9"
 2 fixed, 2 swivel castors, Ø 100 mm/4"
 solid rubber tyres
 black epoxy coated steel handle
 HDPE platform with non-slip surface
 load: 210 kg/460 lbs.,
 Colour: beige.



WHEELED DOLLIES

3 Ref. 97030

Dim.: L 600 X w 400 X h 165 mm
 Dim.: L 23.6 X w 15.8 X h 6.5"
 2 fixed, 2 swivel castors, Ø 100 mm/4"
 solid rubber tyres
 HDPE platform with non-slip surface
 load: 210 kg/460 lbs., Colour: red.

Ref. 97040

Dim.: L 800 X w 600 X h 165 mm
 Dim.: L 31.5 X w 23.6 X h 6.5"
 2 fixed, 2 swivel castors, Ø 100 mm/4"
 solid rubber tyres
 HDPE platform with non-slip surface
 load: 210 kg/460 lbs., Colour: red.

