


Bulk containers

63





Simply holds & folds!

- Boxes fold to only 398mm high when not in use - saving valuable space in storage and on return transport.
- Easy and quick to assemble and fold by a single person.
- Tough, strong and rigid; stacking up to five units high carrying a unit load of 500 kg - a combined load of 2.5 tonnes.
- Wide-width fork entry access for easy location by fork-lift vehicles.
- Does not retain water in either assembled or folded mode.
- Parts are easy to replace if damaged.



Easy and quick to assemble and fold.



Sides securely snap-lock together.



Drop-door allows easy access to boxes when stacked.



Label holder for identification of contents and destination.



Folded boxes save valuable space on return vehicles.



Optimum size when assembled for most vehicles.

Crescendo

750 litres

1



1 560 litres - Ref. 27806

three runners

solid sides & base with drainage holes

Ext. dim.: L 1,200 X w 1,000 X h 750 mm

Ext. dim.: L 47.3 X w 39.4 X h 29.5"

Int. dim.: L 1,115 X w 915 X h 550 mm

Int. dim.: L 43.9 X w 36.0 X h 21.7"

Folded height: 398 mm/15.7"

Unit load: 500 kg/1,100 lbs. stacked up to 5 high

Wt: 40.7 kg/89.5 lbs., Colour: light grey base, dark grey panels with black runners.

560 litres - Ref. 27800

four feet

solid sides & base with drainage holes

dimensions as Crescendo ref. 27806

Unit load: 500 kg/1,100 lbs. stacked up to 5 high

Wt: 37.5 kg/82.5 lbs., Colour: light grey base, dark grey panels with black feet.

560 litres - Ref. 27808

three runners with drop-door access on one long side

solid sides & base with drainage holes

dimensions as Crescendo ref. 27806

Unit load: 500 kg/1,100 lbs. stacked up to 5 high

Wt: 40.7 kg/89.5 lbs., Colour: light grey base, dark grey panels with black runners.

2



2 560 litres - Ref. 27802

four feet with drop-door access on one long side

solid sides & base with drainage holes

Ext. dim.: L 1,200 X w 1,000 X h 750 mm

Ext. dim.: L 47.3 X w 39.4 X h 29.5"

Int. dim.: L 1,115 X w 915 X h 550 mm

Int. dim.: L 43.9 X w 36.0 X h 21.7"

Folded height: 398 mm/15.7"

Drop-door dim.: 610 X 175 mm/24.0 X 6.9"

Unit load: 500 kg/1,100 lbs. stacked up to 5 high

Wt: 37.5 kg/82.5 lbs., Colour: light grey base, dark grey panels with black feet.

Crescendo folding box pallet range

900 litres



1 714 litres - Ref. 27900

four feet
solid sides & base with drainage holes
Ext. dim.: L 1,200 X w 1,000 X h 900 mm
Ext. dim.: L 47.3 X w 39.4 X h 35.4"
Int. dim.: L 1,115 X w 915 X h 700 mm
Int. dim.: L 43.9 X w 36.0 X h 27.6"
Folded height: 398 mm/15.7"
Unit load: 500 kg/1,100 lbs. stacked up to 5 high
Wt: 45 kg/99 lbs., Colour: light blue base, dark grey panels with black feet.



2 714 litres - Ref. 27906

three runners
solid sides & base with drainage holes
Ext. dim.: L 1,200 X w 1,000 X h 900 mm
Ext. dim.: L 47.3 X w 39.4 X h 35.4"
Int. dim.: L 1,115 X w 915 X h 700 mm
Int. dim.: L 43.9 X w 36.0 X h 27.6"
Folded height: 398 mm/15.7"
Unit load: 500 kg/1,100 lbs. stacked up to 5 high
Wt: 48.1 kg/106 lbs., Colour: light blue base, dark grey panels with black runners.



3 714 litres - Ref. 27912

five runners
solid sides & base with drainage holes
Ext. dim.: L 1,200 X w 1,000 X h 900 mm
Ext. dim.: L 47.3 X w 39.4 X h 35.4"
Int. dim.: L 1,115 X w 915 X h 700 mm
Int. dim.: L 43.9 X w 36.0 X h 27.6"
Folded height: 398 mm/15.7"
Unit load: 500 kg/1,100 lbs. stacked up to 5 high
Wt: 49.9 kg/110 lbs., Colour: light blue base, dark grey panels with black runners.



4 714 litres - Ref. 27903

four feet with 2 drop-doors - on one long & one short side, solid sides & base with drainage holes
Ext. dim.: L 1,200 X w 1,000 X h 900 mm
Ext. dim.: L 47.3 X w 39.4 X h 35.4"
Int. dim.: L 1,115 X w 915 X h 700 mm
Int. dim.: L 43.9 X w 36.0 X h 27.6"
Folded height: 398 mm/15.7"
Drop-door dim.: 610 X 175 mm/24.0 X 6.9"
Unit load: 500 kg/1,100 lbs. stacked up to 5 high
Wt: 44.5 kg/98 lbs., Colour: light blue base, dark grey panels with black feet.



5 714 litres - Ref. 27909

three runners with 2 drop-doors - on one long & one short side, solid sides & base with drainage holes
dimensions as ref. 27903
Unit load: 500 kg/1,100 lbs. stacked up to 5 high
Wt: 47.6 kg/105 lbs., Colour: light blue base, dark grey panels with black runners.



6 714 litres - Ref. 27915

five runners with 2 drop-doors - on one long & one short side, solid sides & base with drainage holes
dimensions as ref. 27903
Unit load: 500 kg/1,100 lbs. stacked up to 5 high
Wt: 49.4 kg/109 lbs., Colour: light blue base, dark grey panels with black runners.

HEIGHT OF STACKED UNITS			
No. stacked units	Height of assembled units		Height of folded units
	750	900	
2	1,470mm	1,770mm	766mm
3	2,190mm	2,640mm	1,134mm
4	2,910mm	3,510mm	1,502mm
5	3,630mm	4,380mm	1,870mm
6	4,350mm	5,250mm	2,238mm
7	5,070mm	6,120mm	2,606mm
8			2,974mm
16			5,918mm



7 Ref. 64900

Vacuum formed lid for Crescendo folding box pallets
Ext. dim.: L 1,220 X w 1,020 X h 50 mm
Ext. dim.: L 48.0 X w 40.2 X h 2.0"
Wt: 4.8 kg/10.6 lbs., Colour: black

8 Ref. F46750

Label holder for Crescendo folding box pallets
Colour: black



Plastic mouldings: line-side storage of bulky items.

When the going gets tough...


- Heavy duty folding box pallets comfortably store loads of up to 1.125 tonnes.
- Drop-doors allow easy access to boxes when stacked.
- Easy and quick to assemble and fold.
- Wide-width fork entry access for easy location by fork-lift vehicles.
- Steel hit plates provide added strength and longevity.
- Made in tough durable structural foam.



Easy and quick to assemble and fold by a single person.



Extension rings for bulk boxes refs. 2B731, 2B732 & 2B733 (shaded above). Available in 178 and 254mm sizes, extension rings can be combined to give an additional 178, 254, 432 or 508mm height.



Automotive industry: line-side handling of

Heavy duty folding bulk boxes

240–1119 litres



1 240 litres - Ref. 2B711*

three runners with drop-door on both long sides
Ext. dim.: L 816 X w 762 X h 635 mm
Ext. dim.: L 32.1 X w 30.0 X h 25.0"
Int. dim.: L 740 X w 686 X h 466 mm
Int. dim.: L 29.1 X w 27.0 X h 18.4"
Folded height: 330 mm/13.0"
Unit load: 810Kg/1,800 lbs.
Wt.: 34 Kg/75 lbs., Colour: black.

358 litres - Ref. 2B713*

three runners with drop-door on both long sides
Ext. dim.: L 816 X w 762 X h 864 mm
Ext. dim.: L 32.1 X w 30.0 X h 34.0"
Int. dim.: L 740 X w 686 X h 695 mm
Int. dim.: L 29.1 X w 27.0 X h 27.4"
Folded height: 385 mm/15.2"
Unit load: 810 kg/1,800 lbs.
Wt.: 41 kg/91 lbs., Colour: black.

305 litres - Ref. 2B712*

three runners with drop-door on both long sides
Ext. dim.: L 816 X w 762 X h 762 mm
Ext. dim.: L 32.1 X w 30.0 X h 30.0"
Int. dim.: L 740 X w 686 X h 593 mm
Int. dim.: L 29.1 X w 27.0 X h 23.4"
Folded height: 385 mm/15.2"
Unit load: 810 kg/1,800 lbs.
Wt.: 38 kg/83 lbs., Colour: black.


Lid - Ref. 6B832

Lid for refs. 2B711, 2B712 & 2B713
Ext. dim.: L 832 X w 781 X h 64 mm
Ext. dim.: L 32.8 X w 30.8 X h 2.5"
Wt.: 4.94 kg/10.9 lbs., Colour: black.

*These 3 models interstack

Other drop door combinations are available subject to a minimum quantity order:

Standard model (drop doors on both long sides)	Without doors	Door on one long side
2B711	2B611	2B811
2B712	2B612	2B812
2B713	2B613	2B813



2 1,119 litres – Ref. 2G746

five runners with drop-doors on both long sides
Ext. dim.: L 1,219 x w 1,016 x h 1,168mm
Ext. dim.: L 48.0 x w 40.0 x h 46.0"
Int. dim.: L 1,143 x w 940 x h 1,041mm
Int. dim.: L 45.0 x w 37.0 x h 41.0"
Folded height: 330mm / 13.0"
Unit load: 544 Kg/1,200 lbs.
Wt.: 66 Kg/145 lbs., Colour: light grey

Lid – Ref. 6G746

Vacuum formed lid for ref. 2G746
Ext. dim.: L 1,247 x w 1,044 x h 51mm
Ext. dim.: L 49.1 x w 41.1 x h 2.0"
Wt.: 6 Kg/14 lbs., Colour: black



473 litres - Ref. 2B721**

three runners with drop-door on both long sides
Ext. dim.: L 1,210 X w 1,010 X h 648 mm
Ext. dim.: L 47.6 X w 39.8 X h 25.5"
Int. dim.: L 1,120 X w 921 X h 464 mm
Int. dim.: L 44.0 X w 36.3 X h 18.3"
Folded height: 345 mm/13.6"
Unit load: 1,125 Kg/2,500 lbs.
Wt.: 59 Kg/130 lbs., Colour: black.

586 litres - Ref. 2B722**

three runners with drop-door on both long sides
Ext. dim.: L 1,210 X w 1,010 X h 759 mm
Ext. dim.: L 47.6 X w 39.8 X h 29.9"
Int. dim.: L 1,120 X w 921 X h 571 mm
Int. dim.: L 44.0 X w 36.3 X h 22.5"
Folded height: 345 mm/13.6"
Unit load: 1,125 Kg/2,500 lbs.
Wt.: 63 Kg/140 lbs., Colour: black.

Lid - Ref. 6B840

Lid for refs. 2B721, 2B722 & 2B723
Ext. dim.: L 1,229 X w 1,027 X h 54 mm
Ext. dim.: L 48.4 X w 40.4 X h 2.1"
Wt.: 8.4 Kg/18.5 lbs., Colour: black.


3 691 litres - Ref. 2B723**

three runners with drop-door on both long sides
Ext. dim.: L 1,210 X w 1,010 X h 860 mm
Ext. dim.: L 47.6 X w 39.8 X h 33.9"
Int. dim.: L 1,120 X w 921 X h 673 mm
Int. dim.: L 44.0 X w 36.3 X h 26.5"
Folded height: 345 mm/13.6"
Unit load: 1,125 Kg/2,500 lbs.
Wt.: 67 Kg/149 lbs., Colour: black.

***These 3 models interstack*

Other drop door combinations are available subject to a minimum quantity order:

Standard model (drop doors on both long sides)	Without doors	Door on one long side	Door on one short end	Doors on both short ends
2B721	2B621	2B821	2B421	2B121
2B722	2B622	2B822	2B422	2B122
2B723	2B623	2B823	2B423	2B123



4 557 litres - Ref. 2B731***

three runners with drop-door on both long sides
Ext. dim.: L 1,210 X w 1,133 X h 651 mm
Ext. dim.: L 47.6 X w 44.6 X h 25.6"
Int. dim.: L 1,124 X w 1,047 X h 475 mm
Int. dim.: L 44.3 X w 41.3 X h 18.7"
Folded height: 330 mm/13.0"
Unit load: 1,125 Kg/2,500 lbs.
Wt.: 63 Kg/140 lbs., Colour: black.

684 litres - Ref. 2B732***

three runners with drop-door on both long sides
Ext. dim.: L 1,210 X w 1,133 X h 757 mm
Ext. dim.: L 47.6 X w 44.6 X h 29.9"
Int. dim.: L 1,124 X w 1,047 X h 581 mm
Int. dim.: L 44.3 X w 41.3 X h 22.9"
Folded height: 330 mm/13.0"
Unit load: 1,125 Kg/2,500 lbs.
Wt.: 68 Kg/152 lbs., Colour: black.

Refs. 2B731, 2B732 and 2B733 can be fitted with optional extension rings for an additional height of up to 508mm

Lid - Ref. 6B845

Lid for refs. 2B731, 2B732 & 2B733
Ext. dim.: L 1,266 X w 1,149 X h 57 mm
Ext. dim.: L 48.3 X w 45.3 X h 2.3"
Wt.: 20.5 Kg/9.3 lbs., Colour: black.

806 litres - Ref. 2B733***

three runners with drop-door on both long sides
Ext. dim.: L 1,210 X w 1,133 X h 864 mm
Ext. dim.: L 47.6 X w 44.6 X h 34.0"
Int. dim.: L 1,124 X w 1,047 X h 689 mm
Int. dim.: L 44.3 X w 41.3 X h 27.1"
Folded height: 330 mm/13.0"
Unit load: 1,125 Kg/2,500 lbs. high
Wt.: 73 Kg/163 lbs., Colour: black.

****These 3 models interstack and can be fitted with optional extension rings for an additional height of up to 508mm*

Other drop door combinations are available subject to a minimum quantity order:

Standard model (drop doors on both long sides)	Without doors	Door on one long side
2B731	2B631	2B831
2B732	2B632	2B832
2B733	2B633	2B833

Extended length folding bulk boxes

687–2059 litres

68



687 litres – Ref. 2B752*

Perimeter runners, drop-door on both long sides
Ext. Dim.: L 1,454 x w 1,219 x h 635 mm
Ext. Dim.: L 57.2 x w 48.0 x h 25.0"
Int. Dim.: L 1,368 x w 1,130 x h 447 mm
Int. Dim.: L 53.9 x w 44.5 x h 17.6"
Folded height: 330mm / 13.0"
Drop-door dim: 813 x 216mm / 32.0 x 8.5"
Unit load: 900 Kg/ 1,980 lbs.
Wt: 65 Kg/ 143 lbs., Colour: black

1,038 litres – Ref. 2B753*

864mm / 34.0" high version of 2B752
Int. ht.: 676mm / 26.6", Folded ht.: 330mm / 13.0"
Drop-door dim: 813 x 419mm / 32.0 x 16.5"
Wt: 78 Kg/ 172 lbs.

1,428 litres – Ref. 2B754*

1,118mm / 44.0" high version of 2B752
Int. ht.: 930mm / 36.6", Folded ht.: 584mm / 23.0"
Drop-door dim: 813 x 419mm / 32.0 x 16.5"
Wt: 95 Kg/ 209 lbs.

Ref. 6B750

Vacuum formed lid for refs. 2B752, 2B753 and 2B754
Dim.: L 1,473 x w 1,245 x h 51 mm
Dim.: L 58.0 x w 49.0 x h 2.0"
Wt: 11 Kg/ 24 lbs., Colour: black

**These 3 models interstack*
***These 4 models interstack*
****These 4 models interstack*

780 litres – Ref. 2B762**

Perimeter runners, drop-door on both long sides
Ext. Dim.: L 1,638 x w 1,219 x h 635 mm
Ext. Dim.: L 64.5 x w 48.0 x h 25.0"
Int. Dim.: L 1,544 x w 1,130 x h 447 mm
Int. Dim.: L 60.8 x w 44.5 x h 17.6"
Folded height: 330mm / 13.0"
Drop-door dim: 1,016 x 279mm / 40.0 x 11.0"
Unit load: 900 Kg/ 1,980 lbs.
Wt: 71 Kg/ 156 lbs., Colour: black

1,179 litres – Ref. 2B763**

864mm / 34.0" high version of 2B762
Int. ht.: 676mm / 26.6", Folded ht.: 330mm / 13.0"
Drop-door dim: 1,016 x 419mm / 40.0 x 16.5"
Wt: 83 Kg/ 183 lbs.

1,623 litres – Ref. 2B764**

1,118mm / 44.0" high version of 2B762
Int. ht.: 930mm / 36.6", Folded ht.: 584mm / 23.0"
Drop-door dim: 1,016 x 533mm / 40.0 x 21.0"
Wt: 101 Kg/ 222 lbs.

1,889 litres – Ref. 2B765**

1,270mm / 50.0" high version of 2B762
Int. ht.: 1,082mm / 42.6", Folded ht.: 584mm / 23.0"
Drop-door dim: 1,016 x 622mm / 40.0 x 24.5"
Wt: 108 Kg/ 238 lbs.

Ref. 6B760

Vacuum formed lid for refs. 2B762, 2B763, 2B764 and 2B765
Dim.: L 1,651 x w 1,245 x h 51 mm
Dim.: L 65.0 x w 49.0 x h 2.0"
Wt: 12 Kg/ 26 lbs., Colour: black

Extended length bulk boxes are available in four heights (635mm, 864mm, 1118mm and 1270mm) with a choice of three footprints sizes (1454 x 1219mm, 1638 x 1219mm and 1778 x 1219mm).

All models are fitted with 4-way entry perimeter runners, can handle unit loads of up to 900Kg and a combined stacked loading of up to 3.5 tonnes.

851 litres – Ref. 2B782***

Perimeter runners, drop-door on both long sides
Ext. Dim.: L 1,778 x w 1,219 x h 635 mm
Ext. Dim.: L 70.0 x w 48.0 x h 25.0"
Int. Dim.: L 1,684 x w 1,130 x h 447 mm
Int. Dim.: L 66.3 x w 44.5 x h 17.6"
Folded height: 330mm / 13.0"
Drop-door dim: 1,016 x 279mm / 40.0 x 11.0"
Unit load: 900 Kg/ 1,980 lbs.
Wt: 78 Kg/ 172 lbs., Colour: black

1,286 litres – Ref. 2B783***

864mm / 34.0" high version of 2B782
Int. ht.: 676mm / 26.6", Folded ht.: 330mm / 13.0"
Drop-door dim: 1,016 x 419mm / 40.0 x 16.5"
Wt: 91 Kg/ 200 lbs.

1,769 litres – Ref. 2B784***

1,118mm / 44.0" high version of 2B782
Int. ht.: 930mm / 36.6", Folded ht.: 584mm / 23.0"
Drop-door dim: 1,016 x 533mm / 40.0 x 21.0"
Wt: 105 Kg/ 231 lbs.

2,059 litres – Ref. 2B785***

1,270mm / 50.0" high version of 2B782
Int. ht.: 1,082mm / 42.6", Folded ht.: 584mm / 23.0"
Drop-door dim: 1,016 x 622mm / 40.0 x 24.5"
Wt: 113 Kg/ 249 lbs.

Ref. 6B780

Vacuum formed lid for refs. 2B782, 2B783, 2B784 and 2B785
Dim.: L 1,803 x w 1,245 x h 51 mm
Dim.: L 71.0 x w 49.0 x h 2.0"
Wt: 13 Kg/ 29 lbs., Colour: black

Other drop door combinations are available subject to a minimum quantity order:

Standard model (drop doors on both long sides)	Without doors	Door on one long side	Door on one short end	Doors on both short ends	Doors on one long side & one short end	Doors on both long sides & one short end	Door on one long side & both short ends	Door on all four sides
2B752	2B652	2B852	2B452	2B152	2B952	2B352	2B552	2B252
2B753	2B653	2B853	2B453	2B153	2B953	2B353	2B553	2B253
2B754	2B654	2B854	2B454	2B154	2B954	2B354	2B554	2B254
2B762	2B662	2B862	2B462	2B162	2B962	2B362	2B562	2B262
2B763	2B663	2B863	2B463	2B163	2B963	2B363	2B563	2B263
2B764	2B664	2B864	2B464	2B164	2B964	2B364	2B564	2B264
2B765	2B665	2B865	2B465	2B165	2B965	2B365	2B565	2B265
2B782	2B682	2B882	2B482	2B182	2B982	2B382	2B582	2B282
2B783	2B683	2B883	2B483	2B183	2B983	2B383	2B583	2B283
2B784	2B684	2B884	2B484	2B184	2B984	2B384	2B584	2B284
2B785	2B685	2B885	2B485	2B185	2B985	2B385	2B585	2B285



Citadel

1140 litres

Bulk storage
containers

69



1 1,140 litres – Ref. 2B114

Citadel folding bulk container
Ext. dim.: L 1,220 x w 1,143 x h 1,185mm
Ext. dim.: L 48.0 x w 45.0 x h 46.6"
Int. dim.: L 1,133 x w 1,057 x h 957mm
Int. dim.: L 44.6 x w 41.6 x h 37.7"
Folded height: 381mm /15 "
Unit load: 1,360 Kg/3,000 lbs.
Weight: 113 Kg/249 lbs., Colour: grey

1,140 litres – Ref. 2B115

As ref. 2B114 with discharge outlet at base
Available mid 2006

2 Ref. 6B114

Lid for Citadel folding bulk containers
Ext. dim.: L 1,220 x w 1,143 x h 66mm
Ext. dim.: L 48.0 x w 45.0 x h 2.6"
Nested height: 43mm /1.7 "
Weight: 12.8 Kg/28.2 lbs., Colour: grey

Ref. 2BA01

Support bridge for filling polythene bag

Ref. 2BA04

Food grade polythene bag fitted with top fill cap

Ref. 2BA05

Food grade polythene bag fitted with top fill cap and discharge outlet at base
Available mid 2006

Bulk handling of liquids, powders and solids

- Heavy duty folding bulk box, can be fitted with polythene bag for the storage and distribution of liquids, pastes, powders and granules.
- Strong and safe: securely stacks up to 5 units high carrying a unit load of 1,360 Kg – a combined load of 6.8 tonnes!
- Fitted with polythene liner, Citadel has been designed for the storage and distribution of a wide range of contents including sauces, pastes, purées, fruit juices, powders and granules.
- Citadel, without liner, is ideal for heavy duty Automotive and general manufacturing applications including distribution of panels, machine parts, components in bulk, etc.
- Smooth surfaces, inside and out, allow easy cleaning.
- 4-way entry for fork lifts and pallet trucks.



Side panels snap-lock together



Locking feature secures lid to assembled unit



Recessed areas can be printed with owner's details or fitted with label holders



Support bridge securely holds poly liner in place during filling






Processing of waste: allows tipping by rotating-head trucks (ref. 21666).

Jumbox range

Stronghold

- Reinforced with internal steel bars the 650 litre Jumbox possesses unrivalled strength (unit load 650 kg. 10 tonne loading when stacked . Operates in temperatures from - 40°C to + 40°C).
- Standard dimensions and fork entries for compatibility with all handling equipment.
- Smooth versions provide maximum hygiene in the food and pharmaceutical industries.



Strong and stable.



Plant bakery: hygienic storage of kneaded bread dough (ref 21250).



Meat processing: ample ventilation during cold room storage (ref. 21655).

Jumbox range 650 litres



SOLID SIDES AND BASE, SMOOTH SURFACE

1 650 litres - Ref. 21626

three runners
Ext. dim.: L 1,200 X w 1,000 X h 765 mm
Ext. dim.: L 47.3 X w 39.4 X h 30.1"
Int. dim.: L 1,135 X w 935 X h 600 mm
Int. dim.: L 44.7 X w 36.8 X h 23.6"
loading: 650 Kg/1,400 lbs.
Wt: 46.40 Kg/102.3 lbs.
Colour: brown-red, white.



2 650 litres - Ref. 21624

nine feet
Ext. dim.: L 1,200 X w 1,000 X h 765 mm
Ext. dim.: L 47.3 X w 39.4 X h 30.1"
Int. dim.: L 1,135 X w 935 X h 600 mm
Int. dim.: L 44.7 X w 36.8 X h 23.6"
loading: 650 Kg/1,400 lbs.
Wt: 39.20 Kg/86.4 lbs.
Colour: brown-red, white.



JUMBOX 650 LITRES ON 4 CASTORS

6 650 litres - Ref. 21658

solid sides and base
four braked castors
Ext. dim.: L 1,200 X w 1,000 X h 835 mm
Ext. dim.: L 47.3 X w 39.4 X h 32.9"
Int. dim.: L 1,135 X w 935 X h 600 mm
Int. dim.: L 44.7 X w 36.8 X h 23.6"
loading: 300 Kg/660 lbs.
Wt: 47.80 Kg/105.4 lbs.
Colour: brown-red.

7 Ref. 61651

lid with cut out for stacking,
for 650 litre Jumboxes
Ext. dim.: L 1,223 X w 1,023 X h 100 mm
Ext. dim.: L 48.2 X w 40.3 X h 3.9"
Wt: 6.25 Kg/13.8 lbs.
Colour: brown-red, white.

650 litres - Ref. 21659

ventilated sides and base
four braked castors
dimensions as Jumbox ref. 21658
loading: 300 Kg/660 lbs.
Wt: 45.50 Kg/100.3 lbs.
Colour: brown-red.



SOLID SIDES AND BASE

3 650 litres - Ref. 21666

three runners
Ext. dim.: L 1,200 X w 1,000 X h 765 mm
Ext. dim.: L 47.3 X w 39.4 X h 30.1"
Int. dim.: L 1,135 X w 935 X h 600 mm
Int. dim.: L 44.7 X w 36.8 X h 23.6"
loading: 650 Kg/1,400 lbs.
Wt: 43.00 Kg/94.8 lbs.
Colour: brown-red.

650 litres - Ref. 21654

nine feet
Ext. dim.: L 1,200 X w 1,000 X h 765 mm
Ext. dim.: L 47.3 X w 39.4 X h 30.1"
Int. dim.: L 1,135 X w 935 X h 600 mm
Int. dim.: L 44.7 X w 36.8 X h 23.6"
loading: 650 Kg/1,400 lbs.
Wt: 42.70 Kg/94.2 lbs.
Colour: brown-red.



VENTILATED SIDES AND BASE


4 650 litres - Ref. 21667

three runners
dimensions as Jumbox ref. 21666
loading: 650 Kg/1,400 lbs.
Wt: 42.50 Kg/93.7 lbs.
Colour: brown-red.



5 650 litres - Ref. 21655

nine feet
Ext. dim.: L 1,200 X w 1,000 X h 765 mm
Ext. dim.: L 47.3 X w 39.4 X h 30.1"
Int. dim.: L 1,135 X w 935 X h 600 mm
Int. dim.: L 44.7 X w 36.8 X h 23.6"
loading: 650 Kg/1,400 lbs.
Wt: 39.40 Kg/86.9 lbs.
Colour: brown-red.



Jumbox range 250 litres and accessories

72



1 250 litres - Ref. 21250

solid sides and base
Ext. dim.: L 1,000 X w 600 X h 662 mm
Ext. dim.: L 39.4 X w 23.6 X h 26.1"
Int. dim.: L 934 X w 534 X h 502 mm
Int. dim.: L 36.8 X w 21.0 X h 19.8"
loading: 250 Kg/550 lbs.
Wt: 18.60 Kg/41.0 lbs.
Colour: brown-red, white.



2 250 litres - Ref. 21258

solid sides and base on metal dolly
Ext. dim.: L 1,006 X w 606 X h 860 mm
Ext. dim.: L 39.6 X w 23.9 X h 33.9"
Int. dim.: L 934 X w 534 X h 502 mm
Int. dim.: L 36.8 X w 21.0 X h 19.8"
loading: 200 Kg/440 lbs.
two fixed, two swivel braked castors, diameter 160 mm/6"
Wt: 25.00 Kg/55.1 lbs.
Colour: brown-red, white.




4 250 litres - Ref. 21298


solid sides and base on castors
Ext. dim.: L 1,000 X w 600 X h 690 mm
Ext. dim.: L 39.4 X w 23.6 X h 27.2"
Int. dim.: L 934 X w 534 X h 502 mm
Int. dim.: L 36.8 X w 21.0 X h 19.8"
loading: 200 Kg/440 lbs.
two fixed, two swivel castors, diameter 125 mm/5"
Wt: 20.40 Kg/45.0 lbs.
Colour: brown-red, white.

Fork entry widths 250 litre Jumbox

Models with feet



Models on wheels




3 Ref. 64250

lid for Jumboxes ref. 21250 - 21258
and 21298 (does not allow for stacking)
Ext. dim.: L 1,024 X w 615 X h 40 mm
Ext. dim.: L 40.4 X w 24.2 X h 1.6"
Wt: 2.48 Kg/5.5 lbs.
Colour: brown-red, white.

5 Ref. 64251

lid for Jumboxes ref. 21250 - 21298
(allows stacking)
Ext. dim.: L 1,024 X w 615 X h 40 mm
Ext. dim.: L 40.4 X w 24.2 X h 1.6"
Wt: 2.45 Kg/5.4 lbs.
Colour: brown-red, white.

Bulk storage container accessories



7 Ref. 98017*

drainage plug for Jumbox & Geobox ranges.



8 Ref. 00053*

drainage plug for Jumbox & Geobox with solid
sides and base (external view)
Colour: grey

*These two accessories can be fitted to order.



Agriculture: with ventilated sides and base, Geobox ensures the quality and freshness of harvested fruit (ref. 27401).

Light and strong

- Light and strong, the 543 and 373 litre Geoboxes stack up to ten high carrying a unit load of 450 kg per container - a total load of 4.5 tonnes.
- 260 litre models stack up to ten high carrying a unit load of 200 kg – a total load of 2.0 tonnes.
- Safe stacking, each model interlocks to form a secure and stable stack.
- Feet and runners are quick and easy to replace.
- Hygienic, impact resistant, maintenance free and impervious to most forms of chemical corrosion.



Agriculture: Harvesting and rapid distribution of large volumes (ref. 27603).



Geobox with runners: strong and durable for intensive use (ref. 27401).



Agriculture: stability of transported stacks (ref. 27601).



Recycling: large capacity for bulk waste (ref. 27600).

Geobox range

543 litres

Bulk storage
containers

73



SOLID SIDES AND BASE

1 543 litres - Ref. 27600

two runners

Ext. dim.: L 1,200 X w 1,000 X h 750 mm

Ext. dim.: L 47.2 X w 39.4 X h 29.5"

Int. dim.: L 1,110 X w 910 X h 545 mm

Int. dim.: L 43.7 X w 35.8 X h 21.5"

Wt: 34 Kg/75 lbs.

Colour: **brown-red.**



2 543 litres - Ref. 27604

three runners

Ext. dim.: L 1,200 X w 1,000 X h 750 mm

Ext. dim.: L 47.2 X w 39.4 X h 29.5"

Int. dim.: L 1,110 X w 910 X h 545 mm

Int. dim.: L 43.7 X w 35.8 X h 21.5"

Wt: 36.8 Kg/81.0 lbs.

Colour: **brown-red.**

543 litres - Ref. 27602

six feet

Ext. dim.: L 1,200 X w 1,000 X h 750 mm

Ext. dim.: L 47.2 X w 39.4 X h 29.5"

Int. dim.: L 1,110 X w 910 X h 545 mm

Int. dim.: L 43.7 X w 35.8 X h 21.5"

Wt: 33 Kg/73 lbs.

Colour: **brown-red.**

 Strategic Product: We aim to always hold stock of strategic products in colours identified in bold.

Geobox range 543 & 373 litres

74



VENTILATED SIDES AND BASE

1 543 litres - Ref. 27601

two runners
Ext. dim.: L 1,200 X w 1,000 X h 750 mm
Ext. dim.: L 47.2 X w 39.4 X h 29.5"
Int. dim.: L 1,110 X w 910 X h 545 mm
Int. dim.: L 43.7 X w 35.8 X h 21.5"
Wt: 33 Kg/73 lbs., Colour: brown-red.



2 543 litres - Ref. 27605

three runners
Ext. dim.: L 1,200 X w 1,000 X h 750 mm
Ext. dim.: L 47.2 X w 39.4 X h 29.5"
Int. dim.: L 1,110 X w 910 X h 545 mm
Int. dim.: L 43.7 X w 35.8 X h 21.5"
Wt: 35.8 Kg/78.8 lbs., Colour: brown-red.

543 litres - Ref. 27603

six feet
dimensions as Geobox ref. 27601
Wt: 32 Kg/71 lbs., Colour: brown-red.



SOLID SIDES AND BASE

3 373 litres - Ref. 27400

two runners
Ext. dim.: L 1,200 X w 1,000 X h 580 mm
Ext. dim.: L 47.2 X w 39.4 X h 22.8"
Int. dim.: L 1,110 X w 910 X h 375 mm
Int. dim.: L 43.7 X w 35.8 X h 14.8"
Wt: 29 Kg/64 lbs., Colour: brown-red

3 373 litres - Ref. 27404

three runners
Ext. dim.: L 1,200 X w 1,000 X h 580 mm
Ext. dim.: L 47.2 X w 39.4 X h 22.8"
Int. dim.: L 1,110 X w 910 X h 375 mm
Int. dim.: L 43.7 X w 35.8 X h 14.8"
Wt: 31.8 Kg/70 lbs., Colour: brown-red

4 373 litres - Ref. 27402

six feet
dimensions as Geobox ref. 27400
Wt: 28 Kg/62 lbs., Colour: brown-red

5 Ref. 64401

Vacuum formed lid for 543 and 373 litres Geobox except refs. with 3 runners 27404, 27405, 27604, 27605.
Ext. dim.: L 1,220 X w 1,017 X h 42 mm
Ext. dim.: L 48.1 X w 40.1 X h 1.7"
Wt: 4.8 Kg/10.6 lbs., Colour: black

VENTILATED SIDES AND BASE

6 373 litres - Ref. 27401


two runners
Ext. dim.: L 1,200 X w 1,000 X h 580 mm
Ext. dim.: L 47.2 X w 39.4 X h 22.8"
Int. dim.: L 1,110 X w 910 X h 375 mm
Int. dim.: L 43.7 X w 35.8 X h 14.8"
Wt: 28 Kg/62 lbs., Colour: brown-red

373 litres - Ref. 27405

three runners
Ext. dim.: L 1,200 X w 1,000 X h 580 mm
Ext. dim.: L 47.2 X w 39.4 X h 22.8"
Int. dim.: L 1,110 X w 910 X h 375 mm
Int. dim.: L 43.7 X w 35.8 X h 14.8"
Wt: 30.8 Kg/67.8 lbs., Colour: brown-red

373 litres - Ref. 27403

six feet
dimensions as Geobox ref. 27401
Wt: 27 Kg/60 lbs., Colour: brown-red



Geobox range 260 litres

550 litre bulk box

1200 x 800

Bulk storage
containers

75



1 260 litres - Ref. 27250

solid sides and base
two runners
Ext. dim.: L 1,000 X w 600 X h 662 mm
Ext. dim.: L 39.4 X w 23.6 X h 26.1"
Int. dim.: L 929 X w 544 X h 519 mm
Int. dim.: L 36.6 X w 21.4 X h 20.4"
Wt: 13.50 Kg/29.7 lbs., Colour: **brown-red**.



2 260 litres - Ref. 27251

minimum order item
ventilated sides and base
two runners
dimensions as Geobox ref. 27250
Wt: 12.70 Kg/27.9 lbs., Colour: **brown-red**.




3 260 litres - Ref. 27270

solid sides and base
six feet
Ext. dim.: L 1,000 X w 600 X h 662 mm
Ext. dim.: L 39.4 X w 23.6 X h 26.1"
Int. dim.: L 929 X w 544 X h 519 mm
Int. dim.: L 36.6 X w 21.4 X h 20.4"
Wt: 12.70 Kg/28.0 lbs., Colour: **brown-red**.

260 litres – Ref. 27271

ventilated sides and base
six feet
dimensions as Gearbox ref. 27270
Wt: 11.90 Kg/26.2 lbs., Colour: **brown-red**



6 550 litres - Ref. 28600

solid sides and base
two runners
Ext. dim.: L 1,200 X w 800 X h 850 mm
Ext. dim.: L 47.2 X w 31.5 X h 33.5"
Int. dim.: L 1,130 X w 725 X h 690 mm
Int. dim.: L 44.5 X w 28.5 X h 27.2"
Wt: 27.00 Kg/59.4 lbs., Colour: **grey**
Unit load: 400 kg/880 lbs

550 litres – Ref. 28601

ventilated sides and solid base with two runners
dimensions as ref. 28600
Wt: 26 Kg/57 lbs., colour **grey**

550 litres – Ref. 28602


solid sides and base with four feet
dimensions as ref. 28600
Wt: 25 Kg/55 lbs., colour **grey**

550 litres – Ref. 28603

ventilated sides and solid base with four feet
dimensions as ref. 28600
Wt: 24 Kg/53 lbs., colour **grey**

550 litres – Ref. 28610

as ref. 28600 with drop-door on long side
door dim.: 1,000 x 340mm / 39.4 x 13.4"



7 550 litres – Ref. 28612

as ref. 28602 with drop-door on long side
door dim.: 1,000 x 340mm / 39.4 x 13.4"

550 litres – Ref. 28672


as ref. 28600 with four 125mm Ø wheeled castors
height: 990mm / 39.0"
Wt: 30 Kg/66 lbs.
Unit load: 150 Kg/330 lbs.

Ref. 64600

Lid for 550 litre bulk boxes
(does not fit ref. 28672)

Heavy duty transport tubs

76



1 158 litres – Ref. 2BF15
perimeter runners
Ext. dim.: L 1,219 x w 1,143 x h 305mm
Ext. dim.: L 48.0 x w 45.0 x h 12.0"
Int. dim.: L 1,130 x w 1,057 x h 132mm
Int. dim.: L 44.5 x w 41.6 x h 5.2"
Unit load: 1,044 Kg/2,300 lbs.
Wt: 38 Kg/83 lbs., Colour: blue

249 litres – Ref. 2BF24
perimeter runners
Ext. dim.: L 1,219 x w 1,143 x h 381mm
Ext. dim.: L 48.0 x w 45.0 x h 15.0"
Int. dim.: L 1,130 x w 1,057 x h 208mm
Int. dim.: L 44.5 x w 41.6 x h 8.2"
Unit load: 1,044 Kg/2,300 lbs.
Wt: 43 Kg/95 lbs., Colour: blue



309 litres – Ref. 2BF30
perimeter runners
Ext. dim.: L 1,219 x w 1,143 x h 432mm
Ext. dim.: L 48.0 x w 45.0 x h 17.0"
Int. dim.: L 1,130 x w 1,057 x h 259mm
Int. dim.: L 44.5 x w 41.6 x h 10.2"
Unit load: 1,044 Kg/2,300 lbs.
Wt: 46 Kg/102 lbs., Colour: blue

370 litres – Ref. 2BF37
perimeter runners
Ext. dim.: L 1,219 x w 1,143 x h 483mm
Ext. dim.: L 48.0 x w 45.0 x h 19.0"
Int. dim.: L 1,130 x w 1,057 x h 310mm
Int. dim.: L 44.5 x w 41.6 x h 12.2"
Unit load: 1,044 Kg/2,300 lbs.
Wt: 54 Kg/118 lbs., Colour: blue

Lid – Ref. 6BF48
Lid for heavy duty transport tubs
Ext. dim.: L 1,239 x w 1,150 x h 70mm
Ext. dim.: L 48.8 x w 45.3 x h 2.8"
Wt.: 11 Kg/25 lbs., Colour: black

431 litres – Ref. 2BF43
perimeter runners
Ext. dim.: L 1,219 x w 1,143 x h 533mm
Ext. dim.: L 48.0 x w 45.0 x h 21.0"
Int. dim.: L 1,130 x w 1,057 x h 361mm
Int. dim.: L 44.5 x w 41.6 x h 14.2"
Unit load: 1,044 Kg/2,300 lbs.
Wt: 59 Kg/131 lbs., Colour: blue

2 570 litres – Ref. 2BF57
perimeter runners
Ext. dim.: L 1,219 x w 1,143 x h 650mm
Ext. dim.: L 48.0 x w 45.0 x h 25.6"
Int. dim.: L 1,130 x w 1,057 x h 478mm
Int. dim.: L 44.5 x w 41.6 x h 18.8"
Unit load: 1,044 Kg/2,300 lbs.
Wt: 64 Kg/142 lbs., Colour: blue

EXTENDED LENGTH TRANSPORT TUBS



398 litres – Ref. 2BF39
perimeter runners
Ext. dim.: L 1,454 x w 1,219 x h 445mm
Ext. dim.: L 57.3 x w 48.0 x h 17.5"
Int. dim.: L 1,359 x w 1,130 x h 259mm
Int. dim.: L 53.5 x w 44.5 x h 10.2"
Unit load: 907 Kg/2,000 lbs.
Wt: 54 Kg/119 lbs., Colour: black

3 480 litres – Ref. 2BF48
perimeter runners
Ext. dim.: L 1,454 x w 1,219 x h 498mm
Ext. dim.: L 57.3 x w 48.0 x h 19.6"
Int. dim.: L 1,359 x w 1,130 x h 312mm
Int. dim.: L 53.5 x w 44.5 x h 12.3"
Unit load: 907 Kg/2,000 lbs.
Wt: 57 Kg/125 lbs., Colour: black



452 litres – Ref. 2BF45
perimeter runners
Ext. dim.: L 1,638 x w 1,219 x h 445mm
Ext. dim.: L 64.5 x w 48.0 x h 17.5"
Int. dim.: L 1,544 x w 1,130 x h 259mm
Int. dim.: L 60.8 x w 44.5 x h 10.2"
Unit load: 907 Kg/2,000 lbs.
Wt: 60 Kg/132 lbs., Colour: black

4 545 litres – Ref. 2BF54
perimeter runners
Ext. dim.: L 1,638 x w 1,219 x h 498mm
Ext. dim.: L 64.5 x w 48.0 x h 19.6"
Int. dim.: L 1,544 x w 1,130 x h 312mm
Int. dim.: L 60.8 x w 44.5 x h 12.3"
Unit load: 907 Kg/2,000 lbs.
Wt: 63 Kg/139 lbs., Colour: black



493 litres – Ref. 2BF49
perimeter runners
Ext. dim.: L 1,778 x w 1,219 x h 445mm
Ext. dim.: L 70.0 x w 48.0 x h 17.5"
Int. dim.: L 1,684 x w 1,130 x h 259mm
Int. dim.: L 66.3 x w 44.5 x h 10.2"
Unit load: 907 Kg/2,000 lbs.
Wt: 64 Kg/140 lbs., Colour: black

5 595 litres – Ref. 2BF59
perimeter runners
Ext. dim.: L 1,778 x w 1,219 x h 498mm
Ext. dim.: L 70.0 x w 48.0 x h 19.6"
Int. dim.: L 1,684 x w 1,130 x h 312mm
Int. dim.: L 66.3 x w 44.5 x h 12.3"
Unit load: 907 Kg/2,000 lbs.
Wt: 67 Kg/140 lbs., Colour: black



Agriculture: gravity feed hoppers helping farmers to handle seed

Controlled delivery

- Ideal for seed, granular materials and small parts. Easy to operate and protects contents from dirt, moisture and pests.
- Smooth funnel-shaped interior ensures complete emptying of contents in as quickly as 30 seconds.
- Side operated door provides a safe working environment and saves thousands of man-hours handling sacks or cardboard boxes.
- Moulded in high density polyethylene (HDPE) structural foam. Will not rust, peel or splinter. Resistant to water, mild acids and temperatures from -28°C to $+50^{\circ}\text{C}$.
- Stacks up to four units high when loaded.
- Four-way entry pallet base for use with forklifts and pallet trucks.
- Domed shaped lid drains water and features corner stacking supports.



Side door allows one person to control flow and safely discharge all or part of the contents

Gravity feed hopper

1,650 litres



1,650 litres – Ref. 2B022

includes centre-flow discharge base, top ring section and lid (above image shows cut-away interior)

Ext. dim.: L 1,435 x w 1,144 x h 1,650mm

Ext. dim.: L 56.5 x w 45.0 x h 65.0"

Nested height: 998mm / 39.3"

(to save space in storage, invert top ring section and nest over base)

Unit load: 1,125 Kg/2,500 lbs.

Wt: 152 Kg/334 lbs.

Colour: black



To save space when not in use; invert... detach top ring...



invert...



and nest over base

All dimensions are in mm.



Stacking when empty.

TankGo® IBC

Light-weight, single skin, multi-trip IBC.

- **Economical.** This new revolutionary single-skin design offers strength without the need for an outer cage.
- **Wide usage.** Standard TankGo is UN approved for chemical distribution.



IBC's designed to stack safely.

Composite IBC

The traditional IBC.

- **Resistant.** Composite unit with rotationally moulded LDPE bottle and galvanised steel frame for chemical resistance.
- **Practical.** Transparent bottle and cage allows the contents level to be easily monitored.



Safe liquid handling and distribution. 800 litre All-plastic IBC shown on IBC bund ref. BJS00.

All-Plastic IBC

A combination of strength & style ideal for the chemical industry.

- **Strength.** The outer cage is roto-moulded in double skinned, foam filled, polyethylene creating the strongest and most chemical and impact resistant of Allibert Buckhorn's IBC range.
- **Identification.** Can be moulded in brand colours and with company name/contents marked onto or embossed into the plastic.

Intermediate Bulk




1 500 litres - Ref. RH107

Ø 150 mm screw cap
Ø 50 mm GRPP ball valve
Dim.: L 1,160 X w 1,160 X h 895 mm
Working capacity: 500 litres (544 litres max)
Tare weight: 58.5 kg
Standard colour: Vanilla bottle, chocolate pallet
Stacking (empty): 1 on 1.


IBC bund

- Handles any IBC up to 1000 litres
- Removable plastic decking.
- More spill control products: p. 95.



4 1100 litres - Ref. BJS00

Dim.: L 1,855 X w 1,855 X h 660 mm
Wt.: 160 kg., Loading: 2,500 kg
Colour: green with removable black deck



7 400 litres - Ref. T400

Ø 150 mm screw cap
Ø 50 mm GRPP ball valve
Dim.: L 1,200 X w 1,000 X h 780 mm
Working capacity: 400 litres (440 litres max)
Tare weight: 77 kg
Standard colour: Natural bottle, brown case
Stacking (loaded): 1 on 4.

Containers (IBC)



2 800 litres - Ref. SH107

Ø 150 mm screw cap
 Ø 50 mm GRPP ball valve
 Dim.: L 1,160 X w 1,160 X h 1,155 mm
 Working capacity: 800 litres (814 litres max)
 Tare weight: 81.5 kg
 Standard colour: Vanilla bottle, chocolate pallet
 Stacking (empty): 1 on 1.



3 1000 litres - Ref. TH107

Ø 150 mm screw cap
 Ø 50 mm GRPP ball valve
 Dim.: L 1,160 X w 1,160 X h 1,355 mm
 Working capacity: 1000 litres (1010 litres max)
 Tare weight: 89 kg
 Standard colour: Vanilla bottle, chocolate pallet
 Stacking (empty): 1 on 1.



5 800 litres - Ref. T800

Ø 150 mm screw cap
 Ø 50 mm GRPP ball valve
 Dim.: L 1,180 X w 1,055 X h 1,365 mm
 Working capacity: 800 litres (900 litres max)
 Tare weight: 135 kg
 Standard colour: Natural bottle, steel frame
 Stacking (loaded): 1 on 2.



6 1000 litres - Ref. T1000

Ø 150 mm screw cap
 Ø 50 mm GRPP ball valve
 Dim.: L 1,180 X w 1,055 X h 1,565 mm
 Working capacity: 1000 litres (1050 litres max)
 Tare weight: 158 kg
 Standard colour: Natural bottle, steel frame
 Stacking (loaded): 1 on 1.



8 800 litres - Ref. T804

Ø 150 mm screw cap
 Ø 50 mm GRPP ball valve
 Dim.: L 1,150 X w 1,150 X h 1,440 mm
 Working capacity: 800 litres (870 litres max)
 Tare weight: 142 kg
 Standard colour: Natural bottle, green case
 Stacking (loaded): 1 on 1.



9 1000 litres - Ref. T1004

Ø 150 mm screw cap
 Ø 50 mm GRPP ball valve
 Dim.: L 1,150 X w 1,150 X h 1,690 mm
 Working capacity: 1000 litres (1,100 litres max)
 Tare weight: 153 kg
 Standard colour: Natural bottle, red/grey case
 Stacking (loaded): 1 on 1.



*Liquid storage tanks with Allgrid flooring :
 100% resistant to corrosion.
 (Allgrid on page 95).*

Liquid storage tanks

- Available in capacities from 500 to 70,000 litres.
- Helically wound plastic creating a seamless, durable and corrosion resistant tank.
- A temperature range of between -40°C and +90°C (depending on plastic used).
- Virtually any colour is available.
- Wide variety of applications from potable water through to sulphuric acid.
- Wide choice of accessories to enable us to tailor the tank to your specific requirements.