

STORAGE DESIGN LIMITED

Primrose Hill

Cowbridge

South Wales

CF71 7DU

Tel: 01446 772614

Fax: 01446 774770

STORAGE DESIGN LIMITED

CONTAINER CATALOGUE 2007



Whatever your business – Storage Design has the answer

Choosing products from STORAGE DESIGN LIMITED means:

- Having access to Europe's largest range of plastic containers and pallets for materials storage, handling and distribution.
- Taking advantage of the design innovations and manufacturing technology of a leader in the field of plastics processing.
- Benefiting from over thirty years experience in the reusable packaging sector.
- Receiving specialist advice from a dedicated sales team.
- Confidence in availability and supply from an established international industrial operation with a vast distribution network.
- Using products made under the strictest quality control, certified to ISO 9002.
- Conforming to all regulations currently in force including Packaging Directive 94-22 CE and French regulations Decree 98/638, as well as using raw materials which meet the demands specified for the year 2001 with regard to heavy metal content.
- And, after many years of intensive use, having the ability to recycle products when they come to the end of their working lives.

**Click on the
catalogue image to
find the product
to suit your needs!**



WHAT'S NEW?


- **Alligrip Maestro Pallet**
- **Evolution Range**
- **Heavy Duty Transport Tub**

p.85

p.25

p.76

**Click here to go to our Racking
and Shelving Systems Leaflet!**



STORAGE DESIGN LIMITED

Primrose Hill

Cowbridge

South Wales

CF71 7DU

Tel: 01446 772614

Fax: 01446 774770

STORAGE DESIGN LIMITED

CONTAINER CATALOGUE 2007



This pdf is an exact copy of our current 2006 – 2007 brochure.
There are four ways you can find the products you are looking for.

1. Find by reference number

Click in this box to go to an index of all our products by reference number. Then click on the correct number to go to the page with that product.

2. Find by range

Click in this box to go to an index of our product ranges. Then click on the range / subsection of your choice to go to the correct page.

3. Find by dimension

Click in this box to go to an index of our products by dimension. Then click on the correct dimensions to go to the page with that product.

4. Navigate

View the pages one by one using either the scroll bars or the page icons within Acrobat to navigate forwards and/or backwards.




**GO TO
START**

STORAGE DESIGN LIMITED

1. FIND BY REFERENCE NUMBER

REF	Description & Page Number	REF	Description & Page Number	REF	Description & Page Number
00002	Key for container ref. 31051p. 38	21298	Jumboxp. 72	61040	Lid for ref. 21040/80p. 27
00053	Jumbox drain plugp. 72	21624	Jumboxp. 71	61045	Snap-shut Lid for ESR 600 x 400p. 14
00103	Feet for raised flooring ref. 61300p.100	21626	Jumboxp. 71	61046	Lid for ref. 31051 & Traditional Seriesp. 38
00104	Feet for raised flooring ref. 61300p.100	21654	Jumboxp. 71	61049	Lid for ref. Eurocover & Euroflipp. 38
00413	Divider for ref. 21G21p. 24	21655	Jumboxp. 71	61060	Lid for ESR 600 x 400p. 14
00413Q7	Electro-conductive divider for ref. 21G21 Q7 ..p. 23	21658	Jumboxp. 71	61060Q7	Electro-conductive lid for ESR 400x 300p. 22
00431	Divider for Galia box.....p. 21	21659	Jumboxp. 71	61075	Lid for ref. 10076.....p. 51
00473	Label Holders for ALC'sp. 33	21666	Jumboxp. 71	61086	Snap-shut Lid for ESR 800 x 600p. 16
00474	Label Holder for ALC'sp. 33	21667	Jumboxp. 71	61087	Lid for ESR 800 x 600p. 16
00509	ALC Document Holderp. 33	21C13	ESR Boxp. 19	61190	Flooring.....p.100
00532	Label holder for pallet coverp. 93	21C20	ESR Boxp. 19	61200	Allimat Flooring.....p.101
00701	ALC Security Sealp. 33	21C21	ESR Boxp. 19	61201	Allimat Flooring.....p.101
01315	Galia stackingp. 21	21C27	ESR Boxp. 19	61206	Allimat Flooring.....p.101
03019	ESR stacking.....p. 12	21C30	ESR Boxp. 19	61250	Hygimat Flooring.....p.101
03024	Stacking.....p. 28	21C33	ESR Boxp. 19	61300	Flooring.....p.100
03200	Odette lidp. 21	21C45	ESR Boxp. 19	61511	Matp.101
03212	Odette stackingp. 21	21C54	ESR Boxp. 19	61513	Matp.101
04035	ESR stacking.....p. 13	21G21	Module Trayp. 24	61515	Matp.101
04048	ESR stacking.....p. 18	21G21Q7	Electro-conductivep. 23	61651	Lid for Jumbox 650 litre.....p. 71
04049	ESR stacking.....p. 18	21G22	Module Trayp. 24	61800	Flooring.....p.100
04050	ESR stacking.....p. 18	21G22Q7	Electro-conductivep. 23	61800Q7	Electro-conductive Flooringp. 23
04051	ESR stacking.....p. 18	21P20	Battery recycling containerp.102	61805	Flooring.....p.100
04056	ESR Stackingp. 18	21P27	Battery recycling containerp.102	61900	Flooring.....p.100
04057	ESR Stackingp. 18	23005	Stackingp. 27	61900Q7	Electro-conductive Flooringp. 23
04058	ESR stacking.....p. 18	230CA	Stackingp. 29	61901	Ramp for ref. 61900.....p.100
04059	ESR stacking.....p. 18	24025	Stackingp. 27	61902	Corner for ref. 61900p.100
04300	Odette lidp. 21	24600	Lid for 1200x800 bulk boxp. 75	61950	Retenkitp.100
04312	Odette stackingp. 21	26006	€ureka Stackingp. 8	64260	Lid for ref. 21160.....p. 27
04322	Odette stackingp. 21	26010	€ureka Stackingp. 8	64510	Lid for Jumbox 250 litre.....p. 72
06031	ESR stacking.....p. 11	26016	€ureka Stackingp. 8	64251	Lid for Jumbox 250 litre.....p. 72
06032	ESR stacking.....p. 13	26018	€ureka Stackingp. 8	64401	Lid for 373 & 543 250 litre Geoboxesp. 74
06400	Odette lidp. 21	26019	€ureka Stackingp. 8	64600	Lid for 550L Bulk Boxp. 75
06422	Odette stackingp. 21	26024	€ureka Stackingp. 9	64701	Pallet coverp. 92
06432	Odette stackingp. 21	26025	€ureka Stackingp. 9	64801	Pallet coverp. 92
06700	Pallet coverp. 92	26028	€ureka Stackingp. 9	64900	Lid for Crescendop. 65
06705	Pallet coverp. 93	26029	€ureka Stackingp. 9	68114	Citadel lidp. 69
06772	Pallet coverp. 93	26060	€ureka Stackingp. 9	68750	Lid for Folding Bulk Boxp. 68
067CA	Stackingp. 28	26061	€ureka Stackingp. 9	68760	Lid for Folding Bulk Boxp. 68
06800	Pallet coverp. 92	26R10	€ureka Stackingp. 8	68780	Lid for Folding Bulk Boxp. 68
06805	Pallet coverp. 93	26R16	€ureka Stackingp. 8	68832	Folding box pallet lid.....p. 66
06840	Pallet coverp. 93	26R18	€ureka Stackingp. 8	68840	Folding box pallet lid.....p. 67
06850	Pallet coverp. 93	26R19	€ureka Stackingp. 8	68845	Folding box pallet lid.....p. 67
06871	Pallet coverp. 93	26R24	€ureka Stackingp. 9	68F48	Lid for transport tubsp. 76
06872	Cover.....p. 93	26R25	€ureka Stackingp. 9	6C746	lid for folding bulk boxp. 66
06940	Pallet coverp. 93	26R28	€ureka Stackingp. 9	71002	Allibinp. 55
06971	Pallet coverp. 93	26R29	€ureka Stackingp. 9	71004	Allibinp. 54
06972	Pallet coverp. 93	26R60	€ureka Stackingp. 9	71005	Allibinp. 54
06940	Pallet coverp. 93	26R61	€ureka Stackingp. 9	71006	Allibinp. 54
06991	Pallet coverp. 93	26S35	Evolution containerp. 25	71009	Allibinp. 54
06996	Pallet coverp. 93	26S37	Evolution containerp. 25	71013	Dividable Allibinp. 54
06998	Pallet coverp. 93	26S45	Evolution containerp. 25	71017	Dividable Allibinp. 54
06999	Odette & Galia cover.....p. 21	26S53	Evolution containerp. 25	71027	Dividable Allibinp. 54
10005	Attached Lid Containerp. 33	26S55	Evolution containerp. 25	71036	Dividable Allibinp. 55
10010	Attached Lid Containerp. 33	26S70	Evolution containerp. 25	71AP1	Allibin Louverd Panelp. 55
10020	Attached Lid Containerp. 33	26S71	Evolution containerp. 25	71AP2	Allibin Louverd Panelp. 55
10022	Attached Lid Containerp. 33	26S77	Evolution containerp. 25	71AP3	Allibin Louverd Panelp. 55
10025	Attached Lid Containerp. 33	26S91	Evolution containerp. 25	71AP4	Allibin Louverd Panelp. 55
10027	Attached Lid Containerp. 33	27250	Geoboxp. 75	71AP5	Allibin Louverd Panelp. 55
10032	Distribution Picking Containerp. 37	27251	Geoboxp. 75	71AP6	Allibin Louverd Panelp. 55
10040	Attached Lid Containerp. 34	27270	Geoboxp. 75	71AP7	Allibin Louverd Panelp. 55
10058	Attached Lid Containerp. 34	27271	Geoboxp. 75	71AP8	Allibin Louverd Panelp. 55
1005C	Attached Lid Containerp. 34	27400	Geoboxp. 74	71AS1	Spigot for rackp. 55
1005Y	Attached Lid Containerp. 34	27401	Geoboxp. 74	71AS2	Spigot for rackp. 55
10055	Stacking & Nesting with bale armsp. 50	27402	Geoboxp. 74	71AS4	Spigot for rackp. 55
10057	Stacking & Nesting with bale armsp. 50	27403	Geoboxp. 74	71AS5	Spigot for rackp. 55
10060	Stacking & Nesting with bale armsp. 51	27404	Geoboxp. 74	71EX1	Allibin rack extensionp. 56
10068	Attached Lid Containerp. 34	27405	Geoboxp. 74	71EX2	Allibin rack extensionp. 56
1006C	Attached Lid Containerp. 34	27600	Geoboxp. 73	71EX3	Allibin rack extensionp. 56
1006Y	Attached Lid Containerp. 34	27601	Geoboxp. 74	71EX4	Allibin rack extensionp. 56
10065	Stacking & Nesting with bale armsp. 50	27602	Geoboxp. 73	71EX5	Allibin rack extensionp. 56
10066	Attached Lid Containerp. 34	27603	Geoboxp. 74	71EX6	Allibin rack extensionp. 56
10076	Stacking & Nesting with bale armsp. 51	27604	Geoboxp. 73	71EX7	Allibin rack extensionp. 56
10082	Attached Lid Containerp. 36	27605	Geoboxp. 74	71EX8	Allibin rack extensionp. 56
10083	Attached Lid Containerp. 36	27800	Crescendo folding box palletp. 64	71FS1	Allibin free standing rackp. 56
10125	Attached Lid Containerp. 36	27802	Crescendo folding box palletp. 64	71FS2	Allibin free standing rackp. 56
10130	Stacking & Nesting with bale armsp. 51	27806	Crescendo folding box palletp. 64	71FS3	Allibin free standing rackp. 56
10165	Attached Lid Containerp. 36	27808	Crescendo folding box palletp. 64	71FS4	Allibin free standing rackp. 56
10550	Distribution Picking Container.....p. 37	27900	Crescendo folding box palletp. 65	71FS5	Allibin free standing rackp. 56
10551	Distribution Picking Container.....p. 37	27903	Crescendo folding box palletp. 65	71FS6	Allibin free standing rackp. 56
10552	Distribution Picking Container.....p. 37	27906	Crescendo folding box palletp. 65	71FS7	Allibin free standing rackp. 56
10553	Distribution Picking Container.....p. 37	27909	Crescendo folding box palletp. 65	71FS8	Allibin free standing rackp. 56
11018	Traditional Series Stacking & Nestingp. 44	27912	Crescendo folding box palletp. 65	71L14	Allibin Divider for ref. 71013p. 54
11020	Traditional Series Stacking & Nestingp. 45	27915	Crescendo folding box palletp. 65	71L18	Allibin Divider for ref. 71017p. 54
11032	Traditional Series Stacking & Nestingp. 45	28600	Bulk boxp. 75	71L28	Allibin Divider for ref. 71027p. 54
11034	Traditional Series Stacking & Nestingp. 45	28601	Bulk boxp. 75	71L37	Allibin Divider for ref. 71036p. 55
11037	Traditional Series Stacking & Nestingp. 44	28602	Bulk boxp. 75	72E45	Allibinp. 55
11044	Stacking & Nestingp. 49	28603	Bulk boxp. 75	72E75	Allibinp. 55
11048	Stacking & Nestingp. 48	28610	Bulk boxp. 75	78410	Shelf Storage Trayp. 57
11051	Traditional Series Stacking & Nestingp. 45	28612	Bulk boxp. 75	78420	Shelf Storage Trayp. 57
11052	Traditional Series Stacking & Nestingp. 45	28672	Bulk boxp. 75	78510	Shelf Storage Trayp. 57
11053	Traditional Series Stacking & Nestingp. 45	29019	Stackingp. 28	78520	Shelf Storage Trayp. 57
11055	Stacking & Nestingp. 48	29041	Stackingp. 26	78610	Shelf Storage Trayp. 57
11056	Stacking & Nestingp. 48	29042	Stackingp. 26	78620	Shelf Storage Trayp. 57
11065	Traditional Series Stacking & Nestingp. 45	29043	Stackingp. 26	78L10	Divider for ref. 78410/510/610p. 57
11066	Traditional Series Stacking & Nestingp. 45	29044	Stackingp. 26	78L20	Divider for ref. 78420/520/620p. 57
11074	Stacking & Nestingp. 49	29049	Stackingp. 28	79005	Spacers for ref. 21041p. 29
11075	Stacking & Nestingp. 49	29170	Stackingp. 29	7ABU1	Allibin Bench Unitp. 56
11081	Stacking & Nestingp. 48	2A021	ESR Stacking.....p. 12	7ABU2	Allibin Bench Unitp. 56
11090	Stacking & Nestingp. 49	2A021Q7	Electro-conductive.....p. 22	7ATD1	Allibin Trolleyp. 56
11145	Stacking & Nestingp. 48	2A022	ESR Stackingp. 12	7ATD4	Allibin Trolleyp. 56
12035	Stacking & Nestingp. 49	2A023	ESR Stackingp. 12	7ATD6	Allibin Trolleyp. 56
12041	Stacking & Nestingp. 49	2A044	ESR Stackingp. 14	75401	Polyrange 2 shelvingp.106
12043	Stacking & Nestingp. 47	2A045	ESR Stackingp. 14	80045	Dividerp. 24
12061	Stacking & Nestingp. 49	2A045Q7	Electro-conductive.....p. 22	80045Q7	Electro-conductive Dividerp. 23
12070	Stacking & Nestingp. 49	2A046	ESR Stackingp. 14	80088	Dividerp. 24
12A30	Stacking & Nestingp. 49	2A049	ESR Stackingp. 14	80088Q7	Electro-conductive Dividerp. 23
12A31	Stacking & Nestingp. 49	2AP21	ESR Stackingp. 12	80150	Dividerp. 24
13020	Eurorange Stacking & Nestingp. 43	2B022	Gravity feed hopper.....p. 77	80190	Dividerp. 24
13024	Eurorange Stacking & Nestingp. 43	2B045	ESR Stackingp. 14	81000	Divider (lateral) for ref. 13018/34p. 43
13034	Eurorange Stacking & Nestingp. 42	2B114	Citadel bulk boxp. 69	82000	Divider (lateral) for ref. 13020/24/A24/66p. 43
13035	Eurorange Stacking & Nestingp. 42	2B115	Citadel bulk boxp. 69	83015	15 glass catering dividerp. 24
13036	Eurorange Stacking & Nestingp. 42	2B711	Folding box palletp. 66	83024	24 glass catering dividerp. 24
13042	Eurorange Stacking & Nestingp. 43	2B712	Folding box palletp. 66	83040	40 glass catering dividerp. 24
13047	Eurorange Stacking & Nestingp. 42	2B713	Folding box palletp. 66	83P15	15 glass top dividerp. 24
13050	Eurorange Stacking & Nestingp. 43	2B721	Folding box palletp. 67	83P24	24 glass top dividerp. 24
13060	Eurorange Stacking & Nestingp. 42	2B722	Folding box palletp. 67	83PA40	40 glass top dividerp. 24
13066	Eurorange Stacking & Nestingp. 43	2B723	Folding box palletp. 67	90765	Dollyp. 26
13A17	Eurorange Stacking & Nestingp. 42	2B731	Folding box palletp. 67	91005	Dollyp. 60
13A18	Eurorange Stacking & Nestingp. 42	2B732	Folding box palletp. 67	91011	Dollyp. 60
13A27	Eurorange Stacking & Nestingp. 42	2B733	Folding box palletp. 67	91012	Dollyp. 60
13A46	Eurorange Stacking & Nestingp. 42	2B752	Folding Bulk Boxp. 68	91021	Dollyp. 60
13A61	Eurorange Stacking & Nestingp. 42	2B753	Folding box palletp. 68	910A8	Dollyp. 60
14040	Logifood Stacking & Nestingp. 43	2B754	Folding box palletp. 68	97030	Dollyp. 61
14060	Logifood Stacking & Nestingp. 43	2B762	Folding Bulk Boxp. 68	97032	Trolleyp. 61
15018	Stacking & nesting with bale arms.....p. 51	2B763	Folding box palletp. 68	97040	Dollyp. 61
15036	Stacking & nesting with bale arms.....p. 51	2B764	Folding box palletp. 68	97042	Trolleyp. 61
16050	Stacking & Nestingp. 48	2B765	Folding Bulk Boxp. 68	98017	Drain plug for Jumboxp. 72
16054	Stacking & Nestingp. 48	2B782	Folding Bulk Boxp. 68	98018	Tap for drainage plug ref. 98017p. 72
19026	Triangular Wall Stacking & Nestingp. 48	2B783	Folding box palletp. 68	99822	Dollyp. 60
19027	Triangular Wall Stacking & Nestingp. 48	2B784	Folding box palletp. 68	99824	Dollyp. 60
19028	Triangular Wall Stacking & Nestingp. 48	2B785	Folding Bulk Boxp. 68	99826	Dollyp. 60
1B111	Attached Lid Containerp. 35	2BA01	Citadel support bridgep. 69	AT120	Stacking & Nestingp. 47
1B194	Attached Lid Containerp. 35	2BA04	Citadel bagp. 69	A2401	Basket for ref. ISO 01p.105
1B202	Attached Lid Containerp. 35	2BA05	Citadel bagp. 69	A2801	Basket for ref. ISO 01p.105
1B405	Attached Lid Containerp. 35	2BF15	Transport tubp. 76	A4628	Tank for Chassis Truckp.103
1B417	Attached Lid Containerp. 35	2BF24	Transport tubp. 76	AE135	AE Series Stacking & Nestingp. 46
1B433	Attached Lid Container.....p. 35	2BF30	Transport tubp. 76	AE136	AE Series Stacking & Nestingp. 46
1B443	Attached Lid Container.....p. 35	2BF37	Transport tubp. 76	AE170	AE Series Stacking & Nestingp. 46
1B453	Attached Lid Container.....p. 35	2BF39	Extended length transport tubp. 76	AE171	AE Series Stacking & Nestingp. 46
1B473	Attached Lid Container.....p. 35	2BF43	Transport tubp. 76	AE215	AE Series Stacking & Nestingp. 46
1B523	Attached Lid Container.....p. 35	2BF45	Extended length transport tubp. 76	AE216	AE Series Stacking & Nestingp. 46
1B524	Attached Lid Container.....p. 35	2BF48	Extended length transport tubp. 76	AE217	AE Series Stacking & Nestingp. 46
1B535	Attached Lid Container.....p. 35	2BF49	Extended length transport tubp. 76	AE218	AE Series Stacking & Nestingp. 46
1B561	Attached Lid Container.....p. 36	2BF54	Extended length transport tubp. 76	AE260	AE Series Stacking & Nestingp. 47
1B571	Attached Lid Container.....p. 36	2BF57	Transport tubp. 76	AE261	AE Series Stacking & Nestingp. 47
1B650	Attached Lid Container.....p. 36	2BF59	Extended length transport tubp. 76	B0018	Round binp.103
1B802	Attached Lid Container.....p. 35	2C746	Folding bulk boxp. 66	B0046	Round binp.103
1B818	Attached Lid Container.....p. 35	2RP21	ESR Stackingp. 15	B0073	Round binp.103
1B822	Attached Lid Containerp. 33	31006	Stacking & Nesting with bale armsp. 50	B9090	Dolly for round binsp.103
1B825	Attached Lid Containerp. 33	31014	Eurocoverp. 38	B9080	Drum funnelp. 95
1B840	Attached Lid Containerp. 34	31016	Euroflip Stacking & Nestingp. 50	BJSOO	Intermediate Bulk Container Bund

2. FIND BY RANGE



Stacking containers	6
Eureka stacking containers	8
European standard range	10
Folding Containers	17
European standard range with open front	18
European standard range boxes (attached lid)	19
Odette & Galia range	20
Electroconductive range	22
Partitioning systems	24
Evolution containers	25
Stacking containers	26



Stacking and nesting containers with lids	30
Attached lid containers	32
Distribution Picking Containers	37
Nesting containers, stacking with lids	38



Stacking and nesting Containers	40
Eurorange	42
Traditional series	44
General stacking and nesting	46
Stacking and nesting with stacking bars	50



Small parts storage	52
Allibin range	54
Allibin accessories	56
Shelf storage trays	57



Dollies and trolleys	58
Dollies and trolleys	60
Multimover	61



Bulk storage containers	62
Crescendo (folding)	64
Heavy duty (folding)	66
Extended length (folding)	68
Citadel (folding)	69
Jumbox range	70
Geobox range	73
1200x800 bulk boxes	75
Transport tubs	76
Gravity feed hopper	77




IBCs	78
Intermediate bulk containers	78



Pallets	80
Maestro range	82
Alligrip Maestro	85
Jumbopal range	86
Packpal range	87
Recycled pallets	90
800x600 pallets	91
Pallet covers	92
General pallets	94



Spill Control	95
----------------------	-----------



Flooring	98
Floor slats	100
Allimat and Alligrid	101



Insulated containers	104
-----------------------------	------------



Other ranges	
Label holders	39
Specialised products	102
Round bins and trucks	103
Polyrange shelving	106
Racking and shelving	107
Marking	108
Radio frequency tags	108

STORAGE DESIGN LIMITED

3. FIND BY DIMENSION

L x W x H (internal)	Capacity	Product Ref.	
90 x 105 x 52 mm	⅓ L	71006	p. 54
169 x 105 x 75 mm	1 L	71005	p. 54
240 x 150 x 125 mm	4 L	71004	p. 54
200 x 150 x 118 mm	2 L	20002	p. 11
278 x 178 x 90 mm	24 L	21G21	p. 24
278 x 178 x 90 mm	24 L	21G22	p. 24
299 x 199 x 120 mm	5 L	26006	p. 8
300 x 200 x 114 mm	4 L	03212	p. 21
300 x 200 x 118 mm	5 L	21005	p. 11
300 x 200 x 125 mm	56 L	23005 ^{•••}	p. 27
300 x 200 x 130 mm	4 L	10005	p. 33
300 x 200 x 200 mm	6 L	10010	p. 33
360 x 215 x 145 mm	9 L	71009	p. 54
360 x 215 x 200 mm	13 L	71013	p. 54
360 x 360 x 250 mm	25 L	24025	p. 27
374 x 343 x 338 mm	28 L	1B802	p. 35
374 x 343 x 387 mm	32 L	1B818	p. 35
398 x 298 x 120 mm	10 L	26010	p. 8
		26R10	p. 8
398 x 298 x 170 mm	16 L	26016	p. 8
		26R16	p. 8
398 x 299 x 220 mm	19 L	26018	p. 8
		26R18	p. 8
400 x 115 x 80 mm	2.5 L	78410	p. 57
400 x 230 x 80 mm	5.5 L	78420	p. 57
400 x 300 x 74 mm	6 L	21006	p. 11
400 x 300 x 114 mm	9 L	04312	p. 21
400 x 300 x 118 mm	10 L	21009	p. 11
		21010	p. 11
400 x 300 x 129 mm	10 L	20C10	p. 19
400 x 300 x 160 mm	11 L	31016	p. 50
		31014	p. 38
400 x 300 x 175 mm	15 L	21027	p. 11
		21027 Q7	p. 22
400 x 300 x 180 mm	16 L	EG150 ^{•••}	p. 46
400 x 300 x 186 mm	15 L	21C27	p. 19
400 x 300 x 200 mm	17 L	15018	p. 51
400 x 300 x 214 mm	18 L	04322	p. 21
400 x 300 x 235 mm	20 L	21020	p. 11
		21026	p. 11
400 x 300 x 246 mm	20 L	21C20	p. 19
400 x 300 x 252 mm	20 L	10020	p. 33
400 x 300 x 282 mm	22 L	1BK22	p. 33
400 x 300 x 318 mm	25 L	1BK25	p. 33
400 x 300 x 319 mm	30 L	04048	p. 18
		04049	p. 18
		04050	p. 18
		04051	p. 18
		06031	p. 11
		21030	p. 11
		06031	p. 11
400 x 300 x 320 mm	24 L	31028	p. 50
	25 L	10025	p. 33
	26 L	31026	p. 38
400 x 300 x 330 mm	30 L	21C30	p. 19
400 x 460 x 180 mm	25 L	71027	p. 54
475 x 405 x 140 mm	18 L	21018	p. 27
490 x 295 x 100 mm	11 L	A2401	p. 105
490 x 295 x 165 mm	18 L	A2801	p. 105
500 x 115 x 80 mm	3.2 L	78510	p. 57
500 x 230 x 80 mm	7 L	78520	p. 57
500 x 300 x 73 mm	8 L	067CA ^{•••}	p. 28
500 x 300 x 180 mm	20.5 L	03024	p. 28
500 x 300 x 201 mm	23 L	21024	p. 28
500 x 300 x 265 mm	30 L	21028	p. 28
		21029	p. 28
500 x 315 x 145 mm	16 L	71017	p. 54
500 x 315 x 300 mm	35 L	71036	p. 55
500 x 400 x 215 mm	34 L	21031	p. 28
500 x 400 x 270 mm	35 L	12035	p. 49
510 x 295 x 190 mm	18 L	1B417	p. 35
515 x 315 x 200 mm	28 L	71002	p. 55
546 x 387 x 168 mm	22 L	1B433	p. 35
550 x 366 x 106 mm	18 L	29019	p. 28
550 x 366 x 200 mm	30 L	21032	p. 28
550 x 366 x 295 mm	50 L	29049	p. 28
552 x 387 x 235 mm	27 L	10032	p. 37
552 x 387 x 245 mm	35 L	1B443	p. 35
552 x 387 x 318 mm	27 L	1B453	p. 35
552 x 387 x 325 mm	47 L	1B473	p. 35
560 x 380 x 285 mm	47 L	AE260 ^{•••}	p. 47
		AE261 ^{•••}	p. 47
567 x 330 x 327 mm	40 L	1B405	p. 35
570 x 375 x 208 mm	35 L	21040	p. 27
570 x 375 x 415 mm	70 L	21080	p. 27
580 x 350 x 120 mm	18 L	41018	p. 28
595 x 365 x 150 mm ^{•••}	24 L	PM137	p. 28
595 x 450 x 175 mm	34 L	21025	p. 27
		21034	p. 27
598 x 398 x 140 mm	24 L	26024	p. 9
		26R24	p. 9
598 x 398 x 220 mm	41 L	26028	p. 9
		26R28	p. 9
598 x 398 x 280 mm	54 L	26060	p. 9
		26R60	p. 9
600 x 115 x 80 mm	3.9 L	78610	p. 57
600 x 230 x 80 mm	8.7 L	78620	p. 57
600 x 278 x 355 mm	35 L	1B111	p. 35
600 x 280 x 230 mm	21 L	1B535	p. 35
600 x 400 x 50 mm	8 L	21008	p. 12
600 x 400 x 73 mm	12 L	21013	p. 12
		21014	p. 12
		21015	p. 12
600 x 400 x 84 mm	12 L	21C13	p. 19
600 x 400 x 117 mm	18 L	11018	p. 44
		11020	p. 45
600 x 400 x 118 mm	20 L	13020	p. 43
	21 L	2A021	p. 12
	21 L	2A022	p. 12
	21 L	2A023	p. 12

L x W x H (internal)	Capacity	Product Ref.	
600 x 400 x 120 mm	20 L	03019	p. 12
	22 L	PM101 ^{•••}	p. 29
	20 L	A1120	p. 47
		20016	p. 12
		20019	p. 12
600 x 400 x 126 mm	21 L	2RP21	p. 15
600 x 400 x 129 mm	21 L	21C21	p. 19
600 x 400 x 147 mm	26 L	13A17	p. 42
		13A18	p. 42
	27 L	13A27	p. 42
600 x 400 x 150 mm	28 L	20028	p. 13
		20029	p. 13
		20030	p. 13
600 x 400 x 153 mm	27 L	13024	p. 43
600 x 400 x 155 mm	27 L	AE135 ^{•••}	p. 46
		AE136 ^{•••}	p. 46
600 x 400 x 161 mm	28 L	20C28	p. 19
600 x 400 x 170 mm	32 L	06032	p. 13
600 x 400 x 175 mm	33 L	21033	p. 13
		21038	p. 13
600 x 400 x 185 mm	33 L	20033	p. 15
600 x 400 x 186 mm	33 L	21C33	p. 19
600 x 400 x 187 mm	35 L	13034	p. 42
		13035	p. 42
		13042	p. 42
600 x 400 x 190 mm	34 L	AE170 ^{•••}	p. 46
		AE171 ^{•••}	p. 46
600 x 400 x 193 mm	35 L	04035	p. 13
		21035	p. 13
600 x 400 x 200 mm	32 L	11032	p. 45
		11034	p. 45
	36 L	13040	p. 43
	37 L	14040	p. 43
	35 L	15036	p. 51
600 x 400 x 214 mm	39 L	06422	p. 21
		P6422	p. 17
		P6423	p. 17
600 x 400 x 232 mm	45 L	13047	p. 42
600 x 400 x 235 mm	45 L	2A044	p. 14
		2A046	p. 14
		2A045	p. 14
		2A049	p. 14
		20045	p. 15
	43 L	12043 ^{•••}	p. 47
600 x 400 x 236 mm	37 L	11037	p. 44
600 x 400 x 237 mm	43 L	AE215 ^{•••}	p. 46
		AE216 ^{•••}	p. 46
		AE217 ^{•••}	p. 46
		AE218 ^{•••}	p. 46
600 x 400 x 240 mm	40 L	31049	p. 50
	44 L	31047	p. 38
600 x 400 x 245 mm	45 L	13066	p. 43
600 x 400 x 246 mm	45 L	21C45	p. 19
600 x 400 x 250 mm	40 L	10040	p. 34
		1BK40	p. 34
600 x 400 x 252 mm	46 L	230CA ^{•••}	p. 29
600 x 400 x 280 mm	51 L	13050	p. 43
	52 L	21055	p. 14
	54 L	21054	p. 14
600 x 400 x 291 mm	54 L	21C54	p. 19
600 x 400 x 300 mm	50 L	11051	p. 45
		11052	p. 44
		11053	p. 44
	55 L	31051	p. 38
600 x 400 x 310 mm	52 L	1BK52	p. 34
600 x 400 x 314 mm	59 L	06432	p. 21
		P6432	p. 17
		P6433	p. 17
600 x 400 x 316 mm	60 L	13060	p. 42
600 x 400 x 319 mm	60 L	04056	p. 18
		04058	p. 18
		04057	p. 18
		04059	p. 18
		21060	p. 14
		21063	p. 14
		21061	p. 15
		21064	p. 15
600 x 400 x 320 mm	54 L	1005B	p. 34
		10550	p. 37
		10552	p. 37
600 x 400 x 350 mm	65 L	31006	p. 50
600 x 400 x 360 mm	59 L	11055	p. 48
		11056	p. 48
600 x 400 x 365 mm	64 L	1006B	p. 34
		1BK62	p. 34
600 x 400 x 385 mm	67 L	10066	p. 34
600 x 400 x 400 mm	70 L	11065	p. 45
		11066	p. 45
600 x 400 x 412 mm	75 L	20085	p. 15
		20084	p. 15
		20086	p. 15
		20083	p. 15
600 x 400 x 423 mm	75 L	20C85	p. 17
600 x 485 x 355 mm	68 L	1B194	p. 35
600 x 500 x 140 mm	33 L	26S37 ^{•••}	p. 25
600 x 500 x 205 mm	50 L	10057	p. 50
600 x 500 x 220 mm	53 L	26S53 ^{•••}	p. 25
600 x 500 x 280 mm	69 L	26S77 ^{•••}	p. 25
600 x 500 x 363 mm	80 L	11081	p. 48
610 x 495 x 320 mm	65 L	1B202	p. 35
614 x 384 x 250 mm	45 L	72E45	p. 55
620 x 610 x 420 mm	90 L	11090	p. 49
630 x 495 x 290 mm	63 L	10060	p. 51
642 x 544 x 92 mm	17 L	19027	p. 48
642 x 544 x 117 mm	28 L	19028	p. 48
643 x 545 x 118 mm	28 L	19026	p. 48
665 x 460 x 212 mm	48 L	11048	p. 48
668 x 444 x 135 mm	25 L	PM660 ^{•••}	p. 29
689 x 430 x 320 mm	66 L	1B523	p. 35
		1B524	p. 35
690 x 430 x 190 mm	36 L	54042	p. 48
710 x 460 x 352 mm	75 L	10076	p. 51
710 x 460 x 368 mm	78 L	10082	p. 36
		10083	p. 36
710 x 530 x 390 mm	108 L	1B571	p. 36
724 x 442 x 305 mm	75 L	72E75	p. 55a
730 x 515 x 220 mm	51 L	54084	p. 48
745 x 470 x 380 mm	106 L	21108	p. 27
745 x 567 x 616 mm	165 L	10165	p. 36

L x W x H (internal)	Capacity	Product Ref.	
750 x 450 x 165 mm	43 L	21041 41042	p. 29 p. 26
755 x 435 x 190 mm	44 L	11044	p. 49
762 x 457 x 95 mm	23 L	29041	p. 26
	35 L	29042 29044 29043	p. 26 p. 26 p. 26
780 x 590 x 415 mm	140 L	21160	p. 27
787 x 597 x 155 mm	55 L	10055	p. 50
787 x 597 x 185 mm	65 L	10065	p. 50
800 x 400 x 140 mm	35 L	26S35 ^{•••}	p. 25
800 x 400 x 200 mm	46 L	16050 16054 14060	p. 48 p. 48 p. 43
	50 L		
800 x 400 x 220 mm	56 L	26S55 ^{•••}	p. 25
800 x 400 x 280 mm	73 L	26S70	p. 25
800 x 450 x 150 mm	30 L	12A30 ^{•••} 12A31 ^{•••}	p. 49 p. 49
800 x 450 x 190 mm	38 L	12041 ^{•••}	p. 49
800 x 450 x 270 mm	60 L	12061	p. 49
800 x 450 x 292 mm	66 L	12070	p. 49
800 x 600 x 235 mm	87 L	21090 21091 21092	p. 16 p. 16 p. 16
800 x 600 x 319 mm	125 L	21135 21136	p. 16 p. 16
800 x 600 x 412 mm	162 L	21162 21163 21164	p. 16 p. 16 p. 16
800 x 600 x 440 mm	145 L	11145	p. 48
816 x 762 x 635 mm	240 L	2B711	p. 66
816 x 762 x 762 mm	305 L	2B712	p. 66
816 x 762 x 864 mm	358 L	2B713	p. 66
865 x 610 x 500 mm	180 L	1B650	p. 36
890 x 560 x 235 mm	75 L	11074	p. 49
980 x 390 x 118 mm	31 L	54030	p. 29
1000 x 400 x 140 mm	44 L	26S45 ^{•••}	p. 25
1000 x 400 x 220 mm	71 L	26S71 ^{•••}	p. 25
1000 x 400 x 280 mm	91 L	26S91 ^{•••}	p. 25
1000 x 600 x 662 mm	250 L 260 L	21250 27250 27251 27270 27271	p. 72 p. 75 p. 75 p. 75 p. 75
1000 x 600 x 690 mm	250 L	21298	p. 72
1006 x 606 x 860 mm	250 L	21258	p. 72
1160 x 480 x 342 mm	130 L	10130	p. 51
1160 x 480 x 360 mm	130 L	10125	p. 36
1190 x 490 x 370 mm	170 L	29170	p. 29
1196 x 328 x 150 mm	42 L	01315	p. 21
1200 x 800 x 850 mm	550 L	28600	p. 75
1200 x 1000 x 580 mm	373 L	27400 27401 27402 27403	p. 74 p. 74 p. 74 p. 74
1200 x 1000 x 750 mm	543 L	27600 27601 27602 27604 27603 27605 27800 27802 27806 27808	p. 73 p. 74 p. 73 p. 73 p. 74 p. 74 p. 64 p. 64 p. 64 p. 64
	560 L 560 L 560 L 560 L		
1200 x 1000 x 765 mm	650 L	21624 21626 21654 21655 21666 21667	p. 71 p. 71 p. 71 p. 71 p. 71 p. 71
1200 x 1000 x 835 mm	650 L	21658 21659	p. 71 p. 71
1200 x 1000 x 900 mm	714 L	27900 27903 27906 27909 27912 27915	p. 65 p. 65 p. 65 p. 65 p. 65 p. 65
1210 x 1010 x 648 mm	473 L	2B721	p. 67
1210 x 1010 x 759 mm	586 L	2B722	p. 67
1210 x 1010 x 860 mm	691 L	2B723	p. 67
1210 x 1133 x 651 mm	557 L	2B731	p. 67
1210 x 1133 x 757 mm	683 L	2B732	p. 67
1210 x 1133 x 864 mm	806 L	2B733	p. 67
1216 x 280 x 365 mm	78 L	1B561	p. 36
1219 x 1016 x 1168 mm	1119 L	2G746 ^{•••}	p. 66
1219 x 1143 x 305 mm	158 L	2BF15 ^{•••}	p. 76
1219 x 1143 x 381 mm	249 L	2BF24 ^{•••}	p. 76
1291 x 1143 x 432 mm	309 L	2BF30 ^{•••}	p. 76
1219 x 1143 x 483 mm	370 L	2BF37 ^{•••}	p. 76
1219 x 1143 x 533 mm	431 L	2BF43 ^{•••}	p. 76
1219 x 1143 x 650 mm	570 L	2BF57 ^{•••}	p. 76
1220 x 1143 x 1185 mm	1140 L	2B114 ^{•••}	p. 69
1454 x 1219 x 445 mm	398 L	2BF39 ^{•••}	p. 76
1454 x 1219 x 498 mm	480 L	2BF48 ^{•••}	p. 76
1454 x 1219 x 635mm	687 L	2B752	p. 68
1454 x 1219 x 864 mm	1038 L	2B753	p. 68
1454 x 1219 x 1118 mm	1442 L	2B754	p. 68
1638 x 1219 x 445 mm	452 L	2BF45 ^{•••}	p. 76
1638 x 1219 x 498 mm	545 L	2BF54 ^{•••}	p. 76
1638 x 1219 x 635mm	780 L	2B762	p. 68
1638 x 1219 x 864 mm	1179 L	2B763	p. 68
1638 x 1219 x 1118 mm	1636 L	2B764	p. 68
1638 x 1219 x 1270mm	1889 L	2B765	p. 68
1778 x 1219 x 445 mm	493 L	2BF49 ^{•••}	p. 76
1778 x 1219 x 498 mm	595 L	2BF59 ^{•••}	p. 76
1778 x 1219 x 635 mm	851 L	2B782	p. 68
1778 x 1219 x 864 mm	1636 L	2B783	p. 68
1778 x 1219 x 1118 mm	1782 L	2B784	p. 68
1778 x 1219 x 1270mm	2059 L	2B785	p. 68




Stacking Containers

7





Storage and distribution of heavy loads (ref. 26R10 and 26R28).



Integrates with all robot handling systems.



Modular and flexible: inter-stacks with VDA and Odette containers.

Versatile distribution

Standardised logistics

- Integrates with all robot handling systems
- Smooth or reinforced base compatible with all types of conveyors, carousels and mini-load systems
- Safely carries unit loads up to 50Kg (reinforced base models), a stacked load of up to one tonne on the bottom container
- Dimensions compatible with standard Euro pallet sizes

Identification and traceability

- Pimple-pads, on all four sides and on lids, allow the removal of adhesive labels without leaving a sticky residue
- Clip-on label holders can be fitted to all four sides (ref. 26006 can be fitted with label holder ref. OPE26 on one long side only)
- **ALLtag** radio-frequency tags available for all models



Notches in lid allow banding for secure distribution.



Hand-held fitted with optional non-slip 'elastomer' insert for operator comfort and safety.



R.F. Tags can be moulded into containers at manufacture. Operating at 13.56 MHz, both read-only and read-write tags are available.

€ureka Euro stacking containers

300 x 200 – 400 x 300 –
600 x 400

1



1 5 litres – Ref. 26006

Ext. dim.: L 298.5 x w 199 x h 120mm
Ext. dim.: L 11.8 x w 7.8 x h 4.7"
Int. dim.: L 259 x w 160 x h 109.5mm
Int. dim.: L 10.2 x w 6.3 x h 4.3"
Weight: 0.45 Kg/1.0 lbs. Colour: blue
can be fitted with label holder ref. OPE26 on one long side only

2



2 10 litres – Ref. 26010

Ext. dim.: L 398 x w 298.5 x h 120mm
Ext. dim.: L 15.7 x w 11.8 x h 4.7"
Int. dim.: L 359 x w 259 x h 107mm
Int. dim.: L 14.1 x w 10.2 x h 4.2"
Weight: 0.76 Kg/1.7 lbs. Colour: blue

10 litres – Ref. 26R10

as ref. 26010 with reinforced base
Int. height: 98mm / 3.8"
Weight: 0.85 Kg/1.9 lbs.

3



16 litres – Ref. 26016

Ext. dim.: L 398 x w 298 x h 170mm
Ext. dim.: L 15.7 x w 11.7 x h 6.7"
Int. dim.: L 359 x w 259 x h 157.5mm
Int. dim.: L 14.1 x w 10.2 x h 6.2"
Weight: 0.98 Kg/2.2 lbs. Colour: blue

3 16 litres – Ref. 26R16

as ref. 26016 with reinforced base
Int. height: 147mm / 5.8"

4



4 Ref. 60040

Lid for 400 x 300mm containers
Ext. dim.: L 400 x w 300 x h 24.5mm
Ext. dim.: L 15.8 x w 11.8 x h 1.0"
Weight: 0.31 Kg/0.7 lbs.
Colour: blue

incorporates 200 x 100mm pimple-pad for easy removal of adhesive labels

5



5 19 litres – Ref. 26R18

with reinforced base
Ext. dim.: L 398 x w 298.5 x h 220mm
Ext. dim.: L 15.7 x w 11.8 x h 8.7"
Int. dim.: L 365 x w 265 x h 197.5mm
Int. dim.: L 14.4 x w 10.4 x h 7.8"
Weight: 1.23 Kg/2.7 lbs. Colour: blue

19 litres – Ref. 26R19

minimum order item
as ref. 26R18 with open hand-holds on short sides

6



6 20 litres – Ref. 26018

Ext. dim.: L 398 x w 298.5 x h 220mm
Ext. dim.: L 15.7 x w 11.8 x h 8.7"
Int. dim.: L 359 x w 259 x h 207.5mm
Int. dim.: L 14.1 x w 10.2 x h 8.2"
Weight: 1.18 Kg/2.6 lbs. Colour: blue

20 litres – Ref. 26019

minimum order item
as ref. 26018 with open hand-holds on short sides

**7 25 litres – Ref. 26024**

Ext. dim.: L 598 x w 398 x h 140mm
 Ext. dim.: L 23.5 x w 15.7 x h 5.5"
 Int. dim.: L 558 x w 358 x h 127mm
 Int. dim.: L 22.0 x w 14.1 x h 5.0"
 Weight: 1.46 Kg/3.2 lbs. Colour: blue

8 Ref. 60060

Lid for 600 x 400mm Eureka containers
 Ext. dim.: L 600 x w 400 x h 24.5mm
 Ext. dim.: L 23.6 x w 15.8 x h 1.0"
 Weight: 0.55 Kg/1.2 lbs. Colour: blue
 incorporates 200 x 100mm pimple-pad
 for easy removal of adhesive labels



Evolution containers
 See page 25



Lids for container
 palletisation
 See page 92

**9 25 litres – Ref. 26025**

minimum order item
 as ref. 26024 with open hand-holds on
 short sides

**10 24 litres – Ref. 26R24**

with reinforced base
 Ext. dim.: L 598 x w 398 x h 140mm
 Ext. dim.: L 23.5 x w 15.7 x h 5.5"
 Int. dim.: L 565 x w 365 x h 117.5mm
 Int. dim.: L 22.2 x w 14.4 x h 4.6"
 Weight: 1.58 Kg/3.5 lbs. Colour: blue

Ref. 26R25: as ref. 26R24 with open
 hand-holds on short sides
 minimum order item

**11 43 litres – Ref. 26028**

Ext. dim.: L 598 x w 398 x h 220mm
 Ext. dim.: L 23.5 x w 15.7 x h 8.7"
 Int. dim.: L 558 x w 358 x h 207.5mm
 Int. dim.: L 22.0 x w 14.1 x h 8.2"
 Weight: 1.94 Kg/4.3 lbs. Colour: blue

Ref. 26R29: as ref. 26028 with open
 hand-holds on short sides
 minimum order item

**12 41 litres – Ref. 26R28**

with reinforced base
 Ext. dim.: L 598 x w 398 x h 220mm
 Ext. dim.: L 23.5 x w 15.7 x h 8.7"
 Int. dim.: L 565 x w 365 x h 197.5mm
 Int. dim.: L 22.2 x w 14.4 x h 7.8"
 Weight: 2.03 Kg/4.5 lbs. Colour: blue

Ref. 26R29: as ref. 26R28 with open
 hand-holds on short sides
 minimum order item

**13 56 litres – Ref. 26060**

Ext. dim.: L 598 x w 398 x h 280mm
 Ext. dim.: L 23.5 x w 15.7 x h 11.0"
 Int. dim.: L 558 x w 358 x h 267.5mm
 Int. dim.: L 22.0 x w 14.1 x h 10.5"
 Weight: 2.37 Kg/5.2 lbs. Colour: blue
 (pictured with label holder OPE28)

Ref. 26061: as ref. 26060 with open
 hand-holds on short sides
 minimum order item

**14 54 litres – Ref. 26R60**

with reinforced base
 Ext. dim.: L 598 x w 398 x h 280mm
 Ext. dim.: L 23.5 x w 15.7 x h 11.0"
 Int. dim.: L 565 x w 365 x h 257.5mm
 Int. dim.: L 22.2 x w 14.4 x h 10.1"
 Weight: 2.52 Kg/5.5 lbs. Colour: blue

Ref. 26R61: as ref. 26R60 with open
 hand-holds on short sides
 minimum order item

**15 Ref. OPE26**

label holder in clear polycarbonate
 clips onto container, no tools required
 Dim.: L 232 x h 64mm
 Dim.: L 9.1 x h 2.5"
 Max label length: 215mm / 8.5"

**16 Ref. OPE28**

label holder in clear polycarbonate
 clips onto container, no tools required
 Dim.: L 232 x h 102mm
 Dim.: L 9.1 x h 4.0"
 Max label length: 215mm / 8.5"



Bakery industry: high stacking, total safety (refs. 21014 and 20016 with Biopal pallets).

Standard logistics

- Standard modular dimensions for palletisation on 600 x 800 mm, 800 x 1,200 mm and 1,000 x 1,200 mm pallets.
- Inter-stacking containers for building compact and stable loads.
- Vertical sides provide maximum useable volume.
- Reinforced corners for absolute safety when transporting heavy loads
- Smooth base for silent movement on conveyors
- Solid or ventilated base and sides for many applications.
- Ergonomic handles for effective manual handling.




Electronic equipment: adapts to mechanised work stations (ref. 2A045).



Vegetable distribution: constant tare and protection of produce (ref. 21064).



Pharmaceutical industry: storage and handling of fragile products in absolute safety (container ref 21006)



European standard range

200 x 150 - 300 x 200 - 400 x 300

11

**1 2 litres - Ref. 20002**

polypropylene
Ext. dim.: L 200 X w 150 X h 118 mm
Ext. dim.: L 7.8 X w 5.9 X h 4.6"
Int. dim.: L 165 X w 115 X h 108 mm
Int. dim.: L 6.5 X w 4.5 X h 4.2"
Wt: 0.23 kg/0.5 lbs., Colour: **grey**.
SKU quantity: 32

**2 5 litres - Ref. 21005**

polypropylene
Ext. dim.: L 300 X w 200 X h 118 mm
Ext. dim.: L 11.8 X w 7.8 X h 4.6"
Int. dim.: L 257 X w 159 X h 108 mm
Int. dim.: L 10.1 X w 6.2 X h 4.2"
Wt: 0.42 kg/0.9 lbs., Colour: **grey, red, blue**.
SKU quantity: 24

**3 6 litres - Ref. 21006**


polypropylene
Ext. dim.: L 400 X w 300 X h 74 mm
Ext. dim.: L 15.8 X w 11.8 X h 2.9"
Int. dim.: L 355 X w 255 X h 64 mm
Int. dim.: L 13.9 X w 10.0 X h 2.5"
Wt: 0.48 kg/1.1 lbs., Colour: **grey, red**.
SKU quantity: 20

**4 10 litres - Ref. 21009**


polypropylene
ventilated sides and base
Ext. dim.: L 400 X w 300 X h 118 mm
Ext. dim.: L 15.8 X w 11.8 X h 4.6"
Int. dim.: L 355 X w 255 X h 105 mm
Int. dim.: L 13.9 X w 10.0 X h 4.1"
Wt: 0.66 kg/1.5 lbs., Colour: **grey**.
SKU quantity: 100

**5 10 litres - Ref. 21010**

polypropylene
Ext. dim.: L 400 X w 300 X h 118 mm
Ext. dim.: L 15.8 X w 11.8 X h 4.6"
Int. dim.: L 355 X w 255 X h 105 mm
Int. dim.: L 13.9 X w 10.0 X h 4.1"
Wt: 0.80 kg/1.7 lbs., Colour: **grey, red, blue, white**.
SKU quantity: 100

**6 Pimple Pads**

minimum order item
Many European Standard Range Containers can be manufactured with pimple-pads for easy removal of adhesive labels - for large quantity orders only.

**7 15 litres - Ref. 21027**

polypropylene
Ext. dim.: L 400 X w 300 X h 175 mm
Ext. dim.: L 15.8 X w 11.8 X h 6.9"
Int. dim.: L 355 X w 255 X h 164 mm
Int. dim.: L 13.9 X w 10.0 X h 6.4"
Wt: 1.02 kg/2.2 lbs., Colour: **grey, red, blue**.
SKU quantity: 60

8 Ref. 61020

polypropylene
lid for 400 X 300 containers
Ext. dim.: L 400 X w 300 X h 30 mm
Ext. dim.: L 15.8 X w 11.8 X h 1.1"
Wt: 0.36 kg/0.8 lbs., Colour: **grey, red, blue, white**.
SKU quantity: 50

**9 20 litres - Ref. 21020**

polypropylene
Ext. dim.: L 400 X w 300 X h 235 mm
Ext. dim.: L 15.8 X w 11.8 X h 9.2"
Int. dim.: L 355 X w 255 X h 220 mm
Int. dim.: L 13.9 X w 10.0 X h 8.5"
Wt: 1.27 kg/2.8 lbs., Colour: **grey, red, blue**.
SKU quantity: 40

10 20 litres - Ref. 21026

polypropylene
solid base, ventilated sides version of ref: 21020
Wt: 1.18 kg/2.6 lbs., Colour: **grey**.
SKU quantity: 40

**11 30 litres - Ref. 21030**

polypropylene
Ext. dim.: L 400 X w 300 X h 319 mm
Ext. dim.: L 15.8 X w 11.8 X h 12.5"
Int. dim.: L 355 X w 255 X h 300 mm
Int. dim.: L 13.9 X w 10.0 X h 11.8"
Wt: 1.77 kg/3.9 lbs., Colour: **grey**.
SKU quantity: 30

**12 30 litres - Ref. 06031**

polypropylene
solid base, ventilated sides
Ext. dim.: L 400 X w 300 X h 319 mm
Ext. dim.: L 15.8 X w 11.8 X h 12.5"
Int. dim.: L 355 X w 255 X h 300 mm
Int. dim.: L 13.9 X w 10.0 X h 11.8"
Wt: 1.19 kg/2.6 lbs., Colour: **grey**.
SKU quantity: 30

SKU (Stock Keeping Unit): Attractive discounts are available for products ordered in SKU quantities.

Strategic Product: We aim to always hold stock of strategic products in colours identified in bold.

European standard range

600 x 400

12



1 8 litres - Ref. 21008 
polypropylene
Ext. dim.: L 600 X w 400 X h 50 mm
Ext. dim.: L 23.6 X w 15.8 X h 2.0"
Int. dim.: L 555 X w 355 X h 40 mm
Int. dim.: L 21.9 X w 14.0 X h 1.6"
Wt: 0.80 kg/1.7 lbs., Colour: **grey**.
SKU quantity: 130



2 12 litres - Ref. 21013
polypropylene
Ext. dim.: L 600 X w 400 X h 73 mm
Ext. dim.: L 23.6 X w 15.8 X h 2.9"
Int. dim.: L 555 X w 355 X h 62 mm
Int. dim.: L 21.9 X w 14.0 X h 2.4"
Wt: 1.08 kg/2.4 lbs., Colour: **grey, red**.
SKU quantity: 85



3 12 litres - Ref. 21015
polypropylene
solid base, ventilated sides
Ext. dim.: L 600 X w 400 X h 73 mm
Ext. dim.: L 23.6 X w 15.8 X h 2.9"
Int. dim.: L 555 X w 355 X h 62 mm
Int. dim.: L 21.9 X w 14.0 X h 2.4"
Wt: 1.02 kg/2.2 lbs., Colour: **grey**.
SKU quantity: 85



4 12 litres - Ref. 21014 
polypropylene
ventilated sides and base
Ext. dim.: L 600 X w 400 X h 73 mm
Ext. dim.: L 23.6 X w 15.8 X h 2.9"
Int. dim.: L 555 X w 355 X h 62 mm
Int. dim.: L 21.9 X w 14.0 X h 2.4"
Wt: 0.96 kg/2.1 lbs., Colour: **grey**.
SKU quantity: 85



5 20 litres - Ref. 03019
Ext. dim.: L 600 X w 400 X h 120 mm
Ext. dim.: L 23.6 X w 15.8 X h 4.7"
Int. dim.: L 555 X w 358 X h 104 mm
Int. dim.: L 21.9 X w 14.1 X h 4.1"
Wt: 1.27 kg/2.8 lbs., Colour: **white**.
SKU quantity: 50



6 20 litres - Ref. 20019
polypropylene
solid base, ventilated sides
Ext. dim.: L 600 X w 400 X h 120 mm
Ext. dim.: L 23.6 X w 15.8 X h 4.7"
Int. dim.: L 555 X w 358 X h 104 mm
Int. dim.: L 21.9 X w 14.1 X h 4.1"
Wt: 1.17 kg/2.6 lbs., Colour: **grey**.
SKU quantity: 50



7 20 litres - Ref. 20016 
polypropylene
ventilated sides and base
Ext. dim.: L 600 X w 400 X h 120 mm
Ext. dim.: L 23.6 X w 15.8 X h 4.7"
Int. dim.: L 555 X w 358 X h 104 mm
Int. dim.: L 21.9 X w 14.1 X h 4.1"
Wt: 1.10 kg/2.4 lbs., Colour: **grey**.
SKU quantity: 50



8 21 litres - Ref. 2A021 
polypropylene
Ext. dim.: L 600 X w 400 X h 118 mm
Ext. dim.: L 23.6 X w 15.8 X h 4.6"
Int. dim.: L 555 X w 355 X h 105 mm
Int. dim.: L 21.9 X w 14.0 X h 4.1"
Wt: 1.36 kg/3.0 lbs., Colour: **grey, red, blue, white**.
SKU quantity: 50



9 21 litres - Ref. 2AP21
minimum order item
polypropylene
as container ref. 2A021 with open handles



10 21 litres - Ref. 2A023
polypropylene
solid base, ventilated sides
Ext. dim.: L 600 X w 400 X h 118 mm
Ext. dim.: L 23.6 X w 15.8 X h 4.6"
Int. dim.: L 555 X w 355 X h 105 mm
Int. dim.: L 21.9 X w 14.0 X h 4.1"
Wt: 1.28 kg/2.8 lbs., Colour: **grey**.
SKU quantity: 50



11 21 litres - Ref. 2A022 
polypropylene
ventilated sides and base
Ext. dim.: L 600 X w 400 X h 118 mm
Ext. dim.: L 23.6 X w 15.8 X h 4.6"
Int. dim.: L 555 X w 355 X h 105 mm
Int. dim.: L 21.9 X w 14.0 X h 4.1"
Wt: 1.11 kg/2.4 lbs., Colour: **grey**.
SKU quantity: 50

SKU (Stock Keeping Unit): Attractive discounts are available for products ordered in SKU quantities.

 Strategic Products: We aim to always hold stock of strategic products in colours identified in bold.

**12 28 litres - Ref. 20028** 

polypropylene
Ext. dim.: L 600 X w 400 X h 150 mm
Ext. dim.: L 23.6 X w 15.8 X h 5.9"
Int. dim.: L 555 X w 355 X h 139 mm
Int. dim.: L 21.9 X w 14.0 X h 5.5"
Wt: 1.48 kg/3.3 lbs., Colour: **grey**.
SKU quantity: 35

**13 28 litres - Ref. 20030**

polypropylene
solid base, ventilated sides
Ext. dim.: L 600 X w 400 X h 150 mm
Ext. dim.: L 23.6 X w 15.8 X h 5.9"
Int. dim.: L 555 X w 355 X h 139 mm
Int. dim.: L 21.9 X w 14.0 X h 5.5"
Wt: 1.38 kg/3.04 lbs., Colour: **grey**.
SKU quantity: 35

**14 28 litres - Ref. 20029** 

polypropylene
ventilated sides and base
Ext. dim.: L 600 X w 400 X h 150 mm
Ext. dim.: L 23.6 X w 15.8 X h 5.9"
Int. dim.: L 555 X w 355 X h 139 mm
Int. dim.: L 21.9 X w 14.0 X h 5.5"
Wt: 1.25 kg/2.7 lbs., Colour: **grey**.
SKU quantity: 35

**15 32 litres - Ref. 06032**

polypropylene
ventilated sides and base
Ext. dim.: L 600 X w 400 X h 170 mm
Ext. dim.: L 23.6 X w 15.8 X h 6.7"
Int. dim.: L 555 X w 355 X h 158 mm
Int. dim.: L 21.9 X w 14.0 X h 6.2"
Wt: 1.22 kg/2.7 lbs., Colour: **grey**.
SKU quantity: 30

**16 33 litres - Ref. 21033** 

polypropylene
Ext. dim.: L 600 X w 400 X h 175 mm
Ext. dim.: L 23.6 X w 15.8 X h 6.9"
Int. dim.: L 555 X w 355 X h 164 mm
Int. dim.: L 21.9 X w 14.0 X h 6.5"
Wt: 1.70 kg/3.7 lbs., Colour: **grey, red, blue**.
SKU quantity: 30

**17 33 litres - Ref. 21038**

polypropylene
solid base, ventilated on long sides
Ext. dim.: L 600 X w 400 X h 175 mm
Ext. dim.: L 23.6 X w 15.8 X h 6.9"
Int. dim.: L 555 X w 355 X h 164 mm
Int. dim.: L 21.9 X w 14.0 X h 6.5"
Wt: 1.63 kg/3.6 lbs., Colour: **grey**.
SKU quantity: 30

18 Ref. 91005 

dolly for 600 X 400 and 400 X 300 mm
ESR containers (see p. 60)

**19 35 litres - Ref. 21035** 

ventilated sides and base
Ext. dim.: L 600 X w 400 X h 193 mm
Ext. dim.: L 23.6 X w 15.8 X h 7.5"
Int. dim.: L 555 X w 355 X h 167 mm
Int. dim.: L 21.9 X w 14.0 X h 6.7"
Wt: 1.69 kg/3.7 lbs., Colour: **grey, brown-red, orange**.
SKU quantity: 30


20 35 litres - Ref. 04035

minimum order item
solid base, ventilated sides
version of ref. 21035
Wt: 1.87 kg/4.1 lbs., Colour: **white**.

European standard range

600 x 400

14




1 45 litres - Ref. 2A045

polypropylene
incorporates strapping facility for secure
palletisation
Ext. dim.: L 600 X w 400 X h 235 mm
Ext. dim.: L 23.6 X w 15.8 X h 9.3"
Int. dim.: L 555 X w 355 X h 220 mm
Int. dim.: L 21.9 X w 14.0 X h 8.7"
Wt: 2.18 kg/4.8 lbs. Colour: **grey, red,
blue, white.** SKU quantity: 20



2 45 Litres - Ref. 2B045

polypropylene
as ref. 2A045 without central ribs,
creates a much larger area for printing
owner's logo, telephone number and
advertising message - see page 98
Wt: 2.18 kg/4.8 lbs.
Colour: grey, red, blue.
SKU quantity: 20



3 45 litres - Ref. 2A049

polypropylene
as ref. 2A045 with cut-out hand holds
Wt: 2.14 Kg/4.7 lbs.
Colour: **grey, blue.**
SKU quantity: 20



4 Ref. 61045

polypropylene
snap-shut lid for 600 X 400 ESR
containers
Ext. dim.: L 613 X w 411 X h 39 mm
Ext. dim.: L 24.2 X w 16.2 X h 1.5"
Wt: 0.87 kg/1.9 lbs.
Colour: **grey, red.**
SKU quantity: 14



5 45 litre Options

Refs. 2A045, 2B045 and 2A049
can be manufactured with pimple-pads,
for easy removal of adhesive labels.
All 45 litre Euro containers can be fitted
with an integral card clip.
Containers with solid bases can also be
supplied with four drainage holes.



6 45 litres - Ref. 2A046

polypropylene
solid base, ventilated sides, incorporates
strapping facility for secure palletisation.
Ext. dim.: L 600 X w 400 X h 235 mm
Ext. dim.: L 23.6 X w 15.8 X h 9.3"
Int. dim.: L 555 X w 355 X h 220 mm
Int. dim.: L 21.9 X w 14.0 X h 8.7"
Wt: 1.88 kg/4.1 lbs., Colour: red.
SKU quantity: 20



7 45 litres - Ref. 2A044

polypropylene
ventilated sides and base, incorporates
strapping facility for secure palletisation
Ext. dim.: L 600 X w 400 X h 235 mm
Ext. dim.: L 23.6 X w 15.8 X h 9.3"
Int. dim.: L 555 X w 355 X h 215 mm
Int. dim.: L 21.9 X w 14.0 X h 8.5"
Wt: 1.83 kg/4.0 lbs., Colour: **grey.**
SKU quantity: 20



8 52 litres - Ref. 21055

ventilated sides and base
Ext. dim.: L 600 X w 400 X h 280 mm
Ext. dim.: L 23.6 X w 15.8 X h 11.0"
Int. dim.: L 555 X w 355 X h 255 mm
Int. dim.: L 21.9 X w 14.0 X h 10.0"
Wt: 2.18 kg/4.8 lbs., Colour: grey.
SKU quantity: 20



9 54 litres - Ref. 21054

Ext. dim.: L 600 X w 400 X h 280 mm
Ext. dim.: L 23.6 X w 15.8 X h 11.0"
Int. dim.: L 555 X w 355 X h 265 mm
Int. dim.: L 21.9 X w 14.0 X h 10.4"
Wt: 2.51 kg/5.5 lbs., Colour: **grey.**
SKU quantity: 20

10 Ref. 91005

dolly for 600 X 400 and 400 X 300 mm
ESR containers (see P. 60)



11 60 litres - Ref. 21060

Ext. dim.: L 600 X w 400 X h 319 mm
Ext. dim.: L 23.6 X w 15.8 X h 12.6"
Int. dim.: L 555 X w 355 X h 300 mm
Int. dim.: L 21.9 X w 14.0 X h 11.8"
Wt: 2.75 kg/6.6 lbs., Colour: **grey, red,
white.**
SKU quantity: 35

SKU (Stock Keeping Unit): Attractive discounts are available for products ordered in SKU quantities.

Strategic Product: We aim to always hold stock of strategic products in colours identified in bold.



12 Ref. 61060

polypropylene
lid for 600 X 400 mm ESR containers
Ext. dim.: L 600 X w 400 X h 30 mm
Ext. dim.: L 23.6 X w 15.8 X h 1.2"
Wt: 0.87 kg/1.9 lbs., Colour: **grey, blue,
red, white.**
SKU quantity: 18



13 60 litres - Ref. 21063

as ref. 21060 with closed handles
Wt: 2.88 kg/6.4 lbs., Colour: grey.
SKU quantity: 35

**14 60 litres - Ref. 21061**

solid base, ventilated sides
Ext. dim.: L 600 X w 400 X h 319 mm
Ext. dim.: L 23.6 X w 15.8 X h 12.6"
Int. dim.: L 555 X w 355 X h 300 mm
Int. dim.: L 21.9 X w 14.0 X h 11.8"
Wt: 2.31 kg/5.1 lbs., Colour: grey, red.
SKU quantity: 35

**15 60 litres - Ref. 21064** 

ventilated sides and base
Ext. dim.: L 600 X w 400 X h 319 mm
Ext. dim.: L 23.6 X w 15.8 X h 12.6"
Int. dim.: L 555 X w 355 X h 294 mm
Int. dim.: L 21.9 X w 14.0 X h 11.6"
Wt: 2.33 kg/5.1 lbs., Colour: grey,
brown.
SKU quantity: 35

**16 75 litres - Ref. 20085** 

Ext. dim.: L 600 X w 400 X h 412 mm
Ext. dim.: L 23.6 X w 15.8 X h 16.2"
Int. dim.: L 555 X w 355 X h 394 mm
Int. dim.: L 21.9 X w 14.0 X h 15.5"
Wt: 3.66 kg/8.7 lbs., Colour: grey.
SKU quantity: 25

**17 75 litres - Ref. 20086**

solid base, ventilated sides
Ext. dim.: L 600 X w 400 X h 412 mm
Ext. dim.: L 23.6 X w 15.8 X h 16.2"
Int. dim.: L 555 X w 355 X h 394 mm
Int. dim.: L 21.9 X w 14.0 X h 15.5"
Wt: 3.08 kg/6.8 lbs., Colour: grey.
SKU quantity: 25

75 litres - Ref. 20083

minimum order item
as container ref. 20085
with closed hand holds

Containers with reinforced bases

- Ribbed bases for heavy duty applications in automatic storage and for stacking.
- Arrangement of reinforcing promotes continuous movement on conveyors.

**1 21 litres - Ref. 2RP21**

minimum order item
with reinforced base
Ext. dim.: L 600 X w 400 X h 126 mm
Ext. dim.: L 23.6 X w 15.8 X h 5.0"
Int. dim.: L 555 X w 355 X h 115 mm
Int. dim.: L 21.9 X w 14.0 X h 4.5"
Wt: 1.69 kg/3.7 lbs., Colour: grey.

**2 33 litres - Ref. 20033**

minimum order item
with reinforced base
Ext. dim.: L 600 X w 400 X h 185 mm
Ext. dim.: L 23.6 X w 15.8 X h 7.3"
Int. dim.: L 554 X w 355 X h 162 mm
Int. dim.: L 21.8 X w 14.0 X h 6.4"
Wt: 2.57 kg/5.7 lbs., Colour: grey.

**3 45 litres - Ref. 20045**

minimum order item
with reinforced ventilated base
Ext. dim.: L 600 X w 400 X h 235 mm
Ext. dim.: L 23.6 X w 15.8 X h 9.3"
Int. dim.: L 555 X w 355 X h 211 mm
Int. dim.: L 21.9 X w 14.0 X h 8.3"
Wt: 3.0 kg/6.6 lbs., Colour: grey.

**4 75 litres - Ref. 20084**

minimum order item
with reinforced ventilated base
Ext. dim.: L 600 X w 400 X h 412 mm
Ext. dim.: L 23.6 X w 15.8 X h 16.2"
Int. dim.: L 555 X w 355 X h 385 mm
Int. dim.: L 21.9 X w 14.0 X h 15.2"
Wt: 4.6 kg/10.1 lbs., Colour: grey.

European standard range

800 x 600

16



1 87 litres - Ref. 21090 

Ext. dim.: L 800 X w 600 X h 235 mm
Ext. dim.: L 31.5 X w 23.6 X h 9.3"
Int. dim.: L 755 X w 555 X h 205 mm
Int. dim.: L 29.7 X w 21.9 X h 8.1"
Wt: 3.85 kg/8.5 lbs., Colour: **grey**.
SKU quantity: 20



2 87 litres - Ref. 21092

solid base, ventilated sides
Ext. dim.: L 800 X w 600 X h 235 mm
Ext. dim.: L 31.5 X w 23.6 X h 9.3"
Int. dim.: L 755 X w 555 X h 205 mm
Int. dim.: L 29.7 X w 21.9 X h 8.1"
Wt: 3.47 kg/7.7 lbs., Colour: grey.
SKU quantity: 20




3 Ref. 99822

dolly for 800 x 600 and 600 x 400 mm ESR containers (see p.60).



4 87 litres - Ref. 21091

ventilated sides and base
Ext. dim.: L 800 X w 600 X h 235 mm
Ext. dim.: L 31.5 X w 23.6 X h 9.3"
Int. dim.: L 755 X w 555 X h 205 mm
Int. dim.: L 29.7 X w 21.9 X h 8.1"
Wt: 3.33 kg/7.3 lbs., Colour: grey.
SKU quantity: 20



5 125 litres - Ref. 21135 

Ext. dim.: L 800 X w 600 X h 319 mm
Ext. dim.: L 31.5 X w 23.6 X h 12.6"
Int. dim.: L 755 X w 555 X h 295 mm
Int. dim.: L 29.7 X w 21.9 X h 11.6"
Wt: 4.65 kg/10.3 lbs., Colour: **grey**.
SKU quantity: 14

6 Ref. 61087

lid for 800 x 600 mm ESR containers
Ext. dim.: L 800 X w 600 X h 33 mm
Ext. dim.: L 31.5 X w 23.6 X h 1.3"
Wt: 1.86 kg/4.1 lbs., Colour: grey.



7 125 litres - Ref. 21136

solid base, ventilated sides
Ext. dim.: L 800 X w 600 X h 319 mm
Ext. dim.: L 31.5 X w 23.6 X h 12.6"
Int. dim.: L 755 X w 555 X h 295 mm
Int. dim.: L 29.7 X w 21.9 X h 11.6"
Wt: 4.06 kg/8.9 lbs., Colour: grey.
SKU quantity: 14



8 162 litres - Ref. 21162 

Ext. dim.: L 800 X w 600 X h 412 mm
Ext. dim.: L 31.5 X w 23.6 X h 16.2"
Int. dim.: L 755 X w 555 X h 382 mm
Int. dim.: L 29.7 X w 21.9 X h 15.1"
Wt: 5.63 kg/12.4 lbs., Colour: **grey**.
SKU quantity: 10



9 Ref. 61086

snap-shut lid for 800 X 600 mm ESR containers
Ext. dim.: L 809 X w 607 X h 48 mm
Ext. dim.: L 31.9 X w 23.9 X h 1.9"
Wt: 2.26 kg/5.0 lbs., Colour: grey.
SKU quantity: 15



10 162 litres - Ref. 21164

solid base, ventilated sides
Ext. dim.: L 800 X w 600 X h 412 mm
Ext. dim.: L 31.5 X w 23.6 X h 16.2"
Int. dim.: L 755 X w 555 X h 382 mm
Int. dim.: L 29.7 X w 21.9 X h 15.1"
Wt: 4.99 kg/11 lbs., Colour: grey.
SKU quantity: 10



11 162 litres - Ref. 21163

ventilated sides and base
Ext. dim.: L 800 X w 600 X h 412 mm
Ext. dim.: L 31.5 X w 23.6 X h 16.2"
Int. dim.: L 755 X w 555 X h 382 mm
Int. dim.: L 29.7 X w 21.9 X h 15.1"
Wt: 4.65 kg/10.3 lbs., Colour: grey.
SKU quantity: 10

SKU (Stock Keeping Unit): Attractive discounts are available for products ordered in SKU quantities.

 Strategic Product: We aim to always hold stock of strategic products in colours identified in bold.



Height of 5 folded containers = 1 assembled unit

Maximising economy by minimising volume

- 75% of volume saved on return transport.
- Quick and easy to fold and unfold.
- Smooth vertical sides for maximum volume.
- Comfortable handles provide a secure grip when both folded and assembled.
- Five folded 59 litre containers have the same height as one assembled unit.
- Compatible with Odette lid ref. 06400 (see P. 21).

Folding Containers

600 x 400



FOLDING CONTAINERS

1 39 litres - Ref. P6422*

Ext. dim.: L 600 X w 400 X h 214 mm
Ext. dim.: L 23.6 X w 15.8 X h 8.4"
Int. dim.: L 560 X w 362 X h 194 mm
Int. dim.: L 22.1 X w 14.3 X h 7.6"
Folded height of one - 74 mm/2.9"
Folded height of three - 194 mm/7.6"
Wt: 2.39 kg/5.3 lbs., Colour: grey.
SKU quantity: 90



2 59 litres - Ref. P6432**

Ext. dim.: L 600 X w 400 X h 314 mm
Ext. dim.: L 23.6 X w 15.8 X h 12.4"
Int. dim.: L 560 X w 362 X h 294 mm
Int. dim.: L 22.1 X w 14.3 X h 11.6"
Folded height of one - 74 mm/2.9"
Folded height of five - 314 mm/12.4"
Wt: 2.95 kg/6.5 lbs., Colour: grey.
SKU quantity: 90



FOLDING CONTAINERS COMPATIBLE WITH ODETTE

3 39 litres - Ref. P6423*

Ext. dim.: L 600 X w 400 X h 214 mm
Ext. dim.: L 23.6 X w 15.8 X h 8.4"
Int. dim.: L 560 X w 362 X h 194 mm
Int. dim.: L 22.1 X w 14.3 X h 7.6"
Folded height of one - 74 mm/2.9"
Folded height of three - 194 mm/7.6"
Odette box label holder integrated at one end
Wt: 2.38 kg/5.3 lbs., Colour: green.




4 59 litres - Ref. P6433**

Ext. dim.: L 600 X w 400 X h 314 mm
Ext. dim.: L 23.6 X w 15.8 X h 12.4"
Int. dim.: L 560 X w 362 X h 294 mm
Int. dim.: L 22.1 X w 14.3 X h 11.6"
Folded height of one - 74 mm/2.9"
Folded height of five - 314 mm/12.4"
Odette box label holder integrated at one end
Wt: 2.96 kg/6.5 lbs., Colour: orange.

* These two models interstack with container ref. 06422 (see P. 21)

** These two models interstack with container ref. 06432 (see P. 21)



1 pallet of 30 assembled containers = 1 pallet of 150 folded units
(container height: 314 mm).



Quick and easy to assemble or fold.



Pimple pad for easy removal of adhesive labels.



Open front allows fast identification and easy access to contents.

Storage within easy reach

- Open front for display and easy access to the stacked containers.
- Transparent doors for added protection of contents.
- Label area for identification of contents.
- Door opens outwards.
- Modular dimensions to optimise storage.

European standard stacking containers with open front

400 x 300 - 600 x 400



1 30 litres - Ref. 04048

minimum order item
Ext. dim.: L 400 X w 300 X h 319 mm
Ext. dim.: L 15.8 X w 11.8 X h 12.6"
Int. dim.: L 355 X w 255 X h 300 mm
Int. dim.: L 14.0 X w 10.0 X h 11.8"
Open end: 168 X h 210 mm
Open end: 6.6" X h 8.3"
Wt: 1.64 kg/3.6 lbs., Colour: yellow.
SKU quantity: 30



2 30 litres - Ref. 04051*

minimum order item
dimensions as ref. 04048
with open side and transparent door
Open side: 276 x h 210mm
Open side: 10.9 x h 8.3"
Wt: 1.84 kg/4.1 lbs., Colour: yellow.
SKU quantity: 30



3 30 litres - Ref. 04049*

minimum order item
dimensions as ref. 04048
with open end and transparent door
Wt: 1.80 kg/4.0 lbs., Colour: yellow.
SKU quantity: 30




4 30 litres - Ref. 04050

minimum order item
dimensions as ref. 04048
Open side: 276 X h 210 mm
Open side: 10.9" X h 8.3"
Wt: 1.57 kg/3.5 lbs., Colour: yellow.
SKU quantity: 30



5 60 litres - Ref. 04056

Ext. dim.: L 600 X w 400 X h 319 mm
Ext. dim.: L 23.6 X w 15.8 X h 12.6"
Int. dim.: L 555 X w 355 X h 300 mm
Int. dim.: L 21.9 X w 14.0 X h 11.8"
Open side dim.: 473 X h 224 mm
Open side dim.: 18.6" X h 8.8"
Wt: 2.60 kg/5.7 lbs., Colour: yellow.
SKU quantity: 35



6 60 litres - Ref. 04057

dimensions as ref. 04056
Open end dim.: 275 X h 260 mm
Open end dim.: 10.8" X h 10.2"
Wt: 2.62 kg/5.8 lbs., Colour: yellow.
SKU quantity: 35



Transparent door: to view and protect.



7 60 litres - Ref. 04058*

dimensions as ref. 04056
with open side and transparent door
Wt: 3.06 kg/6.7 lbs., Colour: yellow.
SKU quantity: 35

8 Ref. 91005

dolly for 600 x 400 and 400 x 300mm ESR containers (see p. 60)

Ref. 61020

polypropylene
lid for 400 x 300mm ESR containers (see p. 11)

Ref. 61060

polypropylene
lid for 600 x 400mm ESR containers (see p. 14)



9 60 litres - Ref. 04059*

dimensions as ref. 04057
with open end and transparent door
Wt: 2.89 kg/6.4 lbs., Colour: yellow.
SKU quantity: 35



Labelling area: identification of contents.

* The transparent doors, manufactured in polycarbonate, open through 180°.

European standard range boxes

400 x 300 - 600 x 400

19

**1 10 litres - Ref. 20C10** 

polypropylene
Ext. dim.: L 400 X w 300 X h 129 mm
Ext. dim.: L 15.8 X w 11.8 X h 5.1"
Int. dim.: L 355 X w 255 X h 105 mm
Int. dim.: L 14.0 X w 10.0 X h 4.1"
Wt: 1.21 kg/2.7 lbs., Colour: **grey**.
SKU quantity: 90

**2 15 litres - Ref. 21C27** 

polypropylene
Ext. dim.: L 400 X w 300 X h 186 mm
Ext. dim.: L 15.8 X w 11.8 X h 7.3"
Int. dim.: L 355 X w 255 X h 164 mm
Int. dim.: L 14.0 X w 10.0 X h 6.5"
Wt: 1.43 kg/3.1 lbs., Colour: **grey**.
SKU quantity: 60

**3 20 litres - Ref. 21C20** 

polypropylene
Ext. dim.: L 400 X w 300 X h 246 mm
Ext. dim.: L 15.8 X w 11.8 X h 9.7"
Int. dim.: L 355 X w 255 X h 220 mm
Int. dim.: L 14.0 X w 10.0 X h 8.7"
Wt: 1.68 kg/3.7 lbs., Colour: **grey**.
SKU quantity: 40

**4 30 litres - Ref. 21C30** 

polypropylene
Ext. dim.: L 400 X w 300 X h 330 mm
Ext. dim.: L 15.8 X w 11.8 X h 13.0"
Int. dim.: L 355 X w 255 X h 300 mm
Int. dim.: L 14.0 X w 10.0 X h 11.8"
Wt: 2.18 kg/4.8 lbs., Colour: **grey**.
SKU quantity: 30

**5 12 litres - Ref. 21C13**

polypropylene
Ext. dim.: L 600 X w 400 X h 84 mm
Ext. dim.: L 23.6 X w 15.8 X h 3.3"
Int. dim.: L 555 X w 355 X h 62 mm
Int. dim.: L 21.9 X w 14.0 X h 2.4"
Wt: 1.86 kg/4.1 lbs., Colour: **grey**.
SKU quantity: 70

**6 21 litres - Ref. 21C21** 

polypropylene
Ext. dim.: L 600 X w 400 X h 129 mm
Ext. dim.: L 23.6 X w 15.8 X h 5.1"
Int. dim.: L 555 X w 355 X h 105 mm
Int. dim.: L 21.9 X w 14.0 X h 4.1"
Wt: 2.14 kg/4.7 lbs., Colour: **grey**.
SKU quantity: 45

**7 28 litres - Ref. 20C28** 

polypropylene
Ext. dim.: L 600 X w 400 X h 161 mm
Ext. dim.: L 23.6 X w 15.8 X h 6.3"
Int. dim.: L 555 X w 355 X h 139 mm
Int. dim.: L 21.9 X w 14.0 X h 5.5"
Wt: 2.11 kg/4.6 lbs., Colour: **grey**.
SKU quantity: 35

**8 33 litres - Ref. 21C33** 

polypropylene
Ext. dim.: L 600 X w 400 X h 186 mm
Ext. dim.: L 23.6 X w 15.8 X h 7.3"
Int. dim.: L 555 X w 355 X h 164 mm
Int. dim.: L 21.9 X w 14.0 X h 6.5"
Wt: 2.48 kg/5.5 lbs., Colour: **grey**.
SKU quantity: 30

**9 45 litres - Ref. 21C45** 

polypropylene
Ext. dim.: L 600 X w 400 X h 246 mm
Ext. dim.: L 23.6 X w 15.8 X h 9.7"
Int. dim.: L 555 X w 355 X h 220 mm
Int. dim.: L 21.9 X w 14.0 X h 8.7"
Wt: 3.0 kg/6.6 lbs., Colour: **grey**.
SKU quantity: 20

**10 54 litres - Ref. 21C54** 

Ext. dim.: L 600 X w 400 X h 291 mm
Ext. dim.: L 23.6 X w 15.8 X h 11.5"
Int. dim.: L 555 X w 355 X h 265 mm
Int. dim.: L 21.9 X w 14.0 X h 10.4"
Wt: 3.33 kg/7.3 lbs., Colour: **grey**.
SKU quantity: 15

**11 75 litres - Ref. 20C85** 

Ext. dim.: L 600 X w 400 X h 423 mm
Ext. dim.: L 23.6 X w 15.8 X h 16.7"
Int. dim.: L 555 X w 355 X h 394 mm
Int. dim.: L 21.9 X w 14.0 X h 15.5"
Wt: 4.47 kg/9.8 lbs., Colour: **grey**.
SKU quantity: 10

*Integral snap-shut lid.*

SKU (Stock Keeping Unit): Attractive discounts are available for products ordered in SKU quantities.

 Strategic Product: We aim to always hold stock of strategic products in colours identified in bold.



Automotive industry: containers developed for just-in-time distribution of components (Odette 20 kg containers and Galia containers).

The automotive standard



Stable and secure when palletised (lid ref. 06999).

- Guarantee of an approved and standardised range defined by automotive constructors and component manufacturers with the participation of Allibert Buckhorn.
- Range consists of 5 Odette modular containers with lids, a long Galia container and a palletised load

cover allowing another palletised load to be stacked on top.

- Maximum rigidity for the protection of delicate parts.
- Soft colours for a pleasant working environment.
- Reusable containers eliminate the costly expense of disposable packaging.

THE BENEFITS

- 8 robot handling positions.
- Specified colours and tares.
- Modular sizes; all models
- 15 mm recess for safe and secure stacking.
- Integrated label holders



Automotive industry: reusable packaging suitable for rapid just-in-time rotation (Odette 20kg containers).



Automotive industry: protection of cabin wiring harness delivered in long Galia containers (ref. 01315).




Easy access to component parts while keeping the production line clear of obstruction (Odette 20kg containers).

Odette 20 kg range and Galia box

21

ODETTE RANGE 300 X 200 400 X 300




1 4 litres - Ref. 03212*

Ext. dim.: L 300 X w 200 X h 114 mm
Ext. dim.: L 11.8 X w 7.9 X h 4.5"
Int. dim.: L 263 X w 163 X h 94 mm
Int. dim.: L 10.4 X w 6.4 X h 3.7"
Wt: 0.57 kg/1.3 lbs., Colour: beige.
SKU quantity: 220


2 Ref. 03200

polypropylene
lid for ref. 03212
Dim.: 269 X 169 mm
Dim.: 10.6 X 6.7"
Wt: 0.07 kg/0.15 lbs., Colour: brown.
SKU quantity: 100



3 9 litres - Ref. 04312*

Ext. dim.: L 400 X w 300 X h 114 mm
Ext. dim.: L 15.8 X w 11.8 X h 4.5"
Int. dim.: L 362 X w 263 X h 94 mm
Int. dim.: L 14.3 X w 10.4 X h 3.7"
Wt: 0.93 kg/2.1 lbs., Colour: orange.
SKU quantity: 110




4 18 litres - Ref. 04322*

Ext. dim.: L 400 X w 300 X h 214 mm
Ext. dim.: L 15.8 X w 11.8 X h 8.4"
Int. dim.: L 362 X w 263 X h 194 mm
Int. dim.: L 14.2 X w 10.4 X h 7.6"
Wt: 1.44 kg/3.2 lbs., Colour: ivory.
SKU quantity: 50

5 Ref. 04300

polypropylene
lid for ref. 04312 and 04322
Dim.: 367 X 268 mm
Dim.: 14.4 X 10.6"
Wt: 0.16 kg/0.4 lbs., Colour: brown.
SKU quantity: 100

ODETTE RANGE 600 X 400




6 39 litres - Ref. 06422*

Ext. dim.: L 600 X w 400 X h 214 mm
Ext. dim.: L 23.6 X w 15.8 X h 8.4"
Int. dim.: L 560 X w 362 X h 194 mm
Int. dim.: L 22.1 X w 14.2 X h 7.6"
Wt: 2.38 kg/5.2 lbs., Colour: green.
SKU quantity: 25


7 Ref. 06400

polypropylene
lid for ref. 06422 and 06432
Dim.: 564 X 367 mm
Dim.: 22.2 X 14.4"
Wt: 0.39 kg/0.9 lbs., Colour: brown.
SKU quantity: 50




8 59 litres - Ref. 06432*

Ext. dim.: L 600 X w 400 X h 314 mm
Ext. dim.: L 23.6 X w 15.8 X h 12.4"
Int. dim.: L 560 X w 362 X h 294 mm
Int. dim.: L 22.1 X w 14.2 X h 11.6"
Wt: 2.96 kg/6.5 lbs., Colour: yellow.
SKU quantity: 15



9 Container and lid

GALIA BOX



10 42 litres - Ref. 01315

Ext. dim.: L 1,196 X w 328 X h 150 mm
Ext. dim.: L 47.1 X w 12.9 X h 5.9"
Int. dim.: L 1,147 X w 275 X h 132 mm
Int. dim.: L 45.2 X w 10.8 X h 5.2"
Wt: 3.70 kg/8.2 lbs.,
Colour: deep yellow.
SKU quantity: 24

11 Ref. 00431

polypropylene
divider for ref. 01315
Dim.: L 291 X w 125 X h 9 mm
Dim.: L 11.5 X w 4.0 X h 0.4"
Wt: 0.10 kg/0.22 lbs.,
Colour: deep yellow.
SKU quantity: 90

GALIA COVER

For palletising 1,000 X 1,200

Cover for palletising loaded Odette and Galia containers, allows another palletised load to be stacked on top.



12 Ref. 06999

Cover for use in conjunction with 1,000 X 1,200 mm pallet with perimeter runners
Dim.: L 1,210 X w 1,010 X h 45 mm
Dim.: L 47.7 X w 39.8 X h 1.8"
Wt: 6.4 kg/14.1 lbs., Colour: black.

* These models interstack



Electronic components: conductivity assured with Q7 containers

Eliminating static

- Range with permanent conductivity ensuring the continuous distribution of charges and protecting sensitive electronic components from damage.
- Surface resistance $< 10^4$ ohms.
- Transversal specific $< 10^4$ ohms/cm.
- Plus all the advantages of the standard Allibert Buckhorn ranges: robust, adaptation to automatised and manual handling, stable stacking and interstacking.

Electroconductive range



EUROPEAN STANDARD RANGE CONTAINERS 300 X 200 AND 400 X 300

1 5 litres - Ref. 21005 Q7

minimum order item

Ext. dim.: L 300 X w 200 X h 118 mm
Ext. dim.: L 11.8 X w 7.9 X h 4.6"
Int. dim.: L 257 X w 159 X h 108 mm
Int. dim.: L 10.1 X w 6.3 X h 4.2"
Wt: 0.47 kg/1.0 lbs., Colour: black.

4 15 litres - Ref. 21027 Q7

Ext. dim.: L 400 X w 300 X h 175 mm
Ext. dim.: L 15.8 X w 11.8 X h 6.9"
Int. dim.: L 355 X w 255 X h 164 mm
Int. dim.: L 14.0 X w 10.0 X h 6.5"
Wt: 1.20 kg/2.6 lbs., Colour: black.

7 Ref. 61020 Q7

lid for 400 X 300 mm containers
Wt: 0.45 kg/1.0 lbs., Colour: black.

2 6 litres - Ref. 21006 Q7

Ext. dim.: L 400 X w 300 X h 74 mm
Ext. dim.: L 15.8 X w 11.8 X h 2.9"
Int. dim.: L 355 X w 255 X h 64 mm
Int. dim.: L 14.0 X w 10.0 X h 2.5"
Wt: 0.56 kg/1.2 lbs., Colour: black.

5 20 litres - Ref. 21020 Q7

Ext. dim.: L 400 X w 300 X h 235 mm
Ext. dim.: L 15.8 X w 11.8 X h 9.3"
Int. dim.: L 355 X w 255 X h 220 mm
Int. dim.: L 14.0 X w 10.0 X h 8.7"
Wt: 1.5 kg/3.3 lbs., Colour: black.

3 10 litres - Ref. 21010 Q7

Ext. dim.: L 400 X w 300 X h 118 mm
Ext. dim.: L 15.8 X w 11.8 X h 4.6"
Int. dim.: L 355 X w 255 X h 105 mm
Int. dim.: L 14.0 X w 10.0 X h 4.1"
Wt: 0.99 kg/2.2 lbs., Colour: black.

6 30 litres - Ref. 21030 Q7

Ext. dim.: L 400 X w 300 X h 319 mm
Ext. dim.: L 15.8 X w 11.8 X h 12.6"
Int. dim.: L 355 X w 255 X h 300 mm
Int. dim.: L 14.0 X w 10.0 X h 11.8"
Wt: 2.08 kg/4.6 lbs., Colour: black.



EUROPEAN STANDARD RANGE CONTAINERS 600 X 400

8 12 litres - Ref. 21013 Q7

Ext. dim.: L 600 X w 400 X h 73 mm
Ext. dim.: L 23.6 X w 15.8 X h 2.9"
Int. dim.: L 555 X w 355 X h 62 mm
Int. dim.: L 21.8 X w 14.0 X h 2.4"
Wt: 1.20 kg/2.6 lbs., Colour: black.

11 45 litres - Ref. 2A045 Q7

Ext. dim.: L 600 X w 400 X h 235 mm
Ext. dim.: L 23.6 X w 15.8 X h 9.3"
Int. dim.: L 555 X w 355 X h 220 mm
Int. dim.: L 21.8 X w 14.0 X h 8.7"
Wt: 2.62 kg/5.8 lbs., Colour: black.

9 21 litres - Ref. 2A021 Q7

Ext. dim.: L 600 X w 400 X h 118 mm
Ext. dim.: L 23.6 X w 15.8 X h 4.6"
Int. dim.: L 555 X w 355 X h 105 mm
Int. dim.: L 21.8 X w 14.0 X h 4.1"
Wt: 1.70 kg/3.7 lbs., Colour: black.

12 Ref. 61060 Q7

lid for 600 X 400 mm containers
Wt: 0.97 kg/2.1 lbs., Colour: black.

10 33 litres - Ref. 21033 Q7

Ext. dim.: L 600 X w 400 X h 175 mm
Ext. dim.: L 23.6 X w 15.8 X h 6.9"
Int. dim.: L 555 X w 355 X h 164 mm
Int. dim.: L 21.8 X w 14.0 X h 6.5"
Wt: 2.06 kg/4.5 lbs., Colour: black.



ODETTE TYPE CONTAINERS

13 Odette Range

minimum order items
Five models of Odette stacking containers, from 9 to 59 litres, are available in electroconductive polypropylene (see p. 23).



MODULAR STORAGE TRAY

14 4 litres - Ref. 21G21 Q7

minimum order item
Ext. dim.: L 278 X w 178 X h 90 mm
Ext. dim.: L 10.9 X w 7.0 X h 3.5"
Int. dim.: L 265 X w 165 X h 88 mm
Int. dim.: L 10.4 X w 6.5 X h 3.4"
Wt: 0.30 kg/0.66 lbs. Colour: black.



16 4 litres - Ref. 21G22 Q7


minimum order item
ref. 21G21 Q7 with double divider creating four compartments
Wt: 0.40 kg/0.88 lbs. Colour: black.



ALLIBIN

17 Allibin small parts storage bins

minimum order item
from 0.3 to 35 litres capacity are all available in electroconductive polypropylene (see p. 54)




DIVIDER STRIPS

18 Ref. 80045 Q7

Dim.: 1,104 X 45 mm
Dim.: 43.5 X 1.8"
Wt: 0.11 kg/0.2 lbs. Colour: black.

19 Ref. 80088 Q7

Dim.: 1,104 X 88 mm
Dim.: 43.5 X 3.5"
Wt: 0.22 kg/0.5 lbs. Colour: black.



FLOORING

20 Ref. 61800 Q7

minimum order item
Dim.: L 509 X w 489 X h 20 mm
Dim.: L 20.1 X w 19.3 X h 0.8"
Wt: 0.86 kg/1.9 lbs. Colour: black.




21 Ref. 61900 Q7

minimum order item
Dim.: L 508 X w 508 X h 50 mm
Dim.: L 20.0 X w 20.0 X h 2.0"
Wt: 2.27 kg/5.0 lbs. Colour: black.

Partitioning systems


- Modular storage tray

- can be partitioned to create 4 to 16 compartments within a European standard range container, ref. 2A021.
- partitions lock firmly into position and are easy to remove.



1 4 litres Ref. 21G21

polypropylene modular storage tray
Ext. dim.: L 278 X w 178 X h 90 mm
Ext. dim.: L 10.9 X w 7.0 X h 3.5"
Int. dim.: L 265 X w 165 X h 88 mm
Int. dim.: L 10.4 X w 6.5 X h 3.4"
Wt: 0.30 kg/0.66 lbs., Colour: blue.
SKU quantity: 20




4 Ref. 80045

polypropylene
length: 1,104 X w 45 mm
length: 43.5 X 1.8". Wt: 0.11 kg/0.2 lbs.
SKU quantity: 60

5 Ref. 80088

polypropylene
length: 1,104 X w 88 mm
length: 43.5 X 3.5". Wt: 0.22 kg/0.5 lbs.
SKU quantity: 30



8 Ref. 83015

SKU quantity: 160 per carton
polypropylene – base divider
15 glass catering dividers
compartment dim: 106 x 114mm
Dim.: 555 x 355 x 60mm
Weight: 0.37Kg, Colour: dark grey

9 Ref. 83P15

SKU quantity: 160 per carton
top divider for 83015
Dim.: 595 x 355 x 60mm
Weight: 0.38Kg, Colour: dark grey

2 Ref. 00413

polypropylene divider for ref. 21G21
dim.: 169 X 82 mm/6.6 X 3.2"
Wt: 0.05 kg/0.11 lbs., Colour: blue.
SKU quantity: 20



3 4 litres - Ref. 21G22

polypropylene modular storage tray
ref. 21G21 with double divider creating four compartments
Int. dim.: 131 X 81 mm/5.2 X 3.2"
Wt: 0.40 kg/0.88 lbs., Colour: blue.
SKU quantity: 20




A partitioning system designed for all Allibert Buckhorn containers with vertical walls.
Divider strips snap to size and interlock for ease of assembly, offering variable compartment sizes.

6 Ref. 80150

polypropylene
length: 1,100 X w 150 mm
length: 43.3 X 5.9". Wt: 0.44 kg/1.0 lbs.
SKU quantity: 20

7 Ref. 80190

polypropylene
length: 1,100 X w 190 mm
length: 43.3 X 7.5". Wt: 0.54 kg/1.1 lbs.
SKU quantity: 20




10 Ref. 83024

SKU quantity: 160 per carton
polypropylene – base divider
24 glass catering dividers
compartment dim: 88 x 84mm
Dim.: 555 x 355 x 60mm
Weight: 0.46Kg, Colour: dark grey

11 Ref. 83P24

SKU quantity: 160 per carton
top divider for 83024
Dim.: 595 x 355 x 60mm
Weight: 0.47Kg, Colour: dark grey



12 Ref. 83040

SKU quantity: 160 per carton
polypropylene – base divider
40 glass catering dividers
compartment dim: 65 x 66mm
Dim.: 555 x 355 x 60mm
Weight: 0.52Kg, Colour: dark grey

13 Ref. 83P40

SKU quantity: 160 per carton
top divider for 83040
Dim.: 595 x 355 x 60mm
Weight: 0.53Kg, Colour: dark grey



- Catering Dividers


- for the storage and transportation of glasses in 600x400mm Euro stacking containers with open handles. Base dividers lie in the base and top dividers sit within the top rim, securely holding fragile glasses during delivery.

Evolution containers

Evolution
containers

25

Made to measure
distribution
solution!



Evolution containers are manufactured by cutting and mirror welding two or more standard containers together. Joining containers end-to-end or side-to-side to produce containers up to a maximum size of 2,000 x 800mm.



- Durable containers with a stacking strength identical to conventionally manufactured models.
- Identification options include marking, label holders and RFID tags.
- Unaffected by humidity and easy to clean.
- Recyclable at end of life.




1 33 litres – Ref. 26S37* minimum order item
Ext. dim.: L 600 x w 500 x h 140mm
Ext. dim.: L 23.6 x w 19.7 x h 5.5"
Int. dim.: L 558 x w 460 x h 127mm
Int. dim.: L 22.0 x w 18.1 x h 5.0"
Wt: 1.74 Kg/3.8 lbs., Colour: blue
Label holder can be fitted to both long sides



2 53 litres – Ref. 26S53* minimum order item
Ext. dim.: L 600 x w 500 x h 220mm
Ext. dim.: L 23.6 x w 19.7 x h 8.7"
Int. dim.: L 558 x w 460 x h 207mm
Int. dim.: L 22.0 x w 18.1 x h 8.1"
Wt: 2.24 Kg/4.9 lbs., Colour: blue
Label holder can be fitted to both long sides



3 69 litres – Ref. 26S77* minimum order item
Ext. dim.: L 600 x w 500 x h 280mm
Ext. dim.: L 23.6 x w 19.7 x h 11.0"
Int. dim.: L 558 x w 460 x h 267mm
Int. dim.: L 22.0 x w 18.1 x h 10.5"
Wt: 2.71 Kg/6.0 lbs., Colour: blue
Label holder can be fitted to both long sides



4 35 litres – Ref. 26S35* minimum order item
Ext. dim.: L 800 x w 400 x h 140mm
Ext. dim.: L 31.5 x w 15.7 x h 5.5"
Int. dim.: L 761 x w 358 x h 127mm
Int. dim.: L 30.0 x w 14.1 x h 5.0"
Wt: 1.88 Kg/4.1 lbs., Colour: blue
Label holder can be fitted to all 4 sides



5 56 litres – Ref. 26S55* minimum order item
Ext. dim.: L 800 x w 400 x h 220mm
Ext. dim.: L 31.5 x w 15.7 x h 8.7"
Int. dim.: L 761 x w 358 x h 207mm
Int. dim.: L 30.0 x w 14.1 x h 8.1"
Wt: 2.41 Kg/5.3 lbs., Colour: blue
Label holder can be fitted to all 4 sides



6 73 litres – Ref. 26S70* minimum order item
Ext. dim.: L 800 x w 400 x h 280mm
Ext. dim.: L 31.5 x w 15.7 x h 11.0"
Int. dim.: L 761 x w 358 x h 267mm
Int. dim.: L 30.0 x w 14.1 x h 10.5"
Wt: 2.92 Kg/6.4 lbs., Colour: blue
Label holder can be fitted to all 4 sides



7 44 litres – Ref. 26S45* minimum order item
Ext. dim.: L 1,000 x w 400 x h 140mm
Ext. dim.: L 39.4 x w 15.7 x h 5.5"
Int. dim.: L 960 x w 358 x h 127mm
Int. dim.: L 37.8 x w 14.1 x h 5.0"
Wt: 2.30 Kg/5.0 lbs., Colour: blue
Label holder can be fitted to all 4 sides



8 71 litres – Ref. 26S71* minimum order item
Ext. dim.: L 1,000 x w 400 x h 220mm
Ext. dim.: L 39.4 x w 15.7 x h 8.7"
Int. dim.: L 960 x w 358 x h 207mm
Int. dim.: L 37.8 x w 14.1 x h 8.1"
Wt: 2.88 Kg/6.3 lbs., Colour: blue
Label holder can be fitted to all 4 sides



9 44 litres – Ref. 26S91* minimum order item
Ext. dim.: L 1,000 x w 400 x h 280mm
Ext. dim.: L 39.4 x w 15.7 x h 11.0"
Int. dim.: L 960 x w 358 x h 267mm
Int. dim.: L 37.8 x w 14.1 x h 10.5"
Wt: 3.58 Kg/7.9 lbs., Colour: blue
Label holder can be fitted to all 4 sides



Electricity Company: storage and handling of electricity meters (refs. 21032, 29049).

Safe and secure

- Available in a wide choice of dimensions, each model features precise and positive locations for safe handling.
- Vertical sides provide maximum storage space.



Catering: protecting food, glassware and tableware for outside catering (ref. 41042).

Stacking Containers



1 23 litres - Ref. 29044* 

polypropylene
solid base and sides
Ext. dim.: L 762 X w 457 X h 95 mm
Ext. dim.: L 30.0 X w 18.0 X h 3.7"
Int. dim.: L 720 X w 415 X h 78 mm
Int. dim.: L 28.4 X w 16.4 X h 3.0"
Wt: 1.90 kg/4.2 lbs., Colour: **white**.
SKU quantity: 39



2 23 litres - Ref. 29043*

polypropylene
solid base with ventilated sides
Ext. dim.: L 762 X w 457 X h 95 mm
Ext. dim.: L 30.0 X w 18.0 X h 3.7"
Int. dim.: L 720 X w 415 X h 78 mm
Int. dim.: L 28.4 X w 16.4 X h 3.0"
Wt: 1.85 kg/4.1 lbs., Colour: **white**.
SKU quantity: 39



3 23 litres - Ref. 29042*

minimum order item
polypropylene
ventilated base with solid sides
Ext. dim.: L 762 X w 457 X h 95 mm
Ext. dim.: L 30.0 X w 18.0 X h 3.7"
Int. dim.: L 720 X w 415 X h 78 mm
Int. dim.: L 28.4 X w 16.4 X h 3.0"
Wt: 1.75 kg/3.8 lbs., Colour: **white**.
SKU quantity: 39



4 23 litres - Ref. 29041* 

polypropylene
ventilated base and sides
Ext. dim.: L 762 X w 457 X h 95 mm
Ext. dim.: L 30.0 X w 18.0 X h 3.7"
Int. dim.: L 720 X w 415 X h 78 mm
Int. dim.: L 28.4 X w 16.4 X h 3.0"
Wt: 1.69 kg/3.7 lbs., Colour: **white**.
SKU quantity: 39



5 Ref. 90765

dolly for containers ref. 29041, 29042, 29043, 29044 and 41042
Dim: 812 x 502 x 204mm
Dim: 32.0 x 19.8 x 8.0"
2 fixed, 2 swivel 100mm Ø castors
loading: 200 Kg/440 lbs.
Wt: 5.7 Kg/12.5 lbs., Colour: blue, green, red, yellow or natural



6 43 litres - Ref. 41042 

ventilated base and sides
Ext. dim.: L 750 X w 450 X h 165 mm
Ext. dim.: L 29.6 X w 17.7 X h 6.5"
Int. dim.: L 724 X w 425 X h 138 mm
Int. dim.: L 28.6 X w 16.9 X h 5.8"
Wt: 1.68 kg/3.7 lbs.,
Colour: **brown-red, white**.
SKU quantity: 42

**1 5 litres – Ref. 23005**

Minimum order item
Polypropylene
Ext. dim.: L 300 x w 200 x h 125mm
Ext. dim.: L 11.8 x w 7.9 x h 4.9"
Int. dim.: L 248 x w 162 x h 115mm
Int. dim.: L 9.8 x w 6.4 x h 4.8"
Wt: 0.35 Kg/0.77 lbs., Colour: blue
SKU quantity: 180

**2 18 litres - Ref. 21018**

Ext. dim.: L 475 X w 405 X h 140 mm
Ext. dim.: L 18.7 X w 16.0 X h 5.5"
Int. dim.: L 415 X w 375 X h 120 mm
Int. dim.: L 16.4 X w 14.8 X h 4.7"
Wt: 1.26 kg/2.8 lbs., Colour: grey.
SKU quantity: 48

**3 35 litres - Ref. 21040***

Ext. dim.: L 570 X w 375 X h 230 mm
Ext. dim.: L 22.4 X w 14.8 X h 8.2"
Int. dim.: L 505 X w 310 X h 205 mm
Int. dim.: L 19.9 X w 12.5 X h 8.0"
Wt: 2.42 kg/5.3 lbs., Colour: grey.
SKU quantity: 25

4 Ref. 61040

lid for ref. 21040 and 21080 containers
Dim.: L 600 X w 400 X h 40 mm
Dim.: L 23.6 X w 15.8 X h 1.6"
Wt: 0.87 kg/1.9 lbs., Colour: grey.
SKU quantity: 12

**5 70 litres - Ref. 21080***

Ext. dim.: L 570 X w 375 X h 415 mm
Ext. dim.: L 22.4 X w 14.8 X h 16.3"
Int. dim.: L 505 X w 310 X h 410 mm
Int. dim.: L 19.9 X w 12.5 X h 16.1"
Wt: 4.08 kg/9.0 lbs., Colour: grey.
SKU quantity: 25

**6 140 litres - Ref. 21160***

Ext. dim.: L 780 X w 590 X h 415 mm
Ext. dim.: L 30.7 X w 23.2 X h 16.3"
Int. dim.: L 705 X w 510 X h 410 mm
Int. dim.: L 27.8 X w 20.1 X h 16.1"
Wt: 7.15 kg/15.8 lbs., Colour: grey, red.
SKU quantity: 10

7 Ref. 64160

lid for ref. 21160 container
Dim.: L 800 X w 600 X h 53 mm
Dim.: L 31.5 X w 23.6 X h 2.1"
Wt: 1.95 kg/4.3 lbs., Colour: grey.
SKU quantity: 5

**8 106 litres - Ref. 21108**

Ext. dim.: L 745 X w 470 X h 380 mm
Ext. dim.: L 29.3 X w 18.5 X h 15.0"
Int. dim.: L 695 X w 420 X h 365 mm
Int. dim.: L 27.4 X w 16.5 X h 14.4"
Wt: 4.65 kg/10.3 lbs., Colour: brown-red.
SKU quantity: 9

**9 34 litres - Ref. 21034****

Ext. dim.: L 595 X w 450 X h 175 mm
Ext. dim.: L 23.4 X w 17.7 X h 6.9"
Int. dim.: L 545 X w 400 X h 155 mm
Int. dim.: L 21.5 X w 15.8 X h 6.1"
Wt: 2.15 kg/4.7 lbs., Colour: white, grey.
SKU quantity: 24

** These two models interstack.

**10 34 litres - Ref. 21025****

with windows
Ext. dim.: L 595 X w 450 X h 175 mm
Ext. dim.: L 23.4 X w 17.7 X h 6.9"
Int. dim.: L 545 X w 400 X h 155 mm
Int. dim.: L 21.5 X w 15.8 X h 6.1"
Wt: 2.05 kg/4.5 lbs., Colour: red.
SKU quantity: 24

**11 25 litres - Ref. 24025**

Ext. dim.: L 360 X w 360 X h 250 mm
Ext. dim.: L 14.2 X w 14.2 X h 9.9"
Int. dim.: L 330 X w 330 X h 234 mm
Int. dim.: L 13.0 X w 13.0 X h 9.2"
Wt: 1.40 kg/3.1 lbs., Colour: red, blue, green, orange, yellow.
SKU quantity: 30

SKU (Stock Keeping Unit): Attractive discounts are available for products ordered in SKU quantities.

Strategic Product: We aim to always hold stock of strategic products in colours identified in bold.

Stacking containers

28



1 8 litres – Ref. 067CA*

minimum order item
ventilated sides and base
Ext. dim.: L 500 x w 300 x h 73mm
Ext. dim.: L 19.7 x w 11.8 x h 2.9"
Int. dim.: L 470 x w 270 x h 60mm
Int. dim.: L 18.5 x w 10.6 x h 2.4"
Wt: 0.52 Kg/1.1 lbs.
Colour: brown-red



2 21 litres - Ref. 03024*

undulating base with drainage holes,
ventilated sides
Ext. dim.: L 500 X w 300 X h 180 mm
Ext. dim.: L 19.7 X w 11.8 X h 7.1"
Int. dim.: L 465 X w 265 X h 169 mm
Int. dim.: L 18.3 X w 10.4 X h 6.7"
Wt: 0.92 kg/2.0 lbs., Colour: brown-red.



3 23 litres - Ref. 21024*

undulating base with drainage holes,
ventilated sides
Ext. dim.: L 500 X w 300 X h 201 mm
Ext. dim.: L 19.7 X w 11.8 X h 7.9"
Int. dim.: L 465 X w 265 X h 190 mm
Int. dim.: L 18.3 X w 10.4 X h 7.5"
Wt: 0.98 kg/2.2 lbs., Colour: brown-red.
SKU quantity: 40



4 30 litres - Ref. 21029*

undulating base with drainage holes,
ventilated sides
Ext. dim.: L 500 X w 300 X h 265 mm
Ext. dim.: L 19.7 X w 11.8 X h 10.4"
Int. dim.: L 465 X w 265 X h 250 mm
Int. dim.: L 18.3 X w 10.4 X h 9.9"
Wt: 1.40 kg/3.1 lbs., Colour: brown-red.
SKU quantity: 32



5 30 litres - Ref. 21028*

ventilated sides and base
Ext. dim.: L 500 X w 300 X h 265 mm
Ext. dim.: L 19.7 X w 11.8 X h 10.4"
Int. dim.: L 465 X w 265 X h 250 mm
Int. dim.: L 18.3 X w 10.4 X h 9.9"
Wt: 1.32 kg/2.9 lbs., Colour: brown-red.
SKU quantity: 32



6 34 litres - Ref. 21031

minimum order item
ventilated sides, drainage holes in base
Ext. dim.: L 500 X w 400 X h 215 mm
Ext. dim.: L 19.7 X w 15.8 X h 8.5"
Int. dim.: L 465 X w 365 X h 200 mm
Int. dim.: L 18.3 X w 14.4 X h 7.9"
Wt: 1.51 kg/3.3 lbs., Colour: brown-red.



7 18 litres - Ref. 29019**

minimum order item
ventilated sides, drainage holes in base
Ext. dim.: L 550 X w 366 X h 106 mm
Ext. dim.: L 21.7 X w 14.4 X h 4.2"
Int. dim.: L 518 X w 333 X h 90 mm
Int. dim.: L 20.4 X w 13.1 X h 3.5"
Wt: 0.88 kg/1.9 lbs., Colour: brown-red.



8 30 litres - Ref. 21032**

ventilated sides and base
Ext. dim.: L 550 X w 366 X h 200 mm
Ext. dim.: L 21.7 X w 14.4 X h 7.9"
Int. dim.: L 518 X w 333 X h 175 mm
Int. dim.: L 20.4 X w 13.1 X h 6.9"
Wt: 1.61 kg/3.6 lbs., Colour: brown-red.
SKU quantity: 25



9 50 litres - Ref. 29049**

ventilated sides and base
Ext. dim.: L 550 X w 366 X h 295 mm
Ext. dim.: L 21.7 X w 14.4 X h 11.6"
Int. dim.: L 518 X w 333 X h 260 mm
Int. dim.: L 20.4 X w 13.1 X h 10.2"
Wt: 2.02 kg/4.5 lbs.,
Colour: brown-red, orange.
SKU quantity: 30



10 18 litres - Ref. 41018

minimum order item
ventilated sides and base
Ext. dim.: L 580 X w 350 X h 120 mm
Ext. dim.: L 22.9 X w 13.8 X h 4.7"
Int. dim.: L 550 X w 320 X h 100 mm
Int. dim.: L 21.7 X w 12.6 X h 3.9"
Wt: 0.86 kg/1.9 lbs., Colour: brown-red.
SKU quantity: 50



11 24 litres – Ref. PM137

ventilated sides and base
Ext. dim.: L 595 x w 365 x h 150mm
Ext. dim.: L 23.4 x w 14.4 x h 5.9"
Int. dim.: L 566 x w 340 x h 135mm
Int. dim.: L 22.3 x w 13.4 x h 5.3"
Wt: 1.25 Kg/2.75 lbs.
Colour: brown-red

* These four models interstack. ** These three models interstack.

SKU (Stock Keeping Unit): Attractive discounts are available for products ordered in SKU quantities.

**1 46 litres – Ref. 230CA**

minimum order item

ventilated sides and base

Ext. dim.: L 600 x w 400 x h 252mm


Ext. dim.: L 23.6 x w 15.8 x h 9.9"

Int. dim.: L 565 x w 365 x h 230mm

Int. dim.: L 22.2 x w 14.4 x h 9.1"

Wt: 2.05 Kg/4.5 lbs.

Colour: brown-red

**2 22 litres – Ref. PM101**

drainage holes in base, ventilated sides

Ext. dim.: L 600 x w 400 x h 120mm


Ext. dim.: L 23.6 x w 15.8 x h 4.7"

Int. dim.: L 575 x w 375 x h 100mm

Int. dim.: L 22.6 x w 14.8 x h 3.9"

Wt: 1.15 Kg/2.5 lbs.

Colour: brown-red

**6 43 litres - Ref. 21041**

ventilated sides and base

Ext. dim.: L 750 X w 450 X h 165 mm

Ext. dim.: L 29.6 X w 17.7 X h 6.5"

Int. dim.: L 723 X w 423 X h 140 mm

Int. dim.: L 28.5 X w 6.7 X h 5.5"

Wt: 1.84 kg/4.1 lbs., Colour: brown-red.

SKU quantity: 21

3 22 litres – Ref. RP100

spacer for container ref. PM101

Ext. height: 120mm / 4.7"

Int. height: 100mm / 3.9"

Wt: 0.55 Kg/1.2 lbs., Colour: orange

multiple spacers can be added for

increased height

**4 25 litres – Ref. PM660**

drainage holes in base, solid sides

Ext. dim.: L 668 x w 444 x h 135mm

Ext. dim.: L 26.3 x w 17.5 x h 5.3"

Int. dim.: L 615 x w 420 x h 95mm

Int. dim.: L 24.2 x w 16.5 x h 3.7"

Wt: 1.45 Kg/3.1 lbs., Colour: grey

**8 31 litres - Ref. 54030**

minimum order item

ventilated sides and base

Ext. dim.: L 980 X w 390 X h 118 mm

Ext. dim.: L 38.6 X w 15.4 X h 4.6"

Int. dim.: L 950 X w 360 X h 90 mm

Int. dim.: L 37.4 X w 14.2 X h 3.5"

Wt: 1.95 kg/4.3 lbs., Colour: white.

**5 25 litres – Ref. RP660**

spacer for container ref. PM660

Ext. height: 135mm / 5.3"

Int. height: 115mm / 4.5"

Wt: 0.86 Kg/1.9 lbs., Colour: yellow

multiple spacers can be added for

increased height

**9 170 litres - Ref. 29170**

solid base, ventilated sides

Ext. dim.: L 1,190 X w 490 X h 370 mm

Ext. dim.: L 46.9 X w 19.3 X h 14.6"

Int. dim.: L 1,140 X w 440 X h 335 mm

Int. dim.: L 44.9 X w 17.3 X h 13.2"

Wt: 5.60 kg/12.4 lbs., Colour: grey.

SKU quantity: 12



Stacking and nesting containers with lids

31





Retail distribution: protection of heavy or fragile items (ref. 10020)



Retail distribution: 400 x 300 containers stack on 600 x 400 models providing a versatile distribution medium (ref. 10020 - 10025 - 10040).



Deliveries: comfortable hand holds ease manual lifting. Containers nest when empty saving space on return vehicles (ref. 10040).

Security in distribution

- Secure: unique tamper-evident security seal fixing.
- Strong: stacking from five to eight high carrying a unit load of between 25 and 70 kg (depending on model).



- Integral lid: hinged lid cannot be separated from container and lost.
- Multiple labelling options; drop-in card label holder

Palletised distribution of loaded boxes and return of empty nested boxes.



Pharmaceutical manufacture: Hygienic storage and handling (ref. 1006B).

and adhesive label pimple pad on both ends. Bar code labels can be fitted to all sides, lid and base.

- Space Saving: nesting up to 75% when empty saving valuable space on return transport (4 columns of 600 x 400 mm nested containers occupy a 1,200 x 1,000 mm pallet).



Pimple-Pads allow easy removal of adhesive labels



Containers ref. 10020 & 10025 stacked on 600 X 400 Attached Lid Container



Secure stacking, nesting to 75% when empty (ref. 1005B).

Euro attached lid containers

300 x 200 - 400 x 300

**1 4 litres - Ref. 10005*** 

polypropylene
stacks two-up on refs. 10020 & 10025.
Ext. dim.: L 300 X w 200 X h 130 mm
Ext. dim.: L 11.8 X w 7.8 X h 5.1"
Int. dim.: L 245 X w 160 X h 101 mm
Int. dim.: L 9.6 X w 6.3 X h 4.0"
nested height: 80 mm/3.1"
Wt: 0.7 kg/1.5 lbs.
Colour: **dark green / light green**
SKU quantity: 196

**2 6 litres - Ref. 10010*** 

polypropylene
stacks two-up on refs. 10020 & 10025.
Ext. dim.: L 300 X w 200 X h 200 mm
Ext. dim.: L 11.8 X w 7.8 X h 7.8"
Int. dim.: L 235 X w 152 X h 174 mm
Int. dim.: L 9.3 X w 6.0 X h 6.9"
nested height: 80 mm/3.1"
Wt: 0.85kg/1.87 lbs.
Colour: **dark green / light green.**
SKU quantity: 176

**3 20 litres - Ref. 10020**** 

polypropylene
stacks two up on refs. 10040, 1005B & 1006B.
Ext. dim.: L 400 X w 300 X h 252 mm
Ext. dim.: L 15.8 X w 11.8 X h 9.9"
Int. dim.: L 325 X w 246 X h 222 mm
Int. dim.: L 12.8 X w 9.7 X h 8.6"
nested height: 100 mm/4"
Wt: 1.65 kg/3.6 lbs.
Colour: **dark green / light green.**
SKU quantity: 81

**4 20 litres - Ref. 10022****

polypropylene
As ref. 10020 without recessed base
does not allow stacking on
600 X 400 mm ALC's.
Colour: blue.
SKU quantity: 81

**5 22 litres - Ref. 1BK22*****

polypropylene
Ext. dim.: L 400 x w 300 x h 282mm
Ext. dim.: L 15.8 x w 11.8 x h 11.1"
Int. dim.: L 345 x w 240 x h 255mm
Int. dim.: L 13.6 x w 9.4 x h 10.0"
Nested height: 114mm/4.5"
Weight: 1.4 Kg/3.1 lbs.
Colour: light grey

**6 25 litres - Ref. 1BK25*****


polypropylene
Ext. dim.: L 400 x w 300 x h 318mm
Ext. dim.: L 15.8 x w 11.8 x h 12.5"
Int. dim.: L 345 x w 240 x h 292mm
Int. dim.: L 13.6 x w 9.4 x h 11.5"
Nested height: 114mm/4.5"
Weight: 1.5 Kg/3.3 lbs.
Colour: light grey

**7 25 litres - Ref. 10025**** 

polypropylene
stacks two up on Refs. 10040, 1005B & 1006B.
Ext. dim.: L 400 X w 300 X h 320 mm
Ext. dim.: L 15.8 X w 11.8 X h 12.6"
Int. dim.: L 321 X w 244 X h 295 mm
Int. dim.: L 12.6 X w 9.6 X h 11.6"
nested height: 100 mm/4"
Wt: 1.87 kg/4.1 lbs.
Colour: **dark green / light green.**
SKU quantity: 81

**8 25 litres - Ref. 10027****

polypropylene
As ref. 10025 without recessed base
does not allow stacking on
600 X 400 mm ALC's.
Colour: blue.
SKU quantity: 81

**9 Ref. 00701**

polypropylene
Security seal for ALC & DPC refs:
10005, 10010, 10020, 10022, 10025,
10027, 10040, 1005B, 1006B, 10082,
10083, 10125, 10165, 10550 & 10552.
two seals required per container
(supplied in bags of 500).

* These two models interstack.

** These four models interstack.

**10 Ref. 00473**

label holder in K resin for containers ref.
10020, 10022, 10025, 10027, 10040,
1005B, 1005Y, 1006B, 1006Y, 10125,
10550, 10551, 10552 & 10553.

Ref. 00474

label holder for refs. 10005 & 10010.

**11 Ref. 00509**

document holder in K resin for
containers ref. 10020, 10022, 10025,
10027, 1005B, 1005Y, 1006B, 1006Y,
10550, 10551, 10552 & 10553.

**12 Ref. OPE41**

minimum order item
label holder in K resin to fit lid of
containers ref. 1005Y, 1006Y, 10551 &
10553.

SKU (Stock Keeping Unit): Attractive discounts are available for products ordered in SKU quantities.

Euro attached lid containers

600 x 400

34

**1 40 litres - Ref. 10040***

polypropylene
Ext. dim.: L 600 X w 400 X h 250 mm
Ext. dim.: L 23.6 X w 15.8 X h 9.9"
Int. dim.: L 515 X w 343 X h 215 mm
Int. dim.: L 20.3 X w 13.5 X h 8.5"
nested height: 85 mm/3.3"
Wt: 2.79 kg/6.2 lbs., Colour: **dark green/**
light green, grey/red, grey/blue,
grey/yellow, grey/green.
SKU quantity: 44

**2 40 litres - Ref. 1BK40****

inter-stacks with refs. 1BK52 & 1BK62
Ext. dim.: L 600 x w 400 x h 250mm
Ext. dim.: L 23.6 x w 15.7 x h 9.8"
Int. dim.: L 501 x w 328 x h 205mm
Int. dim.: L 19.7 x w 12.9 x h 8.1"
Nested height: 67mm/2.6"
Weight: 2.9 Kg/6.4 lbs.
Colour: light grey

**3 52 litres - Ref. 1BK52****

inter-stacks with refs. 1BK40 & 1BK62
Ext. dim.: L 600 x w 400 x h 310mm
Ext. dim.: L 23.6 x w 15.7 x h 12.2"
Int. dim.: L 501 x w 328 x h 267mm
Int. dim.: L 19.7 x w 12.9 x h 10.4"
Nested height: 67mm/2.6"
Weight: 3.1 Kg/6.8 lbs.
Colour: **light grey**

**4 54 litres - Ref. 1005B***

polypropylene
Ext. dim.: L 600 X w 400 X h 320 mm
Ext. dim.: L 23.6 X w 15.8 X h 12.6"
Int. dim.: L 508 X w 335 X h 285 mm
Int. dim.: L 20.0 X w 13.2 X h 11.2"
nested height: 85 mm/3.3"
Wt: 3.20 kg/7.0 lbs., Colour: **dark green/**
light green, grey/red, grey/blue,
grey/yellow, grey/green.
SKU quantity: 40

**5 54 litres - Ref. 1005C**

minimum order item
polypropylene
as ref. 1005B with pimple-pads, for easy
removal of adhesive labels, on all 4 sides
Colour: blue/yellow

**6 54 litres - Ref. 1005Y***

minimum order item
polypropylene
as ref. 1005B with insert in lid to take
label holder ref. OPE41
Colour: dark green / light green.

7 Ref. OPE41

label holder - see page 33

8 Ref. 00473

label holder - see page 33

9 Ref. 00509

document holder - see page 33

**10 62 litres - Ref. 1BK62****

inter-stacks with refs. 1BK40 & 1BK52
Ext. dim.: L 600 x w 400 x h 365mm
Ext. dim.: L 23.6 x w 15.7 x h 14.4"
Int. dim.: L 501 x w 328 x h 325mm
Int. dim.: L 19.7 x w 12.9 x h 12.8"
Nested height: 67mm/2.6"
Weight: 3.4 Kg/7.5 lbs.
Colour: **light grey**

**11 64 litres - Ref. 1006C**

minimum order item
polypropylene
as ref. 1006B with pimple-pads, for
easy removal of adhesive labels, on all
4 sides
Colour: blue/yellow

**12 64 litres - Ref. 1006B***

polypropylene
Ext. dim.: L 600 X w 400 X h 365 mm
Ext. dim.: L 23.6 X w 15.8 X h 14.4"
Int. dim.: L 501 X w 328 X h 330 mm
Int. dim.: L 19.7 X w 12.9 X h 13.0"
nested height: 85 mm/3.3"
Wt: 3.38 kg/7.4 lbs., Colour: **dark green/**
light green.
SKU quantity: 36

64 litres - Ref. 1006Y*

minimum order item
polypropylene
as ref. 1006B with insert in lid to take
label holder ref. OPE41
Colour: dark green / light green.

**13 67 litres - Ref. 10066**

minimum order item
polypropylene
Ext. dim.: L 600 X w 400 X h 385 mm
Ext. dim.: L 23.6 X w 15.8 X h 15.2"
Int. dim.: L 512 X w 329 X h 355 mm
Int. dim.: L 20.2 X w 13.0 X h 14.0"
nested height: 115 mm/4.5"
Wt: 3.9 kg/8.6 lbs.,
Colour: dark green / light green.

*These seven models interstack

SKU (Stock Keeping Unit): Attractive discounts are available for products ordered in SKU quantities.

Attached lid containers

Stacking and nesting
containers with lids

35



1 28 litres - Ref. 1B802*

Ext. dim.: L 374 X w 343 X h 338 mm
Ext. dim.: L 14.8 X w 13.5 X h 13.3"
Int. dim.: L 286 X w 286 X h 302 mm
Int. dim.: L 11.3 X w 11.3 X h 11.9"
nested height: 85 mm/3.3"
Wt: 2.24 kg/4.9 lbs.
Colour: light grey



2 32 litres - Ref. 1B818*

Ext. dim.: L 374 X w 343 X h 387 mm
Ext. dim.: L 14.8 X w 13.5 X h 15.2"
Int. dim.: L 283 X w 283 X h 351 mm
Int. dim.: L 11.1 X w 11.1 X h 13.8"
nested height: 85 mm/3.3"
Weight: 2.29 kg/5.1 lbs.
Colour: light grey



3 18 litres - Ref. 1B417

Ext. dim.: L 510 X w 295 X h 190 mm
Ext. dim.: L 20.0 X w 11.7 X h 7.5"
Int. dim.: L 430 X w 245 X h 153 mm
Int. dim.: L 16.9 X w 9.6 X h 6.1"
nested height: 62 mm/2.4"
Weight: 1.7 kg/3.8 lbs.
Colour: light grey



4 22 litres - Ref. 1B433

Bi-hinge lid clips back on itself, preventing it hanging lower than the container when open or nested.
Ext dim: L 546 X w 387 X h 168mm
Ext dim: L 21.5 X w 15.3 X h 6.6"
Int dim: L 467 X w 323 X h 133mm
Int dim: L 18.4 X w 12.8 X h 5.3"
nested height: 76.0mm / 3.0"
Wt: 2.1 kg/4.7 lbs., Colour: light grey.



5 35 litres - Ref. 1B443**

Ext. dim.: L 552 X w 387 X h 245 mm
Ext. dim.: L 21.8 X w 15.3 X h 9.6"
Int. dim.: L 467 X w 330 X h 205 mm
Int. dim.: L 18.4 X w 13.0 X h 8.1"
nested height: 56 mm/2.2"
Wt: 2.4 kg/5.3 lbs.
Colour: light grey.



46 litres - Ref. 1B453**

Ext. dim.: L 552 X w 387 X h 318 mm
Ext. dim.: L 21.8 X w 15.3 X h 12.5"
Int. dim.: L 455 X w 320 X h 285 mm
Int. dim.: L 17.9 X w 12.5 X h 11.1"
nested height: 62 mm/2.4"
Wt: 2.7 kg/6.0 lbs.
Colour: light grey, red, green, dark blue



6 40 litres - Ref. 1B405

Ext. dim.: L 567 X w 330 X h 327 mm
Ext. dim.: L 22.4 X w 13.0 X h 12.9"
Int. dim.: L 483 X w 254 X h 298 mm
Int. dim.: L 18.8 X w 10.1 X h 11.8"
nested height: 82 mm/3.2"
Wt: 2.7 kg/6.1 lbs.
Colour: light grey



7 35 litres - Ref. 1B111

with drainage holes in base
Ext. dim.: L 600 x w 278 x h 355mm
Ext. dim.: L 23.6 x w 10.9 x h 14.0"
Int. dim.: L 508 x w 210 x h 308mm
Int. dim.: L 20.0 x w 8.3 x h 12.1"
Nested height: 114mm/4.5"
Weight: 3.4 Kg/7.5 lbs.
Colour: dark grey



8 21 litres - Ref. 1B535

With drainage holes in base
Ext. dim.: L 600 X w 280 X h 230 mm
Ext. dim.: L 23.6 X w 10.9 X h 9.0"
Int. dim.: L 513 X w 215 X h 181 mm
Int. dim.: L 20.2 X w 8.4 X h 7.1"
nested height: 87 mm/3.4"
Wt: 2.8 kg/6.1 lbs.
Colour: dark grey



9 68 litres - Ref. 1B194

with drainage holes in base
Ext. dim.: L 600 x w 485 x h 355mm
Ext. dim.: L 23.6 x w 19.1 x h 14.0"
Int. dim.: L 508 x w 411 x h 308mm
Int. dim.: L 20.0 x w 16.2 x h 12.1"
Nested height: 114mm/4.5"
Weight: 5.0 Kg/12.1 lbs.
Colour: dark grey



10 65 litres - Ref. 1B202

Ext. dim.: L 610 x w 495 x h 320mm
Ext. dim.: L 24.0 x w 19.5 x h 12.6"
Int. dim.: L 520 x w 423 x h 273mm
Int. dim.: L 20.5 x w 16.7 x h 10.7"
Nested height: 57mm/2.2"
Weight: 3.7 Kg/8.1 lbs.
Colour: light grey



11 66 litres - Ref. 1B524

Ext. dim.: L 689 X w 430 X h 320 mm
Ext. dim.: L 27.1 X w 16.9 X h 12.5"
Int. dim.: L 600 X w 350 X h 289 mm
Int. dim.: L 23.5 X w 13.8 X h 11.4"
nested height: 75 mm/2.9"
Wt: 3.7 kg/8.2 lbs.
Colour: light grey.

66 litres - Ref. 1B523

minimum order item

*These two models interstack



Allibert Buckhorn large Attached Lid Containers are used by manufacturers, service industries and the retail sector for a wide variety of storage, handling and distribution applications.



Uses include automotive component supply, engineer's kit boxes, pharmaceutical distribution, office and home removals...



retail distribution, archive storage, handling forensic evidence, courier services – the list is endless!



Hot-foil printing company logo and message increases brand awareness and clearly identifies the container as the owner's property.

Large attached lid containers



1 80 litres - Ref. 10082 
polypropylene - with 6 drainage holes in base
Ext. dim.: L 710 X w 460 X h 368 mm
Ext. dim.: L 28.0 X w 18.1 X h 14.5"
Int. dim.: L 597 X w 374 X h 330 mm
Int. dim.: L 23.5 X w 14.7 X h 13.0"
nested height: 80 mm/3.2"
Wt: 4.3 kg/9.5 lbs., Colour: **dark green/ light green, blue, red.** SKU quantity: 30



2 80 litres - Ref. 10083 
polypropylene
as ref. 10082 without drainage holes.
Colour: **dark green / light green.**
SKU quantity: 30



3 108 litres – Ref. 1B571
Ext. dim.: L 710 x w 530 x h 390mm
Ext. dim.: L 28.0 x w 20.9 x h 15.4"
Int. dim.: L 635 x w 460 x h 355mm
Int. dim.: L 25.0 x w 18.1 x h 14.0"
Nested height: 140mm/5.5"
Weight: 5.7 Kg/12.5 lbs.
Colour: light grey



4 165 litres - Ref. 10165
minimum order item
polypropylene
Ext. dim.: L 745 X w 567 X h 616 mm
Ext. dim.: L 29.3 X w 22.3 X h 24.3"
Int. dim.: L 549 X w 459 X h 585 mm
Int. dim.: L 21.6 X w 18.1 X h 23.0"
nested height: 85 mm/3.3"
Wt: 7.3 kg/16.1 lbs., Colour: grey / red.



5 180 litres – Ref. 1B650
Ext. dim.: L 865 x w 610 x h 500mm
Ext. dim.: L 34.1 x w 24.0 x h 19.7"
Int. dim.: L 760 x w 495 x h 460mm
Int. dim.: L 29.9 x w 19.5 x h 18.1"
Nested height: 183mm/7.2"
Weight: 8.6 Kg/18.9 lbs.
Colour: light grey



6 130 litres - Ref. 10125 
polypropylene
Ext. dim.: L 1,160 X w 480 X h 360 mm
Ext. dim.: L 45.7 X w 18.9 X h 14.2"
Int. dim.: L 1,000 X w 370 X h 332 mm
Int. dim.: L 39.4 X w 14.6 X h 13.0"
nested height: 80 mm/3.2"
Wt: 7.55 kg/16.6 lbs., Colour: **grey / red.**
SKU quantity: 20



7 78 litres – Ref. 1B561
with drainage holes in base
Ext. dim.: L 1,216 x w 280 x h 365mm
Ext. dim.: L 47.9 x w 11.0 x h 14.4"
Int. dim.: L 1,121 x w 206 x h 308mm
Int. dim.: L 44.1 x w 8.1 x h 12.1"
Nested height: 115mm/4.5"
Weight: 6.2 Kg/13.6 lbs.
Colour: dark grey

SKU (Stock Keeping Unit): Attractive discounts are available for products ordered in SKU quantities.



Distribution picking containers

Stacking and nesting containers with lids

37

Easy pickings

- Allibert Buckhorn DPC's (Distribution Picking Containers) combine the ease of access required for order picking with the protection and security of a returnable distribution container.



- Sliding door combined with 'multi-fold' lid allows easy access to the container when on racking or shelving.



- The sliding door also permits access when stacked.



- Containers stack with the lid closed and nest with lid open - saving valuable space on return transport or when not in use.
- The hinged lid inhibits theft when fitted with tamper-evident seal ref. 00701 at both ends.
- Multiple identification options include card holders on sliding door and at rear (cover ref. 00473), locations for document holder ref. 00509 on sides, pimple pads for easy removal of adhesive labels and areas for bar code labelling.
- DPC's can also be factory fitted with RF Tags.



1 54 litres - Ref. 10550*

polypropylene - DPC with sliding door and standard ALC lid
 Ext. dim.: L 600 X w 400 X h 320 mm
 Ext. dim.: L 23.6 X w 15.8 X h 12.6"
 Int. dim.: L 505 X w 334 X h 292 mm
 Int. dim.: L 20.0 X w 13.1 X h 11.5"
 Door aperture: 290 x 165 mm
 11.4 x 6.5"
 Nested height: 110 mm/4.3"
 Wt: 3.2 kg/7.1 lbs.
 Colour: **Dark green / light green**
 SKU quantity: 32

54 litres - Ref. 10551*

minimum order item
 as Ref. 10550 with insert on lid to take label holder ref. OPE41



2 54 litres - Ref. 10552*

polypropylene - DPC with sliding door and multi-fold lid
 Ext. dim.: L 600 x w 400 x h 320 mm
 Ext. dim.: L 23.6 X w 15.8 x h 12.6"
 Int. dim.: L 505 X w 334 x h 292 mm
 Int. dim.: L 20.0 X w 13.1 x h 11.5"
 Door aperture: 290 x 165 mm
 11.4 x 6.5"
 Nested height: 110 mm/4.3"
 Wt: 3.2 kg/7.1 lbs.
 Colour: **Dark green / light green**
 SKU quantity: 32

54 litres - Ref. 10553*

minimum order item
 as Ref. 10552 with insert on lid to take label holder ref. OPE41

* these four models interstack and internest



3 33 litres - Ref. 10032

with drop-door and multi-fold lid
 Ext. dim: L 552 X w 387 X h 235 mm
 Ext. dim: L 21.8 X w 15.3 X h 9.3"
 Int. dim: L 467 X w 330 X h 200 mm
 Int. dim: L 18.4 X w 13.0 X h 7.9"
 nested height: 73 mm/2.9"
 Wt: 2.7 kg/5.9 lbs.
 Colour: light grey
 Container ref. 10032 is not compatible with the DPC accessories.

Nesting containers, stacking with lids

38



1 13 litres - Ref. 31014*

polypropylene
Ext. dim.: L 400 X w 300 X h 160 mm
Ext. dim.: L 15.8 X w 11.8 X h 6.3"
Int. dim.: L 331 X w 223 X h 158 mm
Int. dim.: L 13.0 X w 8.8 X h 6.2"
nested height: 63 mm/2.4"
Wt: 0.86 kg/1.9 lbs., Colour: green.
SKU quantity: 160



2 Ref. 61014

polypropylene
lid for containers ref. 31014 & 31026
Ext. dim.: L 400 X w 300 X h 43 mm
Ext. dim.: L 15.8 X w 11.8 X h 1.7"
Wt: 0.36 kg/0.8 lbs., Colour: green.
SKU quantity: 20



3 26 litres - Ref. 31026*

polypropylene
Ext. dim.: L 400 X w 300 X h 320 mm
Ext. dim.: L 15.8 X w 11.8 X h 12.6"
Int. dim.: L 331 X w 223 X h 318 mm
Int. dim.: L 13.0 X w 8.8 X h 12.5"
nested height: 106 mm/4.1"
Wt: 1.26 kg/2.8 lbs., Colour: green.
SKU quantity: 80

UN approved for the transportation of dangerous products



5 44 litres - Ref. 31047

polypropylene
Ext. dim.: L 600 X w 400 X h 240 mm
Ext. dim.: L 23.6 X w 15.8 X h 9.5"
Int. dim.: L 523 X w 331 X h 238 mm
Int. dim.: L 20.6 X w 13.0 X h 9.4"
nested height: 93 mm/3.6"
Wt: 1.68 kg/3.7 lbs., Colour: green.
SKU quantity: 50



6 Ref. 61049

polypropylene
lid for container ref. 31047
Ext. dim.: L 600 X w 400 X h 43 mm
Ext. dim.: L 23.6 X w 15.8 X h 1.7"
Wt: 0.67 kg/1.5 lbs., Colour: green.
SKU quantity: 10



Interstacking of container refs. 31014 and 31026 on container ref. 31047 when fitted with lid, or can be nested into container ref. 31047 when empty.

Developed for the collection of waste type DTQD; container ref. 31051UN, fitted with lid ref. 60146, is UN approved for the transportation of glass packaged dangerous liquids and solids.



9 55 litres - Ref. 31051

Ext. dim.: L 600 X w 400 X h 300 mm
Ext. dim.: L 23.6 X w 15.8 X h 11.8"
Int. dim.: L 526 X w 332 X h 295 mm
Int. dim.: L 20.7 X w 13.1 X h 11.6"
nested height: 85 mm/3.4"
Wt: 2.33 kg/5.1 lbs., Colour: red.
SKU quantity: 50

10 Ref. 61046

security lid for ref. 31051, 31051UN, 31037 and Traditional series stack/nest containers
Ext. dim.: L 614 X w 412 X h 40 mm
Ext. dim.: L 24.2 X w 16.2 X h 1.6"
Wt: 0.98 kg/2.2 lbs., Colour: red.
SKU quantity: 13



11 Ref. 91005

dolly for container ref. 31051 and 600 X 400 containers (see p. 60)

12 Ref. 00002

security seal for container ref. 31051 (supplied in bags of 1,000).



13 55 litres - Ref. 31051UN

minimum order item
Ext. dim.: L 600 x w 400 x h 300mm
Ext. dim.: L 23.6 x w 15.8 x h 11.8"
Int. dim.: L 526 x w 332 x h 295mm
Int. dim.: L 20.7 x w 13.1 x h 11.6"
Nested height: 85mm / 3.4"
Max. load: 37 Kg / 81 lbs.
Wt: 2.33 Kg/5.1 lbs., Colour: red

* These two models interstack.

Label holders

Identification

Range of label holders to allow easy identification:

- Label holders for different formats, types of labels and computer print outs.
- Allibert Buckhorn containers can also be fitted with the All'i'tag radio frequency tag for electronic identification of contents, destination, etc. (see page 108).
- Handle guard for European Standard Range containers with open handles.



1 Ref. 21000

handle guard for containers ref. 20085 - 20086 - 20087 - 04056 - 04057 - 21060 - 21061 - 21064 - 21090 - 21091 - 21092 - 21106 - 21135 - 21136 - 21162 - 21163 - 21164. Colour: grey.

2 Ref. OPE01

polypropylene label clip
overall dimensions
46 X 32 X 20 mm
1.8 X 1.3 X 0.8"
colour: natural white.
not supplied with rivets



3 Ref. OPE02

Card clip
Available in polypropylene and HDPE.
Can be welded or riveted onto container.



4 Ref. OPE05

polypropylene label holder
label size: 85 X 189 mm
label size: 3.3 X 7.4"
Colour: yellow
not supplied with rivets.



5 Ref. OPE06

Label holder for ESR containers and ref. 11051 except ref. 20002 - 21006 - 21008 - 21009 - 21013
label size: 125 X 65 mm
label size: 4.9 X 2.6"
colour: black.
not supplied with rivets



6 Ref. OPEA6

polypropylene label holder
Ext. dim.: 171 x 108mm
Ext. dim.: 6.7 x 4.3"
Label size: 150 x 105mm
Label size: 5.9 x 4.1"
Colour: clear
not supplied with rivets



7 Ref. OPE07

label holder in clear polycarbonate for containers ref. 20085 - 21020 - 21027 - 21030 - 21033 - 2A045 - 21060 - 21063 - 21135 and jumbox ref. 21250 - 21258 - 21298 - 21624 - 21626 and Geoboxes.



8 Ref. OPE08

polypropylene label holder
Dim: 240 X 47 X 6 mm
maximum label width: 210 mm
Colour: clear.



9 Ref. OPE39

label holder in clear polycarbonate
European Standard Range with flat sides
Dim. 235 X 85 X 8 mm
3 windows 62 X 62 mm
maximum label width: 200 mm/7.9".



10 Ref. OPE90

stainless steel label clip
overall dimensions
13 X 76 X 19 mm
0.5 X 3.0 X 0.7"



Stacking and nesting containers

41



Eurorange stacking and nesting containers

600 x 400

42

Distribution Containers

- Re-usable containers eliminate the cost of disposable packaging waste.
- Well ventilated for maximum thermal exchange in fridges and freezers.
- Vertical sides for maximum volume.
- Excellent stability when stacked for maximum loading of transport vehicles.
- 180° stack/nest, bi-colour design identifies stacking and nesting positions.




Retail distribution: protection of fresh produce during transportation and unloading (ref. 13047).




1 26 litres - Ref. 13A17*
ventilated sides and base
Ext. dim.: L 600 X w 400 X h 147 mm
Ext. dim.: L 23.6 X w 15.8 X h 5.8"
Int. dim.: L 553 X w 360 X h 122 mm
Int. dim.: L 21.8 X w 14.2 X h 4.8"
nested height: 76 mm/2.9"
Wt: 1.55 kg/3.4 lbs.
Colour: brown-red/beige.
SKU quantity: 65



2 26 litres - Ref. 13A18*
ventilated sides and base, version of ref. 13A17 with extra ventilation along collar
Ext. dim.: L 600 X w 400 X h 147 mm
Ext. dim.: L 23.6 X w 15.8 X h 5.8"
Int. dim.: L 553 X w 360 X h 122 mm
Int. dim.: L 21.8 X w 14.2 X h 4.8"
nested height: 76 mm/2.9"
Wt: 1.45 kg/3.2 lbs.
Colour: dark blue/light blue.
SKU quantity: 65



3 27 litres - Ref. 13A27*
ventilated sides, drainage holes in base
Ext. dim.: L 600 X w 400 X h 147 mm
Ext. dim.: L 23.6 X w 15.8 X h 5.8"
Int. dim.: L 553 X w 360 X h 131 mm
Int. dim.: L 21.8 X w 14.2 X h 5.2"
nested height: 76 mm/2.9"
Wt: 1.54 kg/3.4 lbs.
Colour: brown/beige.
SKU quantity: 65



4 35 litres - Ref. 13034*
ventilated sides and base with additional ventilation on sides
Ext. dim.: L 600 X w 400 X h 187 mm
Ext. dim.: L 23.6 X w 15.8 X h 7.4"
Int. dim.: L 553 X w 360 X h 171 mm
Int. dim.: L 21.8 X w 14.2 X h 6.7"
nested height: 96 mm/3.7"
Wt: 1.73 kg/3.8 lbs.
Colour: brown-red/beige.
SKU quantity: 50



5 35 litres - Ref. 13035*
ventilated sides, drainage holes in base
Ext. dim.: L 600 X w 400 X h 187 mm
Ext. dim.: L 23.6 X w 15.8 X h 7.4"
Int. dim.: L 553 X w 360 X h 171 mm
Int. dim.: L 21.8 X w 14.2 X h 6.7"
nested height: 96 mm/3.7"
Wt: 1.77 kg/3.9 lbs.
Colour: brown-red/beige.
SKU quantity: 50



6 35 litres - Ref. 13036*
fully ventilated version of container ref. 13035
Wt: 1.75 kg/3.9 lbs.
Colour: brown-red/beige.
SKU quantity: 50



7 45 litres - Ref. 13047*
ventilated sides, drainage holes in base
Ext. dim.: L 600 X w 400 X h 232 mm
Ext. dim.: L 23.6 X w 15.8 X h 9.1"
Int. dim.: L 553 X w 360 X h 217 mm
Int. dim.: L 21.8 X w 14.2 X h 8.5"
nested height: 122 mm/4.8"
Wt: 2.13 kg/4.7 lbs.
Colour: brown/beige.
SKU quantity: 40



8 60 litres - Ref. 13060*
ventilated sides, drainage holes in base
Ext. dim.: L 600 X w 400 X h 316 mm
Ext. dim.: L 23.6 X w 15.8 X h 12.5"
Int. dim.: L 553 X w 360 X h 297 mm
Int. dim.: L 21.8 X w 14.2 X h 11.7"
nested height: 162 mm/6.4"
Wt: 2.62 kg/5.8 lbs.
Colour: brown-red/beige.
SKU quantity: 25

45 litres - Ref. 13A46*
ventilated sides and base version of ref. 13047
Colour: brown/beige

60 litres - Ref. 13A61*
ventilated sides and base version of ref. 13060
Colour: brown/beige

Ref. 61045
snap-shut lid for 600 X 400 containers
Ext. dim.: L 613 X w 411 X h 39 mm
Ext. dim.: L 24.2 X w 16.2 X h 1.5"
Wt: 0.86 kg/1.9 lbs. Colour: grey, red.

* All these models interstack and internest.

SKU (Stock Keeping Unit): Attractive discounts are available for products ordered in SKU quantities.



Area with
pimple-pad for
adhesive labels.



Smooth surfaces allowing easy
cleaning (ref. 13042 and 13050).



1 36 litres - Ref. 13042*

solid sides and base
Ext. dim.: L 600 X w 400 X h 200 mm
Ext. dim.: L 23.6 X w 15.8 X h 7.9"
Int. dim.: L 547 X w 345 X h 186 mm
Int. dim.: L 21.6 X w 13.6 X h 7.3"
nested height: 100 mm/3.9"
Wt: 2.03 kg/4.5 lbs.
Colour: grey/red.
SKU quantity: 50



2 51 litres - Ref. 13050*

solid sides and base
Ext. dim.: L 600 X w 400 X h 280 mm
Ext. dim.: L 23.6 X w 15.8 X h 11.0"
Int. dim.: L 547 X w 345 X h 266 mm
Int. dim.: L 21.6 X w 13.6 X h 10.5"
nested height: 140 mm/5.5"
Wt: 2.47 kg/5.4 lbs.
Colour: grey/red.
SKU quantity: 35



3 26 litres - Ref. 13A18

see description page 42

4 Ref. 81000

minimum order item
polypropylene
lateral ventilated divider fits horizontally
into container ref. 13A18 and 13034 to
allow two layers of produce per tray
Wt: 0.45 kg/1.0 lbs.
SKU quantity: 20



5 20 litres - Ref. 13020**

ventilated sides, drainage holes in base
Ext. dim.: L 600 X w 400 X h 118 mm
Ext. dim.: L 23.6 X w 15.8 X h 4.6"
Int. dim.: L 556 X w 357 X h 100 mm
Int. dim.: L 21.9 X w 14.1 X h 3.9"
nested height: 78 mm/3.0"
Wt: 1.4 kg/3.1 lbs.
Colour: blue/green.
SKU quantity: 65



6 27 litres - Ref. 13024**

ventilated sides, drainage holes in base
Ext. dim.: L 600 X w 400 X h 153 mm
Ext. dim.: L 23.6 X w 15.8 X h 6.0"
Int. dim.: L 556 X w 357 X h 135 mm
Int. dim.: L 21.9 X w 14.1 X h 5.3"
nested height: 78 mm/3.0"
Wt: 1.5 kg/3.4 lbs.
Colour: blue/green.
SKU quantity: 65



7 45 litres - Ref. 13066**

ventilated sides, drainage holes in base
Ext. dim.: L 600 X w 400 X h 245 mm
Ext. dim.: L 23.6 X w 15.8 X h 9.6"
Int. dim.: L 556 X w 357 X h 235 mm
Int. dim.: L 21.9 X w 14.1 X h 9.3"
nested height: 124 mm/4.8"
Wt: 2.0 kg/4.4 lbs.
Colour: blue/green.
SKU quantity: 40

* These two models interstack
and internest.

** These three models interstack
and internest.



8 37 litres - Ref. 14040

Ext. dim.: L 600 X w 400 X h 200 mm
Ext. dim.: L 23.6 X w 15.8 X h 7.9"
Int. dim.: L 511 X w 341 X h 174 mm
Int. dim.: L 20.1 X w 13.4 X h 6.8"
nested height: 102 mm/4.0"
stacked height: 189 mm/7.4
capacity of retention channel in base: 0.5 l
Wt: 1.95 kg/4.3 lbs. Colour: white/red.
manufactured in freezer grade HDPE
SKU quantity: 50



9 50 litres - Ref. 14060

Ext. dim.: L 800 X w 400 X h 200 mm
Ext. dim.: L 31.5 X w 15.8 X h 7.9"
Int. dim.: L 707 X w 341 X h 174 mm
Int. dim.: L 27.8 X w 13.4 X h 6.8"
nested height: 102 mm/4.0"
stacked height: 189 mm/7.4
capacity of retention channel in base: 0.6 l
Wt: 2.7 kg/5.6 lbs. Colour: white/red.
manufactured in freezer grade HDPE
SKU quantity: 30



Cross stacking of containers ref. 14040 and 14060 on a 1,200 x 800 mm
pallet.



Meat boning: bi-colour containers offer fast stack and nest location, 70% space saving when nested (ref. 11032).

Traditional series



1 18 litres - Ref. 11018

solid sides and base

Ext. dim.: L 600 X w 400 X h 117 mm

Ext. dim.: L 23.6 X w 15.8 X h 4.6"

Int. dim.: L 458 X w 338 X h 102 mm

Int. dim.: L 18.0 X w 13.3 X h 4.0"

nested height: 34 mm/1.3"

Wt: 1.18 kg/2.6 lbs.

Colour: grey/light grey.

SKU quantity: 150



5 37 litres - Ref. 11037

ventilated sides and base

Ext. dim.: L 600 X w 400 X h 236 mm

Ext. dim.: L 23.6 X w 15.8 X h 9.3"

Int. dim.: L 460 X w 340 X h 205 mm

Int. dim.: L 18.1 X w 13.4 X h 8.1"

nested height: 75 mm/3"

Wt: 1.64 kg/3.6 lbs. Colour: orange.

SKU quantity: 60

Return value



Automotive: base suitable for conveyors (ref. 11A57).

- Standard 600 x 400 mm dimensions for use with 800 x 1,200 mm and 1,000 x 1,200 mm pallets.
- Nesting up to 70% when empty for maximum space economy during storage and returns.
- Bi-colour for quick identification of stacked and nested positions.
- Strong and durable for effective protection of the contents and safe stacking.



Automotive component manufacture: bi-colour for fast identification of stacked or nested positions (ref. 11034).



Safe and stable when stacked (ref. 11A57).



Salting: space saving of 70% when empty during storage (ref. 11032).

Stacking and nesting containers



2 18 litres - Ref. 11020

ventilated sides and base
Ext. dim.: L 600 X w 400 X h 117 mm
Ext. dim.: L 23.6 X w 15.8 X h 4.6"
Int. dim.: L 458 X w 338 X h 102 mm
Int. dim.: L 18.0 X w 13.3 X h 4.0"
nested height: 34 mm/1.3"
Wt: 1.09 kg/2.4 lbs.
Colour: grey/light grey.
SKU quantity: 150



3 32 litres - Ref. 11032

Ext. dim.: L 600 X w 400 X h 200 mm
Ext. dim.: L 23.6 X w 15.8 X h 7.9"
Int. dim.: L 457 X w 338 X h 177 mm
Int. dim.: L 18.0 X w 13.3 X h 7.0"
nested height: 60 mm/2.4"
Wt: 1.84 kg/4.1 lbs. Colour: **grey/light grey, grey/red**, white, red.
SKU quantity: 80



4 32 litres - Ref. 11034

ventilated sides and base
Ext. dim.: L 600 X w 400 X h 200 mm
Ext. dim.: L 23.6 X w 15.8 X h 7.9"
Int. dim.: L 457 X w 338 X h 177 mm
Int. dim.: L 18.0 X w 13.3 X h 7.0"
nested height: 60 mm/2.4"
Wt: 1.60 kg/3.5 lbs.
Colour: **grey/light grey**.
SKU quantity: 80

Cover

Allows palletised loads to be stacked on top of each other.

13 Ref. 64701

To secure palletised loads of Eurorange and Traditional stacking & nesting containers in conjunction with 1,000 x 1,200mm Packpal pallet with perimeter runners and Jumbopal pallet with 3 runners.
Ext. dim.: L 1,246 x w 1,046 x h 89mm
Ext. dim.: L 49.1 x w 41.2 x h 3.5"
Wt: 5.2 Kg/11.4 lbs., Colour: grey.



6 50 litres - Ref. 11051

Ext. dim.: L 600 X w 400 X h 300 mm
Ext. dim.: L 23.6 X w 15.8 X h 11.8"
Int. dim.: L 460 X w 340 X h 270 mm
Int. dim.: L 18.1 X w 13.4 X h 10.6"
nested height: 85 mm/3.3"
Wt: 2.30 kg/5.1 lbs. Colour: **red, grey, grey/light grey, grey/red**, white.
SKU quantity: 50



7 50 litres - Ref. 11053

minimum order item
solid base, ventilated sides version of container ref. 11051
Wt: 2.27 kg/5.0 lbs.
Colour: grey/light grey.



8 50 litres - Ref. 11052

ventilated sides and base version of container ref. 11051
Wt: 2.10 kg/4.6 lbs.,
Colour: **grey/light grey**.
SKU quantity: 50



Cover ref. 64701 and Packpal pallet ref. 3F503 with 20 containers ref. 11032.
See p.92



9 70 litres - Ref. 11065

Ext. dim.: L 600 X w 400 X h 400 mm
Ext. dim.: L 23.6 X w 15.8 X h 15.8"
Int. dim.: L 460 X w 340 X h 370 mm
Int. dim.: L 18.1 X w 13.4 X h 14.6"
nested height: 115 mm/4.5"
Wt: 3.06 kg/6.7 lbs.
Colour: **red, grey, grey/light grey**.
SKU quantity: 35



10 70 litres - Ref. 11066

ventilated sides and base version of ref. 11065
Wt: 2.65 kg/5.8 lbs. Colour: **grey**.
SKU quantity: 35



11 Ref. 61046

security lid for Traditional series stack/nest containers and ref. 31051
Ext. dim.: L 614 X w 412 X h 40 mm
Ext. dim.: L 24.2 X w 16.2 X h 1.6"
Wt: 0.98 kg/2.2 lbs.
Colour: grey, white, red.
SKU quantity: 13

12 Ref. 910A8

dolly for 600 X 400 mm containers (see p. 60).

SKU (Stock Keeping Unit): Attractive discounts are available for products ordered in SKU quantities.

Strategic Product: We aim to always hold stock of strategic products in colours identified in bold.

All the traditional series stacking and nesting containers interstack.

AE series stacking & nesting containers

600 x 400



Temperature controlled distribution: ventilated sides promote air circulation in fridges and freezers (ref. AE218)

Big on the inside

- Standard dimensions for palletisation.
- Maximum internal volume.
- Smooth internal surfaces protect contents from damage.




- Nest to 70% for maximum cost savings on return transport.

- Interstack with many 600 x 400 stacking containers.




Automated distribution: robot handling of palletised loads (ref. AE217)



1 16 litres – Ref. EG150
minimum order item
ventilated sides and base
Ext. dim.: L 400 x w 300 x h 180mm
Ext. dim.: L 15.8 x w 11.8 x h 7.1"
Int. dim.: L 385 x w 258 x h 160mm
Int. dim.: L 15.2 x w 10.2 x h 6.3"
nested height: 63mm / 2.5"
Wt: 0.9 Kg/2.0 lbs., Colour: green



2 27 litres – Ref. AE135*
ventilated sides, drainage holes in base
Ext. dim.: L 600 x w 400 x h 155mm
Ext. dim.: L 23.6 x w 15.8 x h 6.1"
Int. dim.: L 560 x w 360 x h 135mm
Int. dim.: L 22.0 x w 14.2 x h 5.3"
nested height: 54mm / 2.1"
Wt: 1.35 Kg/3.0 lbs.
Colour: brown-red



3 27 litres – Ref. AE136*
ventilated sides and base
Ext. dim.: L 600 x w 400 x h 155mm
Ext. dim.: L 23.6 x w 15.8 x h 6.1"
Int. dim.: L 560 x w 360 x h 135mm
Int. dim.: L 22.0 x w 14.2 x h 5.3"
nested height: 54mm / 2.1"
Wt: 1.35 Kg/3.0 lbs.
Colour: brown-red




4 34 litres – Ref. AE170**
ventilated sides, drainage holes in base
Ext. dim.: L 600 x w 400 x h 190mm
Ext. dim.: L 23.6 x w 15.8 x h 7.5"
Int. dim.: L 560 x w 360 x h 170mm
Int. dim.: L 22.0 x w 14.2 x h 6.7"
nested height: 61mm / 2.4"
Wt: 1.50 Kg/3.3 lbs.
Colour: brown-red




5 34 litres – Ref. AE171**
ventilated sides and base
Ext. dim.: L 600 x w 400 x h 190mm
Ext. dim.: L 23.6 x w 15.8 x h 7.5"
Int. dim.: L 560 x w 360 x h 170mm
Int. dim.: L 22.0 x w 14.2 x h 6.7"
nested height: 61mm / 2.4"
Wt: 1.50 Kg/3.3 lbs.
Colour: brown-red




6 43 litres – Ref. AE215***
ventilated sides, drainage holes in base
Ext. dim.: L 600 x w 400 x h 237mm
Ext. dim.: L 23.6 x w 15.8 x h 9.3"
Int. dim.: L 560 x w 360 x h 215mm
Int. dim.: L 22.0 x w 14.2 x h 8.5"
nested height: 69mm / 2.7"
Wt: 2.00 Kg/4.4 lbs.
Colour: brown-red



7 43 litres – Ref. AE216***
ventilated sides and base
Ext. dim.: L 600 x w 400 x h 237mm
Ext. dim.: L 23.6 x w 15.8 x h 9.3"
Int. dim.: L 560 x w 360 x h 215mm
Int. dim.: L 22.0 x w 14.2 x h 8.5"
nested height: 69mm / 2.7"
Wt: 2.00 Kg/4.4 lbs.
Colour: brown-red



8 43 litres – Ref. AE217***
ventilated sides, drainage holes in base
Ext. dim.: L 600 x w 400 x h 237mm
Ext. dim.: L 23.6 x w 15.8 x h 9.3"
Int. dim.: L 560 x w 360 x h 215mm
Int. dim.: L 22.0 x w 14.2 x h 8.5"
nested height: 69mm / 2.7"
Wt: 1.86 Kg/4.1 lbs.
Colour: grey/light grey



9 43 litres – Ref. AE218***
ventilated sides and base
Ext. dim.: L 600 x w 400 x h 237mm
Ext. dim.: L 23.6 x w 15.8 x h 9.3"
Int. dim.: L 560 x w 360 x h 215mm
Int. dim.: L 22.0 x w 14.2 x h 8.5"
nested height: 69mm / 2.7"
Wt: 1.75 Kg/3.6 lbs.
Colour: brown-red/beige

* These two models interstack

** These two models interstack



Distribution of fresh fish: protection and hygiene guaranteed with stacking and nesting containers (ref. 11061).

Space-saving when empty

- Great variety of containers for many uses.
- Nesting up to 75% when empty for maximum space-saving during storage and return transport.
- Strong, durable and stable when stacked.
- Ergonomic handles for ease of manual handling.



Food processing: vegetable preparation and handling (ref. 11056).



Gas Corporation: order picking of parts for nation-wide distribution (ref. 11A57).



Retail distribution: compatible with standard European pallet sizes (13026).


Stacking and nesting containers

47



1 20 litres - Ref. A1120

polypropylene, ventilated sides and base
Ext. dim.: L 600 X w 400 X h 120 mm
Ext. dim.: L 23.6 X w 15.8 X h 4.7"
Int. dim.: L 564 X w 342 X h 102 mm
Int. dim.: L 22.2 X w 13.5 X h 4.0"
nested height: 30 mm/1.2"
unit load: 10kg/22.1 lbs., stacked 10 high.
Wt: 0.52 kg/1.1 lbs., Colour: beige/orange
SKU quantity: 170



2 43 litres - Ref. 12043

polypropylene
ventilated sides and base
Ext. dim.: L 600 x w 400 x h 235mm
Ext. dim.: L 23.6 x w 15.8 x h 9.3"
Int. dim.: L 547 x w 347 x h 212mm
Int. dim.: L 21.5 x w 13.7 x h 8.3"
nested height: 60mm / 2.4"
Wt: 1.70 Kg/3.7 lbs.
Colour: blue/green



3 47 litres - Ref. AE260


solid base, ventilated sides
Ext. dim.: L 560 x w 380 x h 285mm
Ext. dim.: L 22.1 x w 15.0 x h 11.2"
Int. dim.: L 515 x w 335 x h 260mm
Int. dim.: L 20.3 x w 13.2 x h 10.2"
nested height: 85mm / 3.4"
Wt: 2.0 Kg/4.4 lbs.
Colour: brown-red

47 litres - Ref. AE261

as ref. AE260 with ventilated sides and

Stacking and nesting containers

48



1 17 litres - Ref. 19027*

minimum order item
ventilated sides and base
Ext. dim.: L 642 X w 544 X h 92 mm
Ext. dim.: L 25.3 X w 21.4 X h 3.6"
Int. dim.: L 604 X w 505 X h 56 mm
Int. dim.: L 23.8 X w 19.9 X h 2.2"
nested height: 34 mm/1.3"
Wt: 1.36 kg/3.0 lbs. Colour: blue/red.
SKU quantity: 62

* These two models interstack.

2 28 litres - Ref. 19028*

ventilated sides and base
Ext. dim.: L 642 X w 544 X h 117 mm
Ext. dim.: L 25.3 X w 21.4 X h 4.6"
Int. dim.: L 604 X w 505 X h 88 mm
Int. dim.: L 23.8 X w 19.9 X h 3.5"
nested height: 30 mm/1.2"
Wt: 1.56 kg/3.4 lbs.
Colour: brown-red/yellow.
SKU quantity: 64



3 28 litres - Ref. 19026

minimum order item
polypropylene
ventilated sides and base
Ext. dim.: L 643 X w 545 X h 118 mm
Ext. dim.: L 25.3 X w 21.5 X h 4.7"
Int. dim.: L 604 X w 505 X h 88 mm
Int. dim.: L 23.8 X w 19.9 X h 3.5"
nested height: 35 mm/1.4"
Wt: 1.33 kg/2.9 lbs. Colour: brown/yellow.
SKU quantity: 58




4 36 litres - Ref. 54042

ventilated sides and base
Ext. dim.: L 690 X w 430 X h 190 mm
Ext. dim.: L 27.2 X w 16.9 X h 7.5"
Int. dim.: L 575 X w 375 X h 165 mm
Int. dim.: L 22.7 X w 14.8 X h 6.5"
nested height: 60 mm/2.4"
Wt: 1.71 kg/3.8 lbs. Colour: white.
SKU quantity: 48




5 46 litres - Ref. 16050

minimum order item
polypropylene
Ext. dim.: L 800 x w 400 x h 200 mm
Ext. dim.: L 31.5 x w 15.7 x h 7.9"
Int. dim.: L 710 x w 345 x h 180 mm
Int. dim.: L 28.0 x w 13.6 x h 7.1"
Nested height: 100 mm/3.9"
Wt: 2.6 Kg/5.7 lbs., Colour: white



6 46 litres - Ref. 16054

minimum order item
polypropylene
solid base, ventilated sides
Ext. dim.: L 800 x w 400 x h 200 mm
Ext. dim.: L 31.5 x w 15.7 x h 7.9"
Int. dim.: L 710 x w 345 x h 180 mm
Int. dim.: L 28.0 x w 13.6 x h 7.1"
Nested height: 100 mm/3.9"
Wt: 2.5 Kg/5.5 lbs., Colour: white/beige




7 48 litres - Ref. 11048

minimum order item
ventilated sides and base
Ext. dim.: L 665 X w 460 X h 212 mm
Ext. dim.: L 26.2 X w 18.1 X h 8.3"
Int. dim.: L 625 X w 400 X h 194 mm
Int. dim.: L 24.6 X w 15.8 X h 7.6"
nested height: 108 mm/4.2"
Wt: 2.45 kg/5.4 lbs. Colour: grey.



8 51 litres - Ref. 54084

ventilated sides and base
Ext. dim.: L 730 X w 515 X h 220 mm
Ext. dim.: L 28.8 X w 20.3 X h 8.7"
Int. dim.: L 640 X w 440 X h 185 mm
Int. dim.: L 25.2 X w 17.3 X h 7.3"
nested height: 70 mm/2.8"
Wt: 2.74 kg/6.0 lbs. Colour: white.
SKU quantity: 26



9 59 litres - Ref. 11056**

minimum order item
ventilated sides and base
Ext. dim.: L 600 X w 400 X h 360 mm
Ext. dim.: L 23.6 X w 15.8 X h 14.2"
Int. dim.: L 515 X w 315 X h 328 mm
Int. dim.: L 20.3 X w 12.4 X h 12.9"
nested height: 115 mm/4.5"
Wt: 2.70 kg/5.9 lbs., Colour: brown-red.
SKU quantity: 35

** These two models interstack.

10 59 litres - Ref. 11055**

minimum order item
solid base and short sides, ventilated long sides
Ext. dim.: L 600 X w 400 X h 360 mm
Ext. dim.: L 23.6 X w 15.8 X h 14.2"
Int. dim.: L 515 X w 315 X h 328 mm
Int. dim.: L 20.3 X w 12.4 X h 12.9"
nested height: 115 mm/4.5"
Wt: 2.87 kg/6.3 lbs., Colour: brown-red.
SKU quantity: 35



11 80 litres - Ref. 11081

solid base, ventilated sides
Ext. dim.: L 600 X w 500 X h 363 mm
Ext. dim.: L 23.6 X w 19.7 X h 14.3"
Int. dim.: L 527 X w 427 X h 340 mm
Int. dim.: L 20.8 X w 16.8 X h 13.4"
nested height: 115 mm/4.5"
Wt: 2.90 kg/6.4 lbs., Colour: ivory.
SKU quantity: 28



12 145 litres - Ref. 11145

ventilated sides and base
Ext. dim.: L 800 X w 600 X h 440 mm
Ext. dim.: L 31.5 X w 23.6 X h 17.3"
Int. dim.: L 642 X w 442 X h 402 mm
Int. dim.: L 25.3 X w 17.4 X h 15.8"
nested height: 160 mm/6.3"
Wt: 5.02 kg/11.1 lbs., Colour: brown-red.
SKU quantity: 10



1 30 litres – Ref. 12A30*
Ext. dim.: L 800 x w 450 x h 150mm
Ext. dim.: L 31.5 x w 17.7 x h 5.9"
Int. dim.: L 620 x w 370 x h 115mm
Int. dim.: L 24.4 x w 14.6 x h 4.5"
nested height: 46mm / 1.8"
Wt: 2.50 Kg/5.5 lbs.
Colour: grey/light grey
(also available with 16 off 10mm Ø drainage holes, subject to minimum



quantity – Ref. 12A32)
2 30 litres – Ref. 12A31*
with external drainage
Ext. dim.: L 800 x w 450 x h 150mm
Ext. dim.: L 31.5 x w 17.7 x h 5.9"
Int. dim.: L 620 x w 370 x h 105mm
Int. dim.: L 24.4 x w 14.6 x h 4.1"
nested height: 46mm / 1.8"
Wt: 2.50 Kg/5.5 lbs.



Colour: grey/light grey
3 38 litres – Ref. 12041*
with external drainage
Ext. dim.: L 800 x w 450 x h 190mm
Ext. dim.: L 31.5 x w 17.7 x h 7.5"
Int. dim.: L 624 x w 372 x h 155mm
Int. dim.: L 24.6 x w 14.6 x h 6.1"
nested height: 55mm / 2.2"
Wt: 2.60 Kg/5.7 lbs.



4 35 litres - Ref. 12035
Ext. dim.: L 500 X w 400 X h 270 mm
Ext. dim.: L 19.7 X w 15.8 X h 10.6"
Int. dim.: L 370 X w 340 X h 240 mm
Int. dim.: L 14.6 X w 13.4 X h 9.5"
nested height: 86 mm/3.4"
Wt: 1.80 kg/4.0 lbs.,
Colour: white, grey, red.
SKU quantity: 60



5 44 litres - Ref. 11044
Ext. dim.: L 755 X w 435 X h 190 mm
Ext. dim.: L 29.7 X w 17.1 X h 7.5"
Int. dim.: L 680 X w 360 X h 170 mm
Int. dim.: L 26.8 X w 14.2 X h 6.7"
nested height: 58 mm/2.3"
Wt: 2.25 kg/5.0 lbs.,
Colour: white, red.
SKU quantity: 51




6 60 litres - Ref. 12061*
with external drainage
Ext. dim.: L 800 X w 450 X h 270 mm
Ext. dim.: L 31.5 X w 17.7 X h 10.6"
Int. dim.: L 620 X w 370 X h 230 mm
Int. dim.: L 24.5 X w 14.6 X h 9.1"
nested height: 77 mm/3.0"
Wt: 3.88 kg/8.6 lbs.,
Colour: red, grey.
SKU quantity: 36



7 66 litres - Ref. 12070*
Ext. dim.: L 800 X w 450 X h 292 mm
Ext. dim.: L 31.5 X w 17.7 X h 11.5"
Int. dim.: L 620 X w 370 X h 257 mm
Int. dim.: L 24.5 X w 14.5 X h 10.2"
nested height: 94 mm/3.7"
Wt: 4.06 kg/8.8 lbs., Colour: red, white.
SKU quantity: 30
* These five models interstack.



8 75 litres - Ref. 11074
Ext. dim.: L 890 X w 560 X h 235 mm
Ext. dim.: L 35.0 X w 22.0 X h 9.2"
Int. dim.: L 695 X w 475 X h 200 mm
Int. dim.: L 27.4 X w 18.7 X h 8.0"
nested height: 68 mm/2.7"
Wt: 4.15 kg/9.2 lbs.,
Colour: grey/light grey, grey/red.
SKU quantity: 28



75 litres - Ref. 11075
minimum order item.
As ref. 11074 with external drainage.
Colour: grey/red.



9 90 litres - Ref. 11090
Ext. dim.: L 620 X w 610 X h 420 mm
Ext. dim.: L 24.4 X w 24.0 X h 16.5"
Int. dim.: L 525 X w 415 X h 375 mm
Int. dim.: L 20.7 X w 16.4 X h 14.8"
nested height: 120 mm/4.7"
Wt: 4.35 kg/9.6 lbs., Colour: grey, red.
SKU quantity: 12

SKU (Stock Keeping Unit): Attractive discounts are available for products ordered in SKU quantities.

Stacking and nesting containers with stacking bars

50



Containers stack with bars in 'closed' position and nest with bars 'open'.



1 11 litres - Ref. 31016*

polypropylene
Ext. dim.: L 400 X w 300 X h 160 mm
Ext. dim.: L 15.8 X w 11.8 X h 6.3"
Int. dim.: L 331 X w 223 X h 135 mm
Int. dim.: L 13.0 X w 8.8 X h 5.5"
nested height: 63 mm/2.4"
Wt: 1.0 kg/2.2 lbs.,
Colour: yellow with orange stacking bars.



2 24 litres - Ref. 31028*

polypropylene
Ext. dim.: L 400 X w 300 X h 320 mm
Ext. dim.: L 15.8 X w 11.8 X h 12.6"
Int. dim.: L 331 X w 223 X h 295 mm
Int. dim.: L 13.0 X w 8.8 X h 11.6"
nested height: 105 mm/4.1"
Wt: 1.4 kg/3.1 lbs.,
Colour: yellow with orange stacking bars.



3 40 litres - Ref. 31049

polypropylene
Ext. dim.: L 600 X w 400 X h 240 mm
Ext. dim.: L 23.6 X w 15.8 X h 9.5"
Int. dim.: L 523 X w 331 X h 215 mm
Int. dim.: L 20.6 X w 13.0 X h 8.5"
nested height: 93 mm/3.6"
Wt: 1.84 kg/4.0 lbs.,
Colour: yellow with orange stacking bars.
SKU quantity: 50



4 Ref. 61014

polypropylene
lid for containers ref. 31016 & 31028
Ext. dim.: L 400 X w 300 X h 43 mm
Ext. dim.: L 15.8 X w 11.8 X h 1.7"
Wt: 0.36 kg/0.8 lbs., Colour: green.
SKU quantity: 20



5 Ref. 61049

polypropylene
lid for containers ref. 31049
Ext. dim.: L 600 X w 400 X h 43 mm
Ext. dim.: L 23.6 X w 15.8 X h 1.7"
Wt: 0.73 kg/1.6 lbs., Colour: green.
SKU quantity: 10

* These two models interstack and internest, they will also stack on ref. 31049 with lid fitted.



6 50 litres - Ref. 10057

ventilated sides and base
plastic stacking bars
Ext. dim.: L 600 X w 500 X h 205 mm
Ext. dim.: L 23.6 X w 19.7 X h 8.1"
Int. dim.: L 555 X w 458 X h 190 mm
Int. dim.: L 21.9 X w 18.0 X h 7.5"
nested height: 70 mm/2.8"
Wt: 2.14 kg/4.7 lbs., Colour: brown-red.
SKU quantity: 56



7 65 litres - Ref. 31006

minimum order item, polypropylene
16 drainage holes in base
plastic stacking bars
Ext. dim.: L 600 X w 400 X h 350 mm
Ext. dim.: L 23.6 X w 15.8 X h 13.8"
Int. dim.: L 548 X w 346 X h 326 mm
Int. dim.: L 21.6 X w 13.6 X h 12.8"
nested height: 117 mm/4.6"
Wt: 2.70 kg/5.9 lbs., Colour: grey.
SKU quantity: 35



8 55 litres - Ref. 10055

polypropylene
plastic stacking bars
Ext. dim.: L 787 X w 597 X h 155 mm
Ext. dim.: L 31.0 X w 23.5 X h 6.1"
Int. dim.: L 722 X w 570 X h 128 mm
Int. dim.: L 28.4 X w 22.5 X h 5.0"
nested height: 50 mm/1.97"
Wt: 2.30 kg/5.1 lbs., Colour: brown.
SKU quantity: 40



9 65 litres - Ref. 10065

polypropylene
plastic stacking bars
Ext. dim.: L 787 X w 597 X h 185 mm
Ext. dim.: L 31.0 X w 23.5 X h 7.3"
Int. dim.: L 722 X w 570 X h 157 mm
Int. dim.: L 28.4 X w 22.5 X h 6.2"
nested height: 50 mm/1.97"
Wt: 2.40 kg/5.3 lbs., Colour: brown.
SKU quantity: 38

SKU (Stock Keeping Unit): Attractive discounts are available for products ordered in SKU quantities.

10

**10 63 litres - Ref. 10060**

polypropylene
metal stacking bars
Ext. dim.: L 630 X w 495 X h 290 mm
Ext. dim.: L 24.8 X w 19.5 X h 11.4"
Int. dim.: L 560 X w 415 X h 265 mm
Int. dim.: L 22.1 X w 16.4 X h 10.4"
nested height: 100 mm/3.9"
Wt: 2.75 kg/6.1 lbs., Colour: red, green
SKU quantity: 27

12

**11 75 litres - Ref. 10076**

polypropylene
6 drainage holes in base
metal stacking bars
Ext. dim.: L 710 X w 460 X h 350 mm
Ext. dim.: L 28.0 X w 18.1 X h 13.8"
Int. dim.: L 599 X w 378 X h 310 mm
Int. dim.: L 23.6 X w 14.9 X h 12.2"
nested height: 80 mm/3.2"
Wt: 4.20 kg/9.3 lbs., Colour: red, grey.
SKU quantity: 30

13

**13 130 litres - Ref. 10130**

minimum order item
polypropylene
8 drainage holes in base
metal stacking bars
Ext. dim.: L 1,160 X w 480 X h 342 mm
Ext. dim.: L 45.7 X w 18.9 X h 13.5"
Int. dim.: L 1,000 X w 370 X h 322 mm
Int. dim.: L 39.4 X w 14.6 X h 12.7"
nested height: 80 mm/3.15"
Wt: 5.60 kg/12.3 lbs., Colour: grey.
SKU quantity: 20



Produce trays

- Allibert Buckhorn produce trays provide a reusable packaging solution for the distribution of fresh and frozen produce; including pre-packed foods, loose fruit & vegetables and sundry goods.

- Produce trays offer cost-effective solutions throughout the supply chain; from field to pack-house to distribution centre to store and for point-of-sale display.
- Securely stack on bars when loaded and nest when empty to save space on return transport.

- Smooth sides protect contents from damage and promote hygiene.

- Pimple-pad areas allow the removal of adhesive labels without leaving a sticky residue.
- Produce trays can also be factory fitted with RF Tags.

14

**14 17 litres - Ref. 15018**

polypropylene
Ext. dim.: L 400 x w 300 x h 200mm
Ext. dim.: L 15.8 x w 11.8 x h 7.9"
Int. dim.: L 359 x w 252 x h 184mm
Int. dim.: L 14.1 x w 9.9 x h 6.9"
Nested height: 52mm / 2.0"
Wt: 0.7 Kg / 1.5 lbs.
Colour: **Dark green.**
SKU quantity: 190

15

**15 35 litres - Ref. 15036**

polypropylene
Ext. dim.: L 600 x w 400 x h 200mm
Ext. dim.: L 23.6 x w 15.8 x h 7.9"
Int. dim.: L 544 x w 343 x h 184mm
Int. dim.: L 21.4 x w 13.5 x h 7.2"
Nested height: 50mm / 1.9"
Wt: 1.5 Kg / 3.4 lbs.
Colour: **Dark green.**
SKU quantity: 95



Harvesting of herbs from field to supermarket (ref. 15036).



Small parts storage

53





Automotive industry: Allibins are both strong and stable when stacked, ideal for heavy screws and bolts (Ref. 71002).

Efficient storage

- Open front allows easy access, all models stack securely.
- Available in four attractive colours from 0.33 to 75 litres capacity.



After-sales service: organisation of storage space (ref. 71002 and 71013).


- Integral label holder for easy identification.
- Moveable dividers for extra versatility.
- Wide range of accessories.



Automotive industry: individual components are quick to locate (ref. 71002).

Allibins from 0.3 to 35 litres are also available in electroconductive polypropylene (see p.23).

Allibin range



1 1/3 litre - Ref. 71006

polypropylene
Ext. dim.: L 90 X w 105 X h 52 mm
Ext. dim.: L 3.5 X w 4.1 X h 2.0"
Wt: 0.04 kg/0.1 lbs.
Colour: **red, yellow, blue, green.**
SKU quantity: 50 per carton.

2 1 litre - Ref. 71005

polypropylene
Ext. dim.: L 169 X w 105 X h 75 mm
Ext. dim.: L 6.7 X w 4.1 X h 3.0"
Wt: 0.09 kg/0.2 lbs.
Colour: **red, yellow, blue, green.**
SKU quantity: 50 per carton.

3 4 litres - Ref. 71004

polypropylene
Ext. dim.: L 240 X w 150 X h 125 mm
Ext. dim.: L 9.5 X w 5.9 X h 4.9"
Wt: 0.21 kg/0.47 lbs.
Colour: **red, yellow, blue, green.**
SKU quantity: 40 per carton.

4 9 litres - Ref. 71009*

polypropylene
Ext. dim.: L 360 X w 215 X h 145 mm
Ext. dim.: L 14.2 X w 8.5 X h 5.7"
Wt: 0.56 kg/1.23 lbs.
Colour: **red, yellow, blue, green.**
SKU quantity: 20 per carton.



5 13 litres - Ref. 71013*

polypropylene
Ext. dim.: L 360 X w 215 X h 200 mm
Ext. dim.: L 14.2 X w 8.5 X h 7.9"
Wt: 0.76 kg/1.7 lbs.
Colour: **red, yellow, blue, green.**
SKU quantity: 20 per carton.




6 Ref. 71014

polypropylene
divider for Allibin ref. 71013
SKU quantity: 40 per carton.



7 16 litres - Ref. 71017**

polypropylene
Ext. dim.: L 500 X w 315 X h 145 mm
Ext. dim.: L 19.7 X w 12.4 X h 5.7"
Wt: 1.22 kg/2.7 lbs.
Colour: **red, yellow, blue, green**
SKU quantity: 20 per carton.



8 Ref. 71018

polypropylene
divider for Allibin ref. 71017
SKU quantity: 40 per carton.



9 25 litres - Ref. 71027

Ext. dim.: L 400 X w 460 X h 180 mm
Ext. dim.: L 15.8 X w 18.1 X h 7.1"
Wt: 1.52 kg/3.3 lbs.
Colour: **red, yellow, blue, green**
SKU quantity: 10 per carton.



10 Ref. 71028

polypropylene
divider for Allibin ref. 71027
SKU quantity: 40 per carton.

* These two models interstack.

** These three models interstack.

SKU (Stock Keeping Unit): Attractive discounts are available for products ordered in SKU quantities.



11 28 litres - Ref. 71002** 
Ext. dim.: L 515 X w 315 X h 200 mm
Ext. dim.: L 20.3 X w 12.4 X h 7.9"
Wt: 1.57 kg/3.5 lbs.,
Colour: **red, yellow, blue, green.**
SKU quantity: 5 per carton.



12 35 litres - Ref. 71036**
Ext. dim.: L 500 X w 315 X h 300 mm
Ext. dim.: L 19.7 X w 12.4 X h 11.8"
Wt: 1.9 kg/4.2 lbs.,
Colour: red, yellow, blue, green.
SKU quantity: 8 per carton



13 Ref. 71L37
polypropylene
divider for Allibin ref. 71036
SKU quantity: 24 per carton



14 45 litres - Ref. 72E45*** 
with support bar for stacking
Ext. dim.: L 614 X w 384 X h 250 mm
Ext. dim.: L 24.2 X w 15.1 X h 9.9"
Wt: 2.58 kg/5.7 lbs.,
Colour: **red.**
SKU quantity: 20 per carton.



15 75 litres - Ref. 72E75*** 
with support bar for stacking
Ext. dim.: L 724 X w 442 X h 305 mm
Ext. dim.: L 28.5 X w 17.4 X h 12.0"
Wt: 3.88 kg/8.5 lbs.,
Colour: **red.**
SKU quantity: 24 per carton.

Louvered panels

Quick and easy to install at any location; on walls, at work stations, inside vans, ends of pallet racking or shelving, in-store point of sale, etc. Allibins incorporate a lip to securely clip onto louvered panels (except refs. 72E45, 72E75). Colour: light grey.

Spigots

Spigots clip onto louvered panels, bench units, trolleys and free standing racks (see page 56). For carrying such items as scissors, rolls of tape, etc. Colour: light grey.



Ref. 71AP1
louvered panel
Dim: L 457 X h 444mm
Dim: L 18.0 X h 17.5"

16 Ref. 71AP2
louvered panel
Dim: L 457 X h 952mm
Dim: L 18.0 X h 37.5"

Ref. 71AP3
louvered panel
Dim: L 457 X h 1,562mm
Dim: L 18.0 X h 61.5"

Ref. 71AP4
louvered panel
Dim: L 457 X h 1,867mm
Dim: L 18.0 X h 73.5"

Ref. 71AP5
louvered panel
Dim: L 914 X h 444mm
Dim: L 36.0 X h 17.5"

Ref. 71AP6
louvered panel
Dim: L 914 X h 952mm
Dim: L 36.0 X h 37.5"

Ref. 71AP7
louvered panel
Dim: L 914 X h 1,562mm
Dim: L 36.0 X h 61.5"

Ref. 71AP8
louvered panel
Dim: L 914 X h 1,867mm
Dim: L 36.0 X h 73.5"

Ref. 71AS1
spigot - square profile
Dim: L 152 X $\square$ 19mm
Dim: L 6.0 X $\square$ 0.8"

17 Ref. 71AS2
spigot - square profile
Dim: L 305 X $\square$ 19mm
Dim: L 12.0 X $\square$ 0.8"

Ref. 71AS4
spigot - round profile
Dim: L 152 X $\circ$ 13mm
Dim: L 6.0 X $\circ$ 0.5"

Ref. 71AS5
spigot - round profile
Dim: L 305 X $\circ$ 13mm
Dim: L 12.0 X $\circ$ 0.5"

** These three models interstack.

*** These two models are not suitable for louvered panels.

Free standing racks

Free standing racks incorporate louvered panels on either one or both sides. Extension panels, measuring the same height and depth, can be used to increase length. Colour: light grey.



Single-sided free standing racks

Ref. 71FS1

Dim: L 533 X h 1,067 X d 520mm
Dim: L 21.0 X h 42.0 X d 20.5"

Ref. 71EX1

bolt on extension for ref. 71FS1
Dim: L 519 / 20.4"

Ref. 71FS3

Dim: L 533 X h 1,676 X d 520mm
Dim: L 21.0 X h 66.0 X d 20.5"

Ref. 71EX3

bolt on extension for ref. 71FS3
Dim: L 519 / 20.4"

Ref. 71FS5

Dim: L 980 X h 1,067 X d 520mm
Dim: L 38.6 X h 42.0 X d 20.5"

Ref. 71EX5

bolt on extension for ref. 71FS5
Dim: L 966 / 38.1"

Ref. 71FS7

Dim: L 980 X h 1,676 X d 520mm
Dim: L 38.6 X h 66.0 X d 20.5"

Ref. 71EX7

bolt on extension for ref. 71FS7
Dim: L 966 / 38.1"

Double-sided free standing racks

Ref. 71FS2

Dim: L 533 X h 1,067 X d 762mm
Dim: L 21.0 X h 42.0 X d 30.0"

Ref. 71EX2

bolt on extension for ref. 71FS2
Dim: L 519 / 20.4"

Ref. 71FS4

Dim: L 533 X h 1,676 X d 762mm
Dim: L 21.0 X h 66.0 X d 30.0"

Ref. 71EX4

bolt on extension for ref. 71FS4
Dim: L 519 / 20.4"

Ref. 71FS6

Dim: L 980 X h 1,067 X d 762mm
Dim: L 38.6 X h 42.0 X d 30.0"

Ref. 71EX6

bolt on extension for ref. 71FS6
Dim: L 966 / 38.1"

1 Ref. 71FS8

Dim: L 980 X h 1,676 X d 762mm
Dim: L 38.6 X h 66.0 X d 30.0"

Ref. 71EX8

bolt on extension for ref. 71FS8
Dim: L 966 / 38.1"

Bench units

Free standing louvered panels designed for storage on work tops. Colour: light grey.



Ref. 7ABU1

single-sided bench unit
Dim: L 457 X h 444 X d 152mm
Dim: L 18.0 X h 17.5 X d 6.0"

2 Ref. 7ABU2

single-sided bench unit
Dim: L 914 X h 444 X d 152mm
Dim: L 36.0 X h 17.5 X d 6.0"

Trolleys

Double-sided trolleys fitted with handles and nylon castors. Colour: light grey.



Ref. 7ATD1

double-sided trolley
Dim: L 495 X h 1,160 X d 762mm
Dim: L 19.5 X h 45.7 X d 30.0"

3 Ref. 7ATD4

double-sided trolley
Dim: L 950 X h 1,160 X d 762mm
Dim: L 37.4 X h 45.7 X d 30.0"

Ref. 7ATD6

double-sided trolley
Dim: L 950 X h 1,676 X d 762mm
Dim: L 37.4 X h 66.0 X d 30.0"

L x h x d : Length x height x depth

Shelf storage trays

57

Itemised storage

- Maximize storage space in carousels, cupboards and shelving storage systems.
 - Trays in six sizes with movable slot-in dividers.
 - Each model incorporates a label holder for fast identification of contents.
- Dividers also include a label holder.
- A handle at the front and catch at the rear provide comfort and safety during picking.



1 2.5 litre - Ref. 78410*

polypropylene
grooves for up to 6 dividers
Ext. dim.: L 400 X w 115 X h 80 mm
Ext. dim.: L 15.8 X w 4.5 X h 3.2"
Int. dim.: L 350 X w 95 X h 75 mm
Int. dim.: L 13.8 X w 3.8 X h 3.0"
Wt: 0.4 kg/0.9 lbs., Colour: blue.
SKU quantity: 20 per carton.

2 5.5 litre - Ref. 78420**

polypropylene
grooves for up to 6 dividers
Ext. dim.: L 400 X w 230 X h 80 mm
Ext. dim.: L 15.8 X w 9.1 X h 3.2"
Int. dim.: L 350 X w 210 X h 75 mm
Int. dim.: L 13.8 X w 8.3 X h 3.0"
Wt: 0.56 kg/1.2 lbs., Colour: blue.
SKU quantity: 10 per carton.



3 Ref. 78L10

polypropylene
divider for trays ref. 78410, 78510 & 78610.
Dim.: 93 X 69 mm
Dim.: 3.6 X 2.7"
Wt: 0.02 kg/0.4 lbs. Colour: grey.



4 3.2 litres - Ref. 78510*

polypropylene
grooves for up to 8 dividers
Ext. dim.: L 500 X w 115 X h 80 mm
Ext. dim.: L 19.7 X w 4.5 X h 3.2"
Int. dim.: L 450 X w 95 X h 75 mm
Int. dim.: L 17.7 X w 3.8 X h 3.0"
Wt: 0.46 kg/1.1 lbs., Colour: blue.
SKU quantity: 20 per carton.

5 7 litres - Ref. 78520**

polypropylene
grooves for up to 8 dividers
Ext. dim.: L 500 X w 230 X h 80 mm
Ext. dim.: L 19.7 X w 9.1 X h 3.2"
Int. dim.: L 450 X w 210 X h 75 mm
Int. dim.: L 17.7 X w 8.3 X h 3.0"
Wt: 0.68 kg/1.5 lbs., Colour: blue.
SKU quantity: 10 per carton.



6 Ref. 78L20

polypropylene
divider for trays ref. 78420, 78520 & 78620.
Dim.: 207 X 69 mm
Dim.: 8.1 X 2.7"
Wt: 0.04 kg/0.08 lbs. Colour: grey.




7 3.9 litres - Ref. 78610*

polypropylene
grooves for up to 10 dividers
Ext. dim.: L 600 X w 115 X h 80 mm
Ext. dim.: L 23.6 X w 4.5 X h 3.2"
Int. dim.: L 550 X w 95 X h 75 mm
Int. dim.: L 21.7 X w 3.8 X h 3.0"
Wt: 0.58 kg/1.3 lbs., Colour: blue.
SKU quantity: 20 per carton.

8 8.7 litres - Ref. 78620**


polypropylene
grooves for up to 10 dividers
Ext. dim.: L 600 X w 230 X h 80 mm
Ext. dim.: L 23.6 X w 9.1 X h 3.2"
Int. dim.: L 550 X w 210 X h 75 mm
Int. dim.: L 21.7 X w 8.3 X h 3.0"
Wt: 0.80 kg/1.8 lbs., Colour: blue.
SKU quantity: 10 per carton.

* These three models interstack.
** These three models interstack.



Dollies and trolleys

59





Automotive supplier: dollies allow stable stacking of containers (ref. 91005).

Mobility

- Light and strong for effortlessly moving loads up to 250 kg.
- For manoeuvrability, most models are available with a choice of 2 fixed and 2 swivel or 4 swivel castors.
- A rim on each dolly ensures secure stacking of containers - they are ideal for handling many of the Allibert Buckhorn container ranges.
- 600 X 400 or 800 X 600 mm dimensions.



Pharmaceutical industry: manoeuvrability in cramped areas. (ref. 910A8).

Dollies and trolleys

Wheeled dollies

Allibert dollies for 400 x 300 mm and 600 x 400 mm European Standard Range stacking containers, 600 x 400 mm stacking & nesting containers (except refs. 13020, 13024, 13042, 13050 & 13060), 600 x 400 mm attached lid containers and insulated container refs. ISO23, ISO24, ISO51 and ISO04.



1 Ref. 91005 
Nylon wheels on galvanised mountings
Dim.: L 604 X w 402 X h 162 mm
Dim.: L 23.8 X w 15.8 X h 6.4"
four swivel castors, Ø 100 mm/4"
loading: 250 kg/550 lbs
Wt: 4.00 kg/8.8 lbs. Colour: red.




2 Ref. 91011
minimum order item
Rubber wheels on galvanised mountings
Dim.: L 604 X w 402 X h 162 mm
Dim.: L 23.8 X w 15.8 X h 6.4"
four swivel castors, Ø 100 mm/4"
loading: 250 kg/550 lbs
Wt: 4.00 kg/8.8 lbs. Colour: red.



3 Ref. 910A8
As dolly ref. 91005, with handle
Dim.: L 604 X w 402 X h 965 mm
Dim.: L 23.8 X w 15.8 X h 38.0"
four swivel castors, Ø 100 mm/4"
Wt: 8.90 kg/19.6 lbs. Colour: red.

Ref. 91012
Nylon wheels on stainless steel mountings
Dim.: L 604 X w 402 X h 162 mm
Dim.: L 23.8 X w 15.8 X h 6.4"
four swivel castors, Ø 100 mm/4"
loading: 250 kg/550 lbs
Wt: 4.00 kg/8.8 lbs. Colour: red.

Ref. 91021
minimum order item
Rubber wheels on galvanised mountings
Dim.: L 604 X w 402 X h 162 mm
Dim.: L 23.8 X w 15.8 X h 6.4"
four swivel castors, Ø 100 mm/4",
loading: 250 kg/550 lbs
with thread guards
Wt: 4.00 kg/8.8 lbs. Colour: red.



4 Ref. 99824
minimum order item
Nylon wheels on galvanised mountings
two fixed, two swivel castors
diameter 100 mm/4".



5 Ref. 99822
Rubber wheels on galvanised mountings
two fixed, two swivel castors,
diameter 100 mm/4".

Ref. 99826
minimum order item
Rubber wheels on stainless steel mountings
two fixed, two swivel castors,
diameter 100 mm/4".



6 Ref. D8060
steel dolly for 800 X 600 mm ESR containers
four swivel nylon castors,
diameter 76 mm/3"
Colour: black.

For all these 800 X 600 dollies
Ext dim.: L 825 X w 620 X h 155 mm
Ext dim.: L 32.5 X w 24.4 X h 6.1"
loading: 250 kg/550 lbs
Wt: 5.50 kg/12.1 lbs. Colour: red.

Ref. D6040
steel dolly for 600 X 400 mm ESR containers
four swivel nylon castors,
diameter 76 mm/3"
Colour: black.



Strategic Product: We aim to always hold stock of strategic products in colours identified in bold.

Multimover trolleys



Service industry: for moving a variety of loads (ref. 97032 and 97042)

Versatile handling

- Ideal for moving a large variety of loads - in the office, factory, warehouse or when on the move.
- Light compact design with folding handle for easy storage in cupboard or car boot.
- Solid plastic platform covered with non-slip surface.

TROLLEYS WITH A FOLDING HANDLE

1 Ref. 97032

folding handles with automatic lock
Dim.: L 750 X w 400 X h 960 mm
Dim.: L 29.6 X w 15.8 X h 37.8"
platform dim.: L 600 X w 400 mm
platform dim.: L 23.6 X w 15.8"
dimensions when folded:
L 860 X w 400 X h 250 mm
L 33.8 X w 15.8 X h 9.9"
2 fixed, 2 swivel castors, Ø 100 mm/4"
solid rubber tyres
black epoxy coated steel handle
HDPE platform with non-slip surface
load: 210 kg/460 lbs.,
Colour: beige.



2 Ref. 97042

folding handles with automatic lock
Dim.: L 950 X w 600 X h 960 mm
Dim.: L 37.4 X w 23.6 X h 37.8"
platform dim.: L 800 X w 600 mm
platform dim.: L 31.5 X w 23.6"
dimensions when folded:
L 910 X w 600 X h 250 mm
L 35.9 X w 23.6 X h 9.9"
2 fixed, 2 swivel castors, Ø 100 mm/4"
solid rubber tyres
black epoxy coated steel handle
HDPE platform with non-slip surface
load: 210 kg/460 lbs.,
Colour: beige.



WHEELED DOLLIES

3 Ref. 97030

Dim.: L 600 X w 400 X h 165 mm
Dim.: L 23.6 X w 15.8 X h 6.5"
2 fixed, 2 swivel castors, Ø 100 mm/4"
solid rubber tyres
HDPE platform with non-slip surface
load: 210 kg/460 lbs., Colour: red.

Ref. 97040


Dim.: L 800 X w 600 X h 165 mm
Dim.: L 31.5 X w 23.6 X h 6.5"
2 fixed, 2 swivel castors, Ø 100 mm/4"
solid rubber tyres
HDPE platform with non-slip surface
load: 210 kg/460 lbs., Colour: red.





Bulk containers

63





Simply holds & folds!

- Boxes fold to only 398mm high when not in use - saving valuable space in storage and on return transport.
- Easy and quick to assemble and fold by a single person.
- Tough, strong and rigid; stacking up to five units high carrying a unit load of 500 kg - a combined load of 2.5 tonnes.
- Wide-width fork entry access for easy location by fork-lift vehicles.
- Does not retain water in either assembled or folded mode.
- Parts are easy to replace if damaged.



Easy and quick to assemble and fold.



Sides securely snap-lock together.



Drop-door allows easy access to boxes when stacked.



Label holder for identification of contents and destination.



Folded boxes save valuable space on return vehicles.



Optimum size when assembled for most vehicles.

Crescendo

750 litres

1



1 560 litres - Ref. 27806

three runners

solid sides & base with drainage holes

Ext. dim.: L 1,200 X w 1,000 X h 750 mm

Ext. dim.: L 47.3 X w 39.4 X h 29.5"

Int. dim.: L 1,115 X w 915 X h 550 mm

Int. dim.: L 43.9 X w 36.0 X h 21.7"

Folded height: 398 mm/15.7"

Unit load: 500 kg/1,100 lbs. stacked up to 5 high

Wt: 40.7 kg/89.5 lbs., Colour: light grey base, dark grey panels with black runners.

560 litres - Ref. 27800

four feet

solid sides & base with drainage holes

dimensions as Crescendo ref. 27806

Unit load: 500 kg/1,100 lbs. stacked up to 5 high

Wt: 37.5 kg/82.5 lbs., Colour: light grey base, dark grey panels with black feet.

560 litres - Ref. 27808

three runners with drop-door access on one long side

solid sides & base with drainage holes

dimensions as Crescendo ref. 27806

Unit load: 500 kg/1,100 lbs. stacked up to 5 high

Wt: 40.7 kg/89.5 lbs., Colour: light grey base, dark grey panels with black runners.

2



2 560 litres - Ref. 27802

four feet with drop-door access on one long side

solid sides & base with drainage holes

Ext. dim.: L 1,200 X w 1,000 X h 750 mm

Ext. dim.: L 47.3 X w 39.4 X h 29.5"

Int. dim.: L 1,115 X w 915 X h 550 mm

Int. dim.: L 43.9 X w 36.0 X h 21.7"

Folded height: 398 mm/15.7"

Drop-door dim.: 610 X 175 mm/24.0 X 6.9"

Unit load: 500 kg/1,100 lbs. stacked up to 5 high

Wt: 37.5 kg/82.5 lbs., Colour: light grey base, dark grey panels with black feet.

Crescendo folding box pallet range

900 litres



1 714 litres - Ref. 27900

four feet
solid sides & base with drainage holes
Ext. dim.: L 1,200 X w 1,000 X h 900 mm
Ext. dim.: L 47.3 X w 39.4 X h 35.4"
Int. dim.: L 1,115 X w 915 X h 700 mm
Int. dim.: L 43.9 X w 36.0 X h 27.6"
Folded height: 398 mm/15.7"
Unit load: 500 kg/1,100 lbs. stacked up to 5 high
Wt: 45 kg/99 lbs., Colour: light blue base, dark grey panels with black feet.



2 714 litres - Ref. 27906

three runners
solid sides & base with drainage holes
Ext. dim.: L 1,200 X w 1,000 X h 900 mm
Ext. dim.: L 47.3 X w 39.4 X h 35.4"
Int. dim.: L 1,115 X w 915 X h 700 mm
Int. dim.: L 43.9 X w 36.0 X h 27.6"
Folded height: 398 mm/15.7"
Unit load: 500 kg/1,100 lbs. stacked up to 5 high
Wt: 48.1 kg/106 lbs., Colour: light blue base, dark grey panels with black runners.



3 714 litres - Ref. 27912

five runners
solid sides & base with drainage holes
Ext. dim.: L 1,200 X w 1,000 X h 900 mm
Ext. dim.: L 47.3 X w 39.4 X h 35.4"
Int. dim.: L 1,115 X w 915 X h 700 mm
Int. dim.: L 43.9 X w 36.0 X h 27.6"
Folded height: 398 mm/15.7"
Unit load: 500 kg/1,100 lbs. stacked up to 5 high
Wt: 49.9 kg/110 lbs., Colour: light blue base, dark grey panels with black runners.



4 714 litres - Ref. 27903

four feet with 2 drop-doors - on one long & one short side, solid sides & base with drainage holes
Ext. dim.: L 1,200 X w 1,000 X h 900 mm
Ext. dim.: L 47.3 X w 39.4 X h 35.4"
Int. dim.: L 1,115 X w 915 X h 700 mm
Int. dim.: L 43.9 X w 36.0 X h 27.6"
Folded height: 398 mm/15.7"
Drop-door dim.: 610 X 175 mm/24.0 X 6.9"
Unit load: 500 kg/1,100 lbs. stacked up to 5 high
Wt: 44.5 kg/98 lbs., Colour: light blue base, dark grey panels with black feet.



5 714 litres - Ref. 27909

three runners with 2 drop-doors - on one long & one short side, solid sides & base with drainage holes
dimensions as ref. 27903
Unit load: 500 kg/1,100 lbs. stacked up to 5 high
Wt: 47.6 kg/105 lbs., Colour: light blue base, dark grey panels with black runners.



6 714 litres - Ref. 27915

five runners with 2 drop-doors - on one long & one short side, solid sides & base with drainage holes
dimensions as ref. 27903
Unit load: 500 kg/1,100 lbs. stacked up to 5 high
Wt: 49.4 kg/109 lbs., Colour: light blue base, dark grey panels with black runners.

HEIGHT OF STACKED UNITS			
No. stacked units	Height of assembled units		Height of folded units
	750	900	
2	1,470mm	1,770mm	766mm
3	2,190mm	2,640mm	1,134mm
4	2,910mm	3,510mm	1,502mm
5	3,630mm	4,380mm	1,870mm
6	4,350mm	5,250mm	2,238mm
7	5,070mm	6,120mm	2,606mm
8			2,974mm
16			5,918mm



7 Ref. 64900

Vacuum formed lid for Crescendo folding box pallets
Ext. dim.: L 1,220 X w 1,020 X h 50 mm
Ext. dim.: L 48.0 X w 40.2 X h 2.0"
Wt: 4.8 kg/10.6 lbs., Colour: black

8 Ref. F46750

Label holder for Crescendo folding box pallets
Colour: black



Plastic mouldings: line-side storage of bulky items.

When the going gets tough...


- Heavy duty folding box pallets comfortably store loads of up to 1.125 tonnes.
- Drop-doors allow easy access to boxes when stacked.
- Easy and quick to assemble and fold.
- Wide-width fork entry access for easy location by fork-lift vehicles.
- Steel hit plates provide added strength and longevity.
- Made in tough durable structural foam.



Easy and quick to assemble and fold by a single person.



Extension rings for bulk boxes refs. 2B731, 2B732 & 2B733 (shaded above). Available in 178 and 254mm sizes, extension rings can be combined to give an additional 178, 254, 432 or 508mm height.



Automotive industry: line-side handling of

Heavy duty folding bulk boxes

240–1119 litres



1 240 litres - Ref. 2B711*

three runners with drop-door on both long sides
Ext. dim.: L 816 X w 762 X h 635 mm
Ext. dim.: L 32.1 X w 30.0 X h 25.0"
Int. dim.: L 740 X w 686 X h 466 mm
Int. dim.: L 29.1 X w 27.0 X h 18.4"
Folded height: 330 mm/13.0"
Unit load: 810Kg/1,800 lbs.
Wt.: 34 Kg/75 lbs., Colour: black.

358 litres - Ref. 2B713*

three runners with drop-door on both long sides
Ext. dim.: L 816 X w 762 X h 864 mm
Ext. dim.: L 32.1 X w 30.0 X h 34.0"
Int. dim.: L 740 X w 686 X h 695 mm
Int. dim.: L 29.1 X w 27.0 X h 27.4"
Folded height: 385 mm/15.2"
Unit load: 810 kg/1,800 lbs.
Wt.: 41 kg/91 lbs., Colour: black.

305 litres - Ref. 2B712*

three runners with drop-door on both long sides
Ext. dim.: L 816 X w 762 X h 762 mm
Ext. dim.: L 32.1 X w 30.0 X h 30.0"
Int. dim.: L 740 X w 686 X h 593 mm
Int. dim.: L 29.1 X w 27.0 X h 23.4"
Folded height: 385 mm/15.2"
Unit load: 810 kg/1,800 lbs.
Wt.: 38 kg/83 lbs., Colour: black.


Lid - Ref. 6B832

Lid for refs. 2B711, 2B712 & 2B713
Ext. dim.: L 832 X w 781 X h 64 mm
Ext. dim.: L 32.8 X w 30.8 X h 2.5"
Wt.: 4.94 kg/10.9 lbs., Colour: black.

*These 3 models interstack

Other drop door combinations are available subject to a minimum quantity order:

Standard model (drop doors on both long sides)	Without doors	Door on one long side
2B711	2B611	2B811
2B712	2B612	2B812
2B713	2B613	2B813



2 1,119 litres – Ref. 2G746

five runners with drop-doors on both long sides
Ext. dim.: L 1,219 x w 1,016 x h 1,168mm
Ext. dim.: L 48.0 x w 40.0 x h 46.0"
Int. dim.: L 1,143 x w 940 x h 1,041mm
Int. dim.: L 45.0 x w 37.0 x h 41.0"
Folded height: 330mm / 13.0"
Unit load: 544 Kg/1,200 lbs.
Wt.: 66 Kg/145 lbs., Colour: light grey

Lid – Ref. 6G746

Vacuum formed lid for ref. 2G746
Ext. dim.: L 1,247 x w 1,044 x h 51mm
Ext. dim.: L 49.1 x w 41.1 x h 2.0"
Wt.: 6 Kg/14 lbs., Colour: black



473 litres - Ref. 2B721**

three runners with drop-door on both long sides
Ext. dim.: L 1,210 X w 1,010 X h 648 mm
Ext. dim.: L 47.6 X w 39.8 X h 25.5"
Int. dim.: L 1,120 X w 921 X h 464 mm
Int. dim.: L 44.0 X w 36.3 X h 18.3"
Folded height: 345 mm/13.6"
Unit load: 1,125 Kg/2,500 lbs.
Wt.: 59 Kg/130 lbs., Colour: black.

586 litres - Ref. 2B722**

three runners with drop-door on both long sides
Ext. dim.: L 1,210 X w 1,010 X h 759 mm
Ext. dim.: L 47.6 X w 39.8 X h 29.9"
Int. dim.: L 1,120 X w 921 X h 571 mm
Int. dim.: L 44.0 X w 36.3 X h 22.5"
Folded height: 345 mm/13.6"
Unit load: 1,125 Kg/2,500 lbs.
Wt.: 63 Kg/140 lbs., Colour: black.

Lid - Ref. 6B840

Lid for refs. 2B721, 2B722 & 2B723
Ext. dim.: L 1,229 X w 1,027 X h 54 mm
Ext. dim.: L 48.4 X w 40.4 X h 2.1"
Wt.: 8.4 Kg/18.5 lbs., Colour: black.


3 691 litres - Ref. 2B723**

three runners with drop-door on both long sides
Ext. dim.: L 1,210 X w 1,010 X h 860 mm
Ext. dim.: L 47.6 X w 39.8 X h 33.9"
Int. dim.: L 1,120 X w 921 X h 673 mm
Int. dim.: L 44.0 X w 36.3 X h 26.5"
Folded height: 345 mm/13.6"
Unit load: 1,125 Kg/2,500 lbs.
Wt.: 67 Kg/149 lbs., Colour: black.

***These 3 models interstack*

Other drop door combinations are available subject to a minimum quantity order:

Standard model (drop doors on both long sides)	Without doors	Door on one long side	Door on one short end	Doors on both short ends
2B721	2B621	2B821	2B421	2B121
2B722	2B622	2B822	2B422	2B122
2B723	2B623	2B823	2B423	2B123



4 557 litres - Ref. 2B731***

three runners with drop-door on both long sides
Ext. dim.: L 1,210 X w 1,133 X h 651 mm
Ext. dim.: L 47.6 X w 44.6 X h 25.6"
Int. dim.: L 1,124 X w 1,047 X h 475 mm
Int. dim.: L 44.3 X w 41.3 X h 18.7"
Folded height: 330 mm/13.0"
Unit load: 1,125 Kg/2,500 lbs.
Wt.: 63 Kg/140 lbs., Colour: black.

684 litres - Ref. 2B732***

three runners with drop-door on both long sides
Ext. dim.: L 1,210 X w 1,133 X h 757 mm
Ext. dim.: L 47.6 X w 44.6 X h 29.9"
Int. dim.: L 1,124 X w 1,047 X h 581 mm
Int. dim.: L 44.3 X w 41.3 X h 22.9"
Folded height: 330 mm/13.0"
Unit load: 1,125 Kg/2,500 lbs.
Wt.: 68 Kg/152 lbs., Colour: black.

Refs. 2B731, 2B732 and 2B733 can be fitted with optional extension rings for an additional height of up to 508mm

Lid - Ref. 6B845

Lid for refs. 2B731, 2B732 & 2B733
Ext. dim.: L 1,266 X w 1,149 X h 57 mm
Ext. dim.: L 48.3 X w 45.3 X h 2.3"
Wt.: 20.5 Kg/9.3 lbs., Colour: black.

806 litres - Ref. 2B733***

three runners with drop-door on both long sides
Ext. dim.: L 1,210 X w 1,133 X h 864 mm
Ext. dim.: L 47.6 X w 44.6 X h 34.0"
Int. dim.: L 1,124 X w 1,047 X h 689 mm
Int. dim.: L 44.3 X w 41.3 X h 27.1"
Folded height: 330 mm/13.0"
Unit load: 1,125 Kg/2,500 lbs. high
Wt.: 73 Kg/163 lbs., Colour: black.

****These 3 models interstack and can be fitted with optional extension rings for an additional height of up to 508mm*

Other drop door combinations are available subject to a minimum quantity order:

Standard model (drop doors on both long sides)	Without doors	Door on one long side
2B731	2B631	2B831
2B732	2B632	2B832
2B733	2B633	2B833

Extended length folding bulk boxes

687–2059 litres

68



687 litres – Ref. 2B752*

Perimeter runners, drop-door on both long sides
Ext. Dim.: L 1,454 x w 1,219 x h 635 mm
Ext. Dim.: L 57.2 x w 48.0 x h 25.0"
Int. Dim.: L 1,368 x w 1,130 x h 447 mm
Int. Dim.: L 53.9 x w 44.5 x h 17.6"
Folded height: 330mm / 13.0"
Drop-door dim: 813 x 216mm / 32.0 x 8.5"
Unit load: 900 Kg/ 1,980 lbs.
Wt: 65 Kg/ 143 lbs., Colour: black

1,038 litres – Ref. 2B753*

864mm / 34.0" high version of 2B752
Int. ht.: 676mm / 26.6", Folded ht.: 330mm / 13.0"
Drop-door dim: 813 x 419mm / 32.0 x 16.5"
Wt: 78 Kg/ 172 lbs.

1,428 litres – Ref. 2B754*

1,118mm / 44.0" high version of 2B752
Int. ht.: 930mm / 36.6", Folded ht.: 584mm / 23.0"
Drop-door dim: 813 x 419mm / 32.0 x 16.5"
Wt: 95 Kg/ 209 lbs.

Ref. 6B750

Vacuum formed lid for refs. 2B752, 2B753 and 2B754
Dim.: L 1,473 x w 1,245 x h 51 mm
Dim.: L 58.0 x w 49.0 x h 2.0"
Wt: 11 Kg/ 24 lbs., Colour: black

**These 3 models interstack*
***These 4 models interstack*
****These 4 models interstack*

780 litres – Ref. 2B762**

Perimeter runners, drop-door on both long sides
Ext. Dim.: L 1,638 x w 1,219 x h 635 mm
Ext. Dim.: L 64.5 x w 48.0 x h 25.0"
Int. Dim.: L 1,544 x w 1,130 x h 447 mm
Int. Dim.: L 60.8 x w 44.5 x h 17.6"
Folded height: 330mm / 13.0"
Drop-door dim: 1,016 x 279mm / 40.0 x 11.0"
Unit load: 900 Kg/ 1,980 lbs.
Wt: 71 Kg/ 156 lbs., Colour: black

1,179 litres – Ref. 2B763**

864mm / 34.0" high version of 2B762
Int. ht.: 676mm / 26.6", Folded ht.: 330mm / 13.0"
Drop-door dim: 1,016 x 419mm / 40.0 x 16.5"
Wt: 83 Kg/ 183 lbs.

1,623 litres – Ref. 2B764**

1,118mm / 44.0" high version of 2B762
Int. ht.: 930mm / 36.6", Folded ht.: 584mm / 23.0"
Drop-door dim: 1,016 x 533mm / 40.0 x 21.0"
Wt: 101 Kg/ 222 lbs.

1,889 litres – Ref. 2B765**

1,270mm / 50.0" high version of 2B762
Int. ht.: 1,082mm / 42.6", Folded ht.: 584mm / 23.0"
Drop-door dim: 1,016 x 622mm / 40.0 x 24.5"
Wt: 108 Kg/ 238 lbs.

Ref. 6B760

Vacuum formed lid for refs. 2B762, 2B763, 2B764 and 2B765
Dim.: L 1,651 x w 1,245 x h 51 mm
Dim.: L 65.0 x w 49.0 x h 2.0"
Wt: 12 Kg/ 26 lbs., Colour: black

Extended length bulk boxes are available in four heights (635mm, 864mm, 1118mm and 1270mm) with a choice of three footprints sizes (1454 x 1219mm, 1638 x 1219mm and 1778 x 1219mm).

All models are fitted with 4-way entry perimeter runners, can handle unit loads of up to 900Kg and a combined stacked loading of up to 3.5 tonnes.

851 litres – Ref. 2B782***

Perimeter runners, drop-door on both long sides
Ext. Dim.: L 1,778 x w 1,219 x h 635 mm
Ext. Dim.: L 70.0 x w 48.0 x h 25.0"
Int. Dim.: L 1,684 x w 1,130 x h 447 mm
Int. Dim.: L 66.3 x w 44.5 x h 17.6"
Folded height: 330mm / 13.0"
Drop-door dim: 1,016 x 279mm / 40.0 x 11.0"
Unit load: 900 Kg/ 1,980 lbs.
Wt: 78 Kg/ 172 lbs., Colour: black

1,286 litres – Ref. 2B783***

864mm / 34.0" high version of 2B782
Int. ht.: 676mm / 26.6", Folded ht.: 330mm / 13.0"
Drop-door dim: 1,016 x 419mm / 40.0 x 16.5"
Wt: 91 Kg/ 200 lbs.

1,769 litres – Ref. 2B784***

1,118mm / 44.0" high version of 2B782
Int. ht.: 930mm / 36.6", Folded ht.: 584mm / 23.0"
Drop-door dim: 1,016 x 533mm / 40.0 x 21.0"
Wt: 105 Kg/ 231 lbs.

2,059 litres – Ref. 2B785***

1,270mm / 50.0" high version of 2B782
Int. ht.: 1,082mm / 42.6", Folded ht.: 584mm / 23.0"
Drop-door dim: 1,016 x 622mm / 40.0 x 24.5"
Wt: 113 Kg/ 249 lbs.

Ref. 6B780

Vacuum formed lid for refs. 2B782, 2B783, 2B784 and 2B785
Dim.: L 1,803 x w 1,245 x h 51 mm
Dim.: L 71.0 x w 49.0 x h 2.0"
Wt: 13 Kg/ 29 lbs., Colour: black

Other drop door combinations are available subject to a minimum quantity order:

Standard model (drop doors on both long sides)	Without doors	Door on one long side	Door on one short end	Doors on both short ends	Doors on one long side & one short end	Doors on both long sides & one short end	Door on one long side & both short ends	Door on all four sides
2B752	2B652	2B852	2B452	2B152	2B952	2B352	2B552	2B252
2B753	2B653	2B853	2B453	2B153	2B953	2B353	2B553	2B253
2B754	2B654	2B854	2B454	2B154	2B954	2B354	2B554	2B254
2B762	2B662	2B862	2B462	2B162	2B962	2B362	2B562	2B262
2B763	2B663	2B863	2B463	2B163	2B963	2B363	2B563	2B263
2B764	2B664	2B864	2B464	2B164	2B964	2B364	2B564	2B264
2B765	2B665	2B865	2B465	2B165	2B965	2B365	2B565	2B265
2B782	2B682	2B882	2B482	2B182	2B982	2B382	2B582	2B282
2B783	2B683	2B883	2B483	2B183	2B983	2B383	2B583	2B283
2B784	2B684	2B884	2B484	2B184	2B984	2B384	2B584	2B284
2B785	2B685	2B885	2B485	2B185	2B985	2B385	2B585	2B285



Citadel

1140 litres

Bulk storage
containers

69



1 1,140 litres – Ref. 2B114

Citadel folding bulk container
Ext. dim.: L 1,220 x w 1,143 x h 1,185mm
Ext. dim.: L 48.0 x w 45.0 x h 46.6"
Int. dim.: L 1,133 x w 1,057 x h 957mm
Int. dim.: L 44.6 x w 41.6 x h 37.7"
Folded height: 381mm /15 "
Unit load: 1,360 Kg/3,000 lbs.
Weight: 113 Kg/249 lbs., Colour: grey

1,140 litres – Ref. 2B115

As ref. 2B114 with discharge outlet at base
Available mid 2006

2 Ref. 6B114

Lid for Citadel folding bulk containers
Ext. dim.: L 1,220 x w 1,143 x h 66mm
Ext. dim.: L 48.0 x w 45.0 x h 2.6"
Nested height: 43mm /1.7 "
Weight: 12.8 Kg/28.2 lbs., Colour: grey

Ref. 2BA01

Support bridge for filling polythene bag

Ref. 2BA04

Food grade polythene bag fitted with top fill cap

Ref. 2BA05

Food grade polythene bag fitted with top fill cap and discharge outlet at base
Available mid 2006

Bulk handling of liquids, powders and solids

- Heavy duty folding bulk box, can be fitted with polythene bag for the storage and distribution of liquids, pastes, powders and granules.
- Strong and safe: securely stacks up to 5 units high carrying a unit load of 1,360 Kg – a combined load of 6.8 tonnes!
- Fitted with polythene liner, Citadel has been designed for the storage and distribution of a wide range of contents including sauces, pastes, purées, fruit juices, powders and granules.
- Citadel, without liner, is ideal for heavy duty Automotive and general manufacturing applications including distribution of panels, machine parts, components in bulk, etc.
- Smooth surfaces, inside and out, allow easy cleaning.
- 4-way entry for fork lifts and pallet trucks.



Side panels snap-lock together



Locking feature secures lid to assembled unit



Recessed areas can be printed with owner's details or fitted with label holders



Support bridge securely holds poly liner in place during filling






Processing of waste: allows tipping by rotating-head trucks (ref. 21666).

Jumbox range

Stronghold

- Reinforced with internal steel bars the 650 litre Jumbox possesses unrivalled strength (unit load 650 kg. 10 tonne loading when stacked . Operates in temperatures from - 40°C to + 40°C).
- Standard dimensions and fork entries for compatibility with all handling equipment.
- Smooth versions provide maximum hygiene in the food and pharmaceutical industries.



Strong and stable.



Plant bakery: hygienic storage of kneaded bread dough (ref 21250).



Meat processing: ample ventilation during cold room storage (ref. 21655).

Jumbox range 650 litres



SOLID SIDES AND BASE, SMOOTH SURFACE

1 650 litres - Ref. 21626

three runners
Ext. dim.: L 1,200 X w 1,000 X h 765 mm
Ext. dim.: L 47.3 X w 39.4 X h 30.1"
Int. dim.: L 1,135 X w 935 X h 600 mm
Int. dim.: L 44.7 X w 36.8 X h 23.6"
loading: 650 Kg/1,400 lbs.
Wt: 46.40 Kg/102.3 lbs.
Colour: brown-red, white.



2 650 litres - Ref. 21624

nine feet
Ext. dim.: L 1,200 X w 1,000 X h 765 mm
Ext. dim.: L 47.3 X w 39.4 X h 30.1"
Int. dim.: L 1,135 X w 935 X h 600 mm
Int. dim.: L 44.7 X w 36.8 X h 23.6"
loading: 650 Kg/1,400 lbs.
Wt: 39.20 Kg/86.4 lbs.
Colour: brown-red, white.



JUMBOX 650 LITRES ON 4 CASTORS

6 650 litres - Ref. 21658

solid sides and base
four braked castors
Ext. dim.: L 1,200 X w 1,000 X h 835 mm
Ext. dim.: L 47.3 X w 39.4 X h 32.9"
Int. dim.: L 1,135 X w 935 X h 600 mm
Int. dim.: L 44.7 X w 36.8 X h 23.6"
loading: 300 Kg/660 lbs.
Wt: 47.80 Kg/105.4 lbs.
Colour: brown-red.

7 Ref. 61651

lid with cut out for stacking,
for 650 litre Jumboxes
Ext. dim.: L 1,223 X w 1,023 X h 100 mm
Ext. dim.: L 48.2 X w 40.3 X h 3.9"
Wt: 6.25 Kg/13.8 lbs.
Colour: brown-red, white.

650 litres - Ref. 21659

ventilated sides and base
four braked castors
dimensions as Jumbox ref. 21658
loading: 300 Kg/660 lbs.
Wt: 45.50 Kg/100.3 lbs.
Colour: brown-red.



SOLID SIDES AND BASE

3 650 litres - Ref. 21666

three runners
Ext. dim.: L 1,200 X w 1,000 X h 765 mm
Ext. dim.: L 47.3 X w 39.4 X h 30.1"
Int. dim.: L 1,135 X w 935 X h 600 mm
Int. dim.: L 44.7 X w 36.8 X h 23.6"
loading: 650 Kg/1,400 lbs.
Wt: 43.00 Kg/94.8 lbs.
Colour: brown-red.

650 litres - Ref. 21654

nine feet
Ext. dim.: L 1,200 X w 1,000 X h 765 mm
Ext. dim.: L 47.3 X w 39.4 X h 30.1"
Int. dim.: L 1,135 X w 935 X h 600 mm
Int. dim.: L 44.7 X w 36.8 X h 23.6"
loading: 650 Kg/1,400 lbs.
Wt: 42.70 Kg/94.2 lbs.
Colour: brown-red.



VENTILATED SIDES AND BASE


4 650 litres - Ref. 21667

three runners
dimensions as Jumbox ref. 21666
loading: 650 Kg/1,400 lbs.
Wt: 42.50 Kg/93.7 lbs.
Colour: brown-red.



5 650 litres - Ref. 21655

nine feet
Ext. dim.: L 1,200 X w 1,000 X h 765 mm
Ext. dim.: L 47.3 X w 39.4 X h 30.1"
Int. dim.: L 1,135 X w 935 X h 600 mm
Int. dim.: L 44.7 X w 36.8 X h 23.6"
loading: 650 Kg/1,400 lbs.
Wt: 39.40 Kg/86.9 lbs.
Colour: brown-red.



Jumbox range 250 litres and accessories

72



1 250 litres - Ref. 21250

solid sides and base
Ext. dim.: L 1,000 X w 600 X h 662 mm
Ext. dim.: L 39.4 X w 23.6 X h 26.1"
Int. dim.: L 934 X w 534 X h 502 mm
Int. dim.: L 36.8 X w 21.0 X h 19.8"
loading: 250 Kg/550 lbs.
Wt: 18.60 Kg/41.0 lbs.
Colour: brown-red, white.



2 250 litres - Ref. 21258

solid sides and base on metal dolly
Ext. dim.: L 1,006 X w 606 X h 860 mm
Ext. dim.: L 39.6 X w 23.9 X h 33.9"
Int. dim.: L 934 X w 534 X h 502 mm
Int. dim.: L 36.8 X w 21.0 X h 19.8"
loading: 200 Kg/440 lbs.
two fixed, two swivel braked castors, diameter 160 mm/6"
Wt: 25.00 Kg/55.1 lbs.
Colour: brown-red, white.




4 250 litres - Ref. 21298


solid sides and base on castors
Ext. dim.: L 1,000 X w 600 X h 690 mm
Ext. dim.: L 39.4 X w 23.6 X h 27.2"
Int. dim.: L 934 X w 534 X h 502 mm
Int. dim.: L 36.8 X w 21.0 X h 19.8"
loading: 200 Kg/440 lbs.
two fixed, two swivel castors, diameter 125 mm/5"
Wt: 20.40 Kg/45.0 lbs.
Colour: brown-red, white.

Fork entry widths 250 litre Jumbox

Models with feet



Models on wheels




3 Ref. 64250

lid for Jumboxes ref. 21250 - 21258
and 21298 (does not allow for stacking)
Ext. dim.: L 1,024 X w 615 X h 40 mm
Ext. dim.: L 40.4 X w 24.2 X h 1.6"
Wt: 2.48 Kg/5.5 lbs.
Colour: brown-red, white.

5 Ref. 64251

lid for Jumboxes ref. 21250 - 21298
(allows stacking)
Ext. dim.: L 1,024 X w 615 X h 40 mm
Ext. dim.: L 40.4 X w 24.2 X h 1.6"
Wt: 2.45 Kg/5.4 lbs.
Colour: brown-red, white.

Bulk storage container accessories



7 Ref. 98017*

drainage plug for Jumbox & Geobox ranges.



8 Ref. 00053*

drainage plug for Jumbox & Geobox with solid sides and base (external view)
Colour: grey

*These two accessories can be fitted to order.



Agriculture: with ventilated sides and base, Geobox ensures the quality and freshness of harvested fruit (ref. 27401).

Light and strong

- Light and strong, the 543 and 373 litre Geoboxes stack up to ten high carrying a unit load of 450 kg per container - a total load of 4.5 tonnes.
- 260 litre models stack up to ten high carrying a unit load of 200 kg – a total load of 2.0 tonnes.
- Safe stacking, each model interlocks to form a secure and stable stack.
- Feet and runners are quick and easy to replace.
- Hygienic, impact resistant, maintenance free and impervious to most forms of chemical corrosion.



Agriculture: Harvesting and rapid distribution of large volumes (ref. 27603).



Geobox with runners: strong and durable for intensive use (ref. 27401).



Agriculture: stability of transported stacks (ref. 27601).



Recycling: large capacity for bulk waste (ref. 27600).

Geobox range

543 litres

Bulk storage
containers

73



SOLID SIDES AND BASE

1 543 litres - Ref. 27600

two runners

Ext. dim.: L 1,200 X w 1,000 X h 750 mm

Ext. dim.: L 47.2 X w 39.4 X h 29.5"

Int. dim.: L 1,110 X w 910 X h 545 mm

Int. dim.: L 43.7 X w 35.8 X h 21.5"

Wt: 34 Kg/75 lbs.

Colour: **brown-red.**



2 543 litres - Ref. 27604

three runners

Ext. dim.: L 1,200 X w 1,000 X h 750 mm

Ext. dim.: L 47.2 X w 39.4 X h 29.5"

Int. dim.: L 1,110 X w 910 X h 545 mm

Int. dim.: L 43.7 X w 35.8 X h 21.5"

Wt: 36.8 Kg/81.0 lbs.

Colour: **brown-red.**

543 litres - Ref. 27602

six feet

Ext. dim.: L 1,200 X w 1,000 X h 750 mm

Ext. dim.: L 47.2 X w 39.4 X h 29.5"

Int. dim.: L 1,110 X w 910 X h 545 mm

Int. dim.: L 43.7 X w 35.8 X h 21.5"

Wt: 33 Kg/73 lbs.

Colour: **brown-red.**

Strategic Product: We aim to always hold stock of strategic products in colours identified in bold.

Geobox range 543 & 373 litres

74



VENTILATED SIDES AND BASE

1 543 litres - Ref. 27601

two runners

Ext. dim.: L 1,200 X w 1,000 X h 750 mm

Ext. dim.: L 47.2 X w 39.4 X h 29.5"

Int. dim.: L 1,110 X w 910 X h 545 mm

Int. dim.: L 43.7 X w 35.8 X h 21.5"

Wt: 33 Kg/73 lbs., Colour: brown-red.



2 543 litres - Ref. 27605

three runners

Ext. dim.: L 1,200 X w 1,000 X h 750 mm

Ext. dim.: L 47.2 X w 39.4 X h 29.5"

Int. dim.: L 1,110 X w 910 X h 545 mm

Int. dim.: L 43.7 X w 35.8 X h 21.5"

Wt: 35.8 Kg/78.8 lbs., Colour: brown-red.

543 litres - Ref. 27603

six feet

dimensions as Geobox ref. 27601

Wt: 32 Kg/71 lbs., Colour: brown-red.



SOLID SIDES AND BASE

3 373 litres - Ref. 27400

two runners

Ext. dim.: L 1,200 X w 1,000 X h 580 mm

Ext. dim.: L 47.2 X w 39.4 X h 22.8"

Int. dim.: L 1,110 X w 910 X h 375 mm

Int. dim.: L 43.7 X w 35.8 X h 14.8"

Wt: 29 Kg/64 lbs., Colour: brown-red

3 373 litres - Ref. 27404

three runners

Ext. dim.: L 1,200 X w 1,000 X h 580 mm

Ext. dim.: L 47.2 X w 39.4 X h 22.8"

Int. dim.: L 1,110 X w 910 X h 375 mm

Int. dim.: L 43.7 X w 35.8 X h 14.8"

Wt: 31.8 Kg/70 lbs., Colour: brown-red

4 373 litres - Ref. 27402

six feet

dimensions as Geobox ref. 27400

Wt: 28 Kg/62 lbs., Colour: brown-red

5 Ref. 64401

Vacuum formed lid for 543 and 373 litres Geobox except refs. with 3 runners 27404, 27405, 27604, 27605.

Ext. dim.: L 1,220 X w 1,017 X h 42 mm

Ext. dim.: L 48.1 X w 40.1 X h 1.7"

Wt: 4.8 Kg/10.6 lbs., Colour: black

VENTILATED SIDES AND BASE

6 373 litres - Ref. 27401

two runners

Ext. dim.: L 1,200 X w 1,000 X h 580 mm

Ext. dim.: L 47.2 X w 39.4 X h 22.8"

Int. dim.: L 1,110 X w 910 X h 375 mm

Int. dim.: L 43.7 X w 35.8 X h 14.8"

Wt: 28 Kg/62 lbs., Colour: brown-red

373 litres - Ref. 27405

three runners

Ext. dim.: L 1,200 X w 1,000 X h 580 mm

Ext. dim.: L 47.2 X w 39.4 X h 22.8"

Int. dim.: L 1,110 X w 910 X h 375 mm

Int. dim.: L 43.7 X w 35.8 X h 14.8"


Wt: 30.8 Kg/67.8 lbs., Colour: brown-red

373 litres - Ref. 27403

six feet

dimensions as Geobox ref. 27401

Wt: 27 Kg/60 lbs., Colour: brown-red



Geobox range 260 litres

550 litre bulk box

1200 x 800

Bulk storage
containers

75



1 260 litres - Ref. 27250

solid sides and base
two runners
Ext. dim.: L 1,000 X w 600 X h 662 mm
Ext. dim.: L 39.4 X w 23.6 X h 26.1"
Int. dim.: L 929 X w 544 X h 519 mm
Int. dim.: L 36.6 X w 21.4 X h 20.4"
Wt: 13.50 Kg/29.7 lbs., Colour: **brown-red**.



2 260 litres - Ref. 27251

minimum order item
ventilated sides and base
two runners
dimensions as Geobox ref. 27250
Wt: 12.70 Kg/27.9 lbs., Colour: **brown-red**.




3 260 litres - Ref. 27270

solid sides and base
six feet
Ext. dim.: L 1,000 X w 600 X h 662 mm
Ext. dim.: L 39.4 X w 23.6 X h 26.1"
Int. dim.: L 929 X w 544 X h 519 mm
Int. dim.: L 36.6 X w 21.4 X h 20.4"
Wt: 12.70 Kg/28.0 lbs., Colour: **brown-red**.

260 litres – Ref. 27271

ventilated sides and base
six feet
dimensions as Gearbox ref. 27270
Wt: 11.90 Kg/26.2 lbs., Colour: **brown-red**



6 550 litres - Ref. 28600

solid sides and base
two runners
Ext. dim.: L 1,200 X w 800 X h 850 mm
Ext. dim.: L 47.2 X w 31.5 X h 33.5"
Int. dim.: L 1,130 X w 725 X h 690 mm
Int. dim.: L 44.5 X w 28.5 X h 27.2"
Wt: 27.00 Kg/59.4 lbs., Colour: **grey**
Unit load: 400 kg/880 lbs

550 litres – Ref. 28601

ventilated sides and solid base with two runners
dimensions as ref. 28600
Wt: 26 Kg/57 lbs., colour **grey**

550 litres – Ref. 28602


solid sides and base with four feet
dimensions as ref. 28600
Wt: 25 Kg/55 lbs., colour **grey**

550 litres – Ref. 28603

ventilated sides and solid base with four feet
dimensions as ref. 28600
Wt: 24 Kg/53 lbs., colour **grey**

550 litres – Ref. 28610

as ref. 28600 with drop-door on long side
door dim.: 1,000 x 340mm / 39.4 x 13.4"



7 550 litres – Ref. 28612

as ref. 28602 with drop-door on long side
door dim.: 1,000 x 340mm / 39.4 x 13.4"

550 litres – Ref. 28672


as ref. 28600 with four 125mm Ø wheeled castors
height: 990mm / 39.0"
Wt: 30 Kg/66 lbs.
Unit load: 150 Kg/330 lbs.

Ref. 64600

Lid for 550 litre bulk boxes
(does not fit ref. 28672)

Heavy duty transport tubs

76



1 158 litres – Ref. 2BF15
perimeter runners
Ext. dim.: L 1,219 x w 1,143 x h 305mm
Ext. dim.: L 48.0 x w 45.0 x h 12.0"
Int. dim.: L 1,130 x w 1,057 x h 132mm
Int. dim.: L 44.5 x w 41.6 x h 5.2"
Unit load: 1,044 Kg/2,300 lbs.
Wt: 38 Kg/83 lbs., Colour: blue

249 litres – Ref. 2BF24
perimeter runners
Ext. dim.: L 1,219 x w 1,143 x h 381mm
Ext. dim.: L 48.0 x w 45.0 x h 15.0"
Int. dim.: L 1,130 x w 1,057 x h 208mm
Int. dim.: L 44.5 x w 41.6 x h 8.2"
Unit load: 1,044 Kg/2,300 lbs.
Wt: 43 Kg/95 lbs., Colour: blue



309 litres – Ref. 2BF30
perimeter runners
Ext. dim.: L 1,219 x w 1,143 x h 432mm
Ext. dim.: L 48.0 x w 45.0 x h 17.0"
Int. dim.: L 1,130 x w 1,057 x h 259mm
Int. dim.: L 44.5 x w 41.6 x h 10.2"
Unit load: 1,044 Kg/2,300 lbs.
Wt: 46 Kg/102 lbs., Colour: blue

370 litres – Ref. 2BF37
perimeter runners
Ext. dim.: L 1,219 x w 1,143 x h 483mm
Ext. dim.: L 48.0 x w 45.0 x h 19.0"
Int. dim.: L 1,130 x w 1,057 x h 310mm
Int. dim.: L 44.5 x w 41.6 x h 12.2"
Unit load: 1,044 Kg/2,300 lbs.
Wt: 54 Kg/118 lbs., Colour: blue

Lid – Ref. 6BF48
Lid for heavy duty transport tubs
Ext. dim.: L 1,239 x w 1,150 x h 70mm
Ext. dim.: L 48.8 x w 45.3 x h 2.8"
Wt.: 11 Kg/25 lbs., Colour: black

431 litres – Ref. 2BF43
perimeter runners
Ext. dim.: L 1,219 x w 1,143 x h 533mm
Ext. dim.: L 48.0 x w 45.0 x h 21.0"
Int. dim.: L 1,130 x w 1,057 x h 361mm
Int. dim.: L 44.5 x w 41.6 x h 14.2"
Unit load: 1,044 Kg/2,300 lbs.
Wt: 59 Kg/131 lbs., Colour: blue

2 570 litres – Ref. 2BF57
perimeter runners
Ext. dim.: L 1,219 x w 1,143 x h 650mm
Ext. dim.: L 48.0 x w 45.0 x h 25.6"
Int. dim.: L 1,130 x w 1,057 x h 478mm
Int. dim.: L 44.5 x w 41.6 x h 18.8"
Unit load: 1,044 Kg/2,300 lbs.
Wt: 64 Kg/142 lbs., Colour: blue

EXTENDED LENGTH TRANSPORT TUBS



398 litres – Ref. 2BF39
perimeter runners
Ext. dim.: L 1,454 x w 1,219 x h 445mm
Ext. dim.: L 57.3 x w 48.0 x h 17.5"
Int. dim.: L 1,359 x w 1,130 x h 259mm
Int. dim.: L 53.5 x w 44.5 x h 10.2"
Unit load: 907 Kg/2,000 lbs.
Wt: 54 Kg/119 lbs., Colour: black

3 480 litres – Ref. 2BF48
perimeter runners
Ext. dim.: L 1,454 x w 1,219 x h 498mm
Ext. dim.: L 57.3 x w 48.0 x h 19.6"
Int. dim.: L 1,359 x w 1,130 x h 312mm
Int. dim.: L 53.5 x w 44.5 x h 12.3"
Unit load: 907 Kg/2,000 lbs.
Wt: 57 Kg/125 lbs., Colour: black



452 litres – Ref. 2BF45
perimeter runners
Ext. dim.: L 1,638 x w 1,219 x h 445mm
Ext. dim.: L 64.5 x w 48.0 x h 17.5"
Int. dim.: L 1,544 x w 1,130 x h 259mm
Int. dim.: L 60.8 x w 44.5 x h 10.2"
Unit load: 907 Kg/2,000 lbs.
Wt: 60 Kg/132 lbs., Colour: black

4 545 litres – Ref. 2BF54
perimeter runners
Ext. dim.: L 1,638 x w 1,219 x h 498mm
Ext. dim.: L 64.5 x w 48.0 x h 19.6"
Int. dim.: L 1,544 x w 1,130 x h 312mm
Int. dim.: L 60.8 x w 44.5 x h 12.3"
Unit load: 907 Kg/2,000 lbs.
Wt: 63 Kg/139 lbs., Colour: black



493 litres – Ref. 2BF49
perimeter runners
Ext. dim.: L 1,778 x w 1,219 x h 445mm
Ext. dim.: L 70.0 x w 48.0 x h 17.5"
Int. dim.: L 1,684 x w 1,130 x h 259mm
Int. dim.: L 66.3 x w 44.5 x h 10.2"
Unit load: 907 Kg/2,000 lbs.
Wt: 64 Kg/140 lbs., Colour: black

5 595 litres – Ref. 2BF59
perimeter runners
Ext. dim.: L 1,778 x w 1,219 x h 498mm
Ext. dim.: L 70.0 x w 48.0 x h 19.6"
Int. dim.: L 1,684 x w 1,130 x h 312mm
Int. dim.: L 66.3 x w 44.5 x h 12.3"
Unit load: 907 Kg/2,000 lbs.
Wt: 67 Kg/140 lbs., Colour: black

Gravity feed hopper

1,650 litres



Agriculture: gravity feed hoppers helping farmers to handle seed

Controlled delivery

- Ideal for seed, granular materials and small parts. Easy to operate and protects contents from dirt, moisture and pests.
- Smooth funnel-shaped interior ensures complete emptying of contents in as quickly as 30 seconds.
- Side operated door provides a safe working environment and saves thousands of man-hours handling sacks or cardboard boxes.
- Moulded in high density polyethylene (HDPE) structural foam. Will not rust, peel or splinter. Resistant to water, mild acids and temperatures from -28°C to + 50°C.
- Stacks up to four units high when loaded.
- Four-way entry pallet base for use with forklifts and pallet trucks.
- Domed shaped lid drains water and features corner stacking supports.



Side door allows one person to control flow and safely discharge all or part of the contents



1,650 litres – Ref. 2B022

includes centre-flow discharge base, top ring section and lid (above image shows cut-away interior)

Ext. dim.: L 1,435 x w 1,144 x h 1,650mm

Ext. dim.: L 56.5 x w 45.0 x h 65.0"


Nested height: 998mm / 39.3"

(to save space in storage, invert top ring section and nest over base)

Unit load: 1,125 Kg/2,500 lbs.

Wt: 152 Kg/334 lbs.

Colour: black



To save space when not in use; invert... detach top ring...



invert...



and nest over base

All dimensions are in mm.



Stacking when empty.

TankGo® IBC

Light-weight, single skin, multi-trip IBC.

- **Economical.** This new revolutionary single-skin design offers strength without the need for an outer cage.
- **Wide usage.** Standard TankGo is UN approved for chemical distribution.



IBC's designed to stack safely.

Composite IBC

The traditional IBC.

- **Resistant.** Composite unit with rotationally moulded LDPE bottle and galvanised steel frame for chemical resistance.
- **Practical.** Transparent bottle and cage allows the contents level to be easily monitored.



Safe liquid handling and distribution. 800 litre All-plastic IBC shown on IBC bund ref. BJS00.

All-Plastic IBC

A combination of strength & style ideal for the chemical industry.

- **Strength.** The outer cage is roto-moulded in double skinned, foam filled, polyethylene creating the strongest and most chemical and impact resistant of Allibert Buckhorn's IBC range.
- **Identification.** Can be moulded in brand colours and with company name/contents marked onto or embossed into the plastic.

Intermediate Bulk




1 500 litres - Ref. RH107

Ø 150 mm screw cap
Ø 50 mm GRPP ball valve
Dim.: L 1,160 X w 1,160 X h 895 mm
Working capacity: 500 litres (544 litres max)
Tare weight: 58.5 kg
Standard colour: Vanilla bottle, chocolate pallet
Stacking (empty): 1 on 1.


IBC bund

- Handles any IBC up to 1000 litres
- Removable plastic decking.
- More spill control products: p. 95.



4 1100 litres - Ref. BJS00

Dim.: L 1,855 X w 1,855 X h 660 mm
Wt.: 160 kg., Loading: 2,500 kg
Colour: green with removable black deck



7 400 litres - Ref. T400

Ø 150 mm screw cap
Ø 50 mm GRPP ball valve
Dim.: L 1,200 X w 1,000 X h 780 mm
Working capacity: 400 litres (440 litres max)
Tare weight: 77 kg
Standard colour: Natural bottle, brown case
Stacking (loaded): 1 on 4.

Containers (IBC)



2 800 litres - Ref. SH107

Ø 150 mm screw cap
 Ø 50 mm GRPP ball valve
 Dim.: L 1,160 X w 1,160 X h 1,155 mm
 Working capacity: 800 litres (814 litres max)
 Tare weight: 81.5 kg
 Standard colour: Vanilla bottle, chocolate pallet
 Stacking (empty): 1 on 1.



3 1000 litres - Ref. TH107

Ø 150 mm screw cap
 Ø 50 mm GRPP ball valve
 Dim.: L 1,160 X w 1,160 X h 1,355 mm
 Working capacity: 1000 litres (1010 litres max)
 Tare weight: 89 kg
 Standard colour: Vanilla bottle, chocolate pallet
 Stacking (empty): 1 on 1.



5 800 litres - Ref. T800

Ø 150 mm screw cap
 Ø 50 mm GRPP ball valve
 Dim.: L 1,180 X w 1,055 X h 1,365 mm
 Working capacity: 800 litres (900 litres max)
 Tare weight: 135 kg
 Standard colour: Natural bottle, steel frame
 Stacking (loaded): 1 on 2.



6 1000 litres - Ref. T1000

Ø 150 mm screw cap
 Ø 50 mm GRPP ball valve
 Dim.: L 1,180 X w 1,055 X h 1,565 mm
 Working capacity: 1000 litres (1050 litres max)
 Tare weight: 158 kg
 Standard colour: Natural bottle, steel frame
 Stacking (loaded): 1 on 1.



8 800 litres - Ref. T804

Ø 150 mm screw cap
 Ø 50 mm GRPP ball valve
 Dim.: L 1,150 X w 1,150 X h 1,440 mm
 Working capacity: 800 litres (870 litres max)
 Tare weight: 142 kg
 Standard colour: Natural bottle, green case
 Stacking (loaded): 1 on 1.



9 1000 litres - Ref. T1004

Ø 150 mm screw cap
 Ø 50 mm GRPP ball valve
 Dim.: L 1,150 X w 1,150 X h 1,690 mm
 Working capacity: 1000 litres (1,100 litres max)
 Tare weight: 153 kg
 Standard colour: Natural bottle, red/grey case
 Stacking (loaded): 1 on 1.



*Liquid storage tanks with Allgrid flooring :
 100% resistant to corrosion.
 (Allgrid on page 95).*

Liquid storage tanks

- Available in capacities from 500 to 70,000 litres.
- Helically wound plastic creating a seamless, durable and corrosion resistant tank.
- A temperature range of between -40°C and +90°C (depending on plastic used).
- Virtually any colour is available.
- Wide variety of applications from potable water through to sulphuric acid.
- Wide choice of accessories to enable us to tailor the tank to your specific requirements.



Pallets

81





Cheese manufacture: smooth surfaces promote hygiene (ref. 3L302)



Pharmaceutical distribution: rigid and stable on pallet racking (ref. 3M302)

No other name carries so much weight!

- Safely racks heavy loads of up to 1.2 tonnes for standard models, up to 1.6 tonnes for steel reinforced versions.
- Ribs, encapsulated within the pallet shell, produce a rigid structure for minimum deflection on racking and fork lifts.
- Wide width fork entry slots for easy and fast access by fork lifts and pallet trucks.
- Bevelled runners and rounded edges guide forks and help prevent damage.
- Extended collar versions combine an off-set 25mm collar with a full 1,200 x 1,000mm deck (standard collars encroach on the deck).
- Identification options include hot-foil printing owners logo & message, rib-pads for easy removal of adhesive labels, bar code label areas and R.F. tagging.
- Smooth surfaces and curved corners promote hygiene by preventing dirt or water retention and allowing fast and thorough washing.
- Compatible with all standard automatic handling systems.
- Maestro is rigorously tested for:
 - Deflection (flex) on racking
 - Drop test
 - Impact resistance
 - Stress cracking



Version with extended collar secures empty containers upside-down (allows drainage after washing and prevents rain water ingress if stored outside).



Strapping points for attaching pallet covers.



Vertical feet compatible with conveyor guides.




Runners designed for use on roller conveyors.



Smooth surfaces and curved corners for easy and thorough cleaning.



Compatible with all types of handling equipment.



1,000 Kg load made up of 400 x 300mm containers (without shrink-wrap). Residual flex after two hours rest.



1. Rib-pad allows easy removal of adhesive labels without leaving a sticky residue.
2. & 3. Large areas for hot-foil printing or embossing. Recessed areas protect bar code labels from knocks &



ALLtag
Radio-frequency tags, operating at 13.56Mhz.



Maestro Pallets

1200 x 800




Food handling: compatible with automated handling systems (ref. 3L302)



Corners allow secure stretch wrapping.



Stable block stacking.



Steel reinforced models safely rack loads of up to 1.6 tonnes.

Maestro with three runners

Standard models


Pallet loading for evenly distributed load:

- dynamic: up to 1.2 tonnes
- static: up to 5.0 tonnes
- racking: up to 1.0 tonne (depending on type and configuration of load)

Reinforced steel core models

Pallet loading for evenly distributed load:

- dynamic: up to 1.5 tonnes
- static: up to 5.0 tonnes
- racking: up to 1.4 tonnes (depending on type and configuration of load)



1 Ref. 3L300

pallet with 3 runners
smooth deck
Dim.: L 1,200 x w 800 x h 158mm
Dim.: L 47.2 x w 31.5 x h 6.2"
Weight: 19 Kg/42 lbs.
Colour: blue, ivory

Ref. 3L302

pallet with 3 runners
smooth deck with 7mm collar
Dim.: L 1,200 x w 800 x h 165mm
Dim.: L 47.2 x w 31.5 x h 6.5"
Weight: 19 Kg/42 lbs.
Colour: blue, ivory



Ref. 3L350


reinforced pallet with 3 runners
smooth deck
Dim.: L 1,200 x w 800 x h 158mm
Dim.: L 47.2 x w 31.5 x h 6.2"
Weight: 25 Kg/55 lbs.
Colour: grey

2 Ref. 3L352

reinforced pallet with 3 runners
smooth deck with 7mm collar
Dim.: L 1,200 x w 800 x h 165mm
Dim.: L 47.2 x w 31.5 x h 6.5"
Weight: 25 Kg/55 lbs.
Colour: grey

Pallet covers
see p. 92

1200 x 800 **Maestro** fork entry dimensions
(dimensions in mm)



Maestro Pallets


1200 x 1000

Maestro with 3 and five runners

Standard models

Pallet loading for evenly distributed load:

- dynamic: up to 1.5 tonnes
 - static: up to 5.0 tonnes
 - racking: up to 1.2 tonne
- (depending on type and configuration of load)



Ref. 3M300
pallet with 3 runners
smooth deck
Dim.: L 1,200 x w 1,000 x h 158mm
Dim.: L 47.2 x w 39.4 x h 6.2"
Weight: 23.5 Kg/51.7 lbs., Colour: blue

Ref. 3M302
as ref. 3M300 with 7mm collar
Dim.: L 1,200 x w 1,000 x h 165mm
Dim.: L 47.2 x w 39.4 x h 6.5"

1 Ref. 3M304
minimum order item
pallet with 3 runners
smooth deck with 25mm extended collar
Dim.: L 1,220 x w 1,020 x h 183mm
Dim.: L 48.0 x w 40.2 x h 7.2"
Weight: 24 Kg/52.8 lbs., Colour: blue

Reinforced steel core models

Pallet loading for evenly distributed load


- dynamic: up to 2.0 tonnes
 - static: up to 5.0 tonnes
 - racking: up to 1.6 tonnes
- (depending on type and configuration of load)



Ref. 3M350
reinforced pallet with 3 runners
smooth deck
Dim.: L 1,200 x w 1,000 x h 158mm
Dim.: L 47.2 x w 39.4 x h 6.2"
Weight: 30 Kg/66 lbs., Colour: grey

Ref. 3M352
as ref. 3M350 with 7mm collar
Dim.: L 1,200 x w 1,000 x h 165mm
Dim.: L 47.2 x w 39.4 x h 6.5"

2 Ref. 3M354
minimum order item
reinforced pallet with 3 runners
smooth deck with 25mm extended collar
Dim.: L 1,220 x w 1,020 x h 183mm
Dim.: L 48.0 x w 40.2 x h 7.2"
Weight: 30.5 Kg/67.1 lbs., Colour: grey



Ref. 3M500
pallet with 5 runners
smooth deck
Dim.: L 1,200 x w 1,000 x h 158mm
Dim.: L 47.2 x w 39.4 x h 6.2"
Weight: 24.2 Kg/53.2 lbs., Colour: blue

3 Ref. 3M502
as ref. 3M500 with 7mm collar
Dim.: L 1,200 x w 1,000 x h 165mm
Dim.: L 47.2 x w 39.4 x h 6.5"


Ref. 3M504
minimum order item
pallet with 5 runners
smooth deck with 25mm extended collar
Dim.: L 1,220 x w 1,020 x h 183mm
Dim.: L 48.0 x w 40.2 x h 7.2"
Weight: 24.7 Kg/54.3 lbs., Colour: blue



Ref. 3M550
reinforced pallet with 5 runners
smooth deck
Dim.: L 1,200 x w 1,000 x h 158mm
Dim.: L 47.2 x w 39.4 x h 6.2"
Weight: 30.7 Kg/67.5 lbs., Colour: grey

4 Ref. 3M552
as ref. 3M550 with 7mm collar
Dim.: L 1,200 x w 1,000 x h 165mm
Dim.: L 47.2 x w 39.4 x h 6.5"

Ref. 3M554
minimum order item
reinforced pallet with 5 runners
smooth deck with 25mm extended collar
Dim.: L 1,220 x w 1,020 x h 183mm
Dim.: L 48.0 x w 40.2 x h 7.2"
Weight: 31.2 Kg/68.6 lbs., Colour: grey





Warehouse storage: anti-slip runners for safety and security on pallet racking (ref. 3M360).

Anti-slip protection Grips, not slips

ALLigrip Maestro is the first plastic pallet to feature anti-slip protection over the whole deck surface and under the runners as well.

- Anti-slip deck prevents loads sliding off the pallet, causing damage to the load and injury to personnel.
- Anti-slip runners limit movement should the pallet be accidentally knocked when on racking or block stacked.
- The runners also prevent the pallet from sliding on lorry decks, conveyor rollers or sloping surfaces.
- **ALLigrip Maestro's** deck is completely smooth – an important consideration for cleanliness and hygiene.
- Ideal for use in fridges and freezers.



Secure storage on uneven surfaces.

ALLigrip Maestro pallets

1200 x 800 – 1200 x 1000

ALLigrip Maestro with 3 and 5 runners

Pallet loading for evenly distributed load (depending on type and configuration of load):

1200 x 800 with 3 runners

Reinforced steel core


- dynamic: up to 1,300 Kg
- static: up to 5,000 Kg
- racking: up to 1,200 Kg

1200 x 1000 with 3 and 5 runners

Reinforced steel core

- dynamic: up to 1,600 Kg
- static: up to 5,000 Kg
- racking: up to 1,400 Kg


1200 x 800



1 Ref. 3L360


pallet with anti-slip deck and 3 runners reinforced by steel insert
Dim.: L 1,200 x w 800 x h 158mm
Dim.: L 47.2 x w 31.5 x h 6.2"
Wt: 25 Kg/55 lbs.
Colour: dark blue/grey
Freezer grade quality

1200 x 1000



2 Ref. 3M360

pallet with anti-slip deck and 3 runners reinforced by steel insert
Dim.: L 1,200 x w 1,000 x h 158mm
Dim.: L 47.2 x w 39.4 x h 6.2"
Wt: 30 Kg/66 lbs.
Colour: dark blue/grey
Freezer grade quality



3 Ref. 3M560

pallet with anti-slip deck and 5 runners reinforced by steel insert
Dim.: L 1,200 x w 1,000 x h 158mm
Dim.: L 47.2 x w 39.4 x h 6.2"
Wt: 30.7 Kg/68 lbs.
Colour: dark blue/grey
Freezer grade quality



Equivalent grip to plastic containers or bags as a timber pallet loaded with cardboard boxes.

See pages 83 and 84 for fork entry dimensions

Jumbopal Pallets

1200 x 800 – 1200 x 1000


86

Jumbopal pallet with feet and runners

Pallet loading for evenly distributed load:

- dynamic – feet: up to 1.5 tonnes
 - runners: up to 2 tonnes
- static – feet: up to 5 tonnes
 - runners: up to 5 tonnes
- racking – runners: up to 1.5 tonnes (depending on type and configuration of load)

1200 x 800mm



Ref. 32001
pallet with 9 feet
ventilated deck
Dim.: L 1,200 x w 800 x h 140mm
Dim.: L 47.2 x w 31.5 x h 5.5"
Weight: 11.8 Kg/26.0 lbs.
Colour: brown-red

Ref. 32003
as ref. 32001 with 7mm collar
Height: 147mm / 5.8"
Weight: 11.9 Kg/26.2 lbs.
Colour: brown-red

Ref. 32010
pallet with 9 feet
solid deck with 44 anti-slip studs
Dim.: L 1,200 x w 800 x h 142mm
Dim.: L 47.2 x w 31.5 x h 5.6"
Weight: 13.3 Kg/29.3 lbs.
Colour: brown-red

Ref. 32301
pallet with 3 runners
ventilated deck
Dim.: L 1,200 x w 800 x h 156mm
Dim.: L 47.2 x w 31.5 x h 6.1"
Weight: 17.0 Kg/37.4 lbs.
Colour: brown-red

Ref. 32303
as ref. 32301 with 7mm collar
Height: 163mm / 6.4"
Weight: 17.1 Kg/37.6 lbs.
Colour: brown-red

1 Ref. 32310
pallet with 3 runners
solid deck with 44 anti-slip studs
Dim.: L 1,200 x w 800 x h 158mm
Dim.: L 47.2 x w 31.5 x h 6.2"
Weight: 18.5 Kg/40.7 lbs.
Colour: brown-red

1200 x 1000mm



2 Ref. 33301
pallet with 3 runners
ventilated deck
Dim.: L 1,200 x w 1,000 x h 156mm
Dim.: L 47.2 x w 39.4 x h 6.1"
Weight: 20.0 Kg/44.0 lbs.
Colour: brown-red

Ref. 33310
pallet with 3 runners
solid deck with 56 anti-slip studs
Dim.: L 1,200 x w 1,000 x h 158mm
Dim.: L 47.2 x w 39.4 x h 6.2"
Weight: 21.8 Kg/48.0 lbs.
Colour: brown-red


Ref. 33303
as ref. 33301 with 7mm collar
Height: 163mm / 6.4"
Weight: 20.1 Kg/44.2 lbs.
Colour: brown-red



Ref. 33501
pallet with perimeter runners
ventilated deck
Dim.: L 1,200 x w 1,000 x h 156mm
Dim.: L 47.2 x w 39.4 x h 6.1"
Weight: 22.8 Kg/50.2 lbs.
Colour: brown-red

Ref. 33510
pallet with perimeter runners
solid deck with 56 anti-slip studs
Dim.: L 1,200 x w 1,000 x h 158mm
Dim.: L 47.2 x w 39.4 x h 6.2"
Weight: 24.6 Kg/54.1 lbs.
Colour: brown-red

3 Ref. 33503
as ref. 33501 with 7mm collar
Height: 163mm / 6.4"
Weight: 22.9 Kg/50.4 lbs.
Colour: brown-red





Distribution: strong and light for intensive trippage (ref. 3E003).

The distribution pallet

- Strong and light for intensive trippage.
- Empty pallets with 9 feet nest to 62% of overall height, saving valuable space on return transport (one stack of 34 nested pallets measures less than 2 metres).
- Packpal with perimeter runners can be used for rack-ing evenly distributed loads of up to 350 kg.
- Strong, durable, hygienic, constant tare and unlike timber pallets they will not warp, rot or absorb moisture.



PET bottle manufacture: easy handling and optimum use of storage space (ref. 3F002).



Nesting to 62%, saving valuable space on return transport.

Warehouse: Packpal with perimeter runners safely racks evenly distributed loads of up to 350 kg (ref. 3F503).

Packpal pallets


1200 x 800

Packpal with feet

Pallet loading for Packpal with nine feet - for evenly distributed load:


- dynamic: up to 500 kg.
- static: up to 1.0 tonne

(depending on type and configuration of load).



1 Ref. 3E003

pallet with nine feet
ventilated deck with collar
Dim.: L 1,200 X w 800 X h 147 mm
Dim.: L 47.3 X w 31.5 X h 5.8"
Wt: 5.9 kg/13.0 lbs.
Colour: brown-red.



2 Ref. 3E002

pallet with nine feet
solid deck with collar
Dim.: L 1,200 X w 800 X h 147 mm
Dim.: L 47.3 X w 31.5 X h 5.8"
Wt: 7.0 kg/15.4 lbs.
Colour: brown-red.

Packpal with three runners

Pallet loading for Packpal with three runners - for evenly distributed load:

- dynamic: up to 500 kg
- static: up to 1.0 tonne


(depending on type and configuration of load).

Packpal with perimeter runners

Pallet loading for Packpal with perimeter runners - for evenly distributed load:

- dynamic: up to 1.2 tonnes
- static: up to 1.5 tonnes
- racking: up to 350 kg

(depending on type and configuration of load).




Ref. 3E303

pallet with three runners
ventilated deck with collar
Dim.: L 1,200 X w 800 X h 172 mm
Dim.: L 47.3 X w 31.5 X h 6.8"
Wt: 7.8 kg/17.1 lbs.
Colour: brown-red.


1 Ref. 3E302

pallet with three runners
solid deck with collar
Dim.: L 1,200 X w 800 X h 172 mm
Dim.: L 47.3 X w 31.5 X h 6.8"
Wt: 8.9 kg/19.6 lbs.
Colour: brown-red.



2 Ref. 3E503

pallet with perimeter runners
ventilated deck with collar
Dim.: L 1,200 X w 800 X h 172 mm
Dim.: L 47.3 X w 31.5 X h 6.8"
Wt: 8.9 kg/19.6 lbs.
Colour: brown-red.




3 Ref. 3E502


pallet with perimeter runners
solid deck with collar
Dim.: L 1,200 X w 800 X h 172 mm
Dim.: L 47.3 X w 31.5 X h 6.8"
Wt: 10.3 kg/22.7 lbs.
Colour: brown-red.

1200 x 800 Packpal fork entry dimensions


800 side
models with feet and 3 runners



1200 side
models with feet



800 side
models with 6 runners



1200 side
models with 3 and 6 runners




Packpal pallets

1200 x 1000

Packpal with feet

Pallet loading for Packpal with nine feet - for evenly distributed load:

- dynamic: up to 500 kg
 - static: up to 1.0 tonne
- (depending on type and configuration of load).



Ref. 3F003

pallet with nine feet
ventilated deck with collar
Dim.: L 1,200 X w 1,000 X h 147 mm
Dim.: L 47.3 X w 39.4 X h 5.8"
Wt: 7.3 kg/16.1 lbs.
Colour: brown-red.

1 Ref. 3F002

pallet with nine feet
solid deck with collar
Dim.: L 1,200 X w 1,000 X h 147 mm
Dim.: L 47.3 X w 39.4 X h 5.8"
Wt: 8.9 kg/19.6 lbs.
Colour: brown-red.

Packpal with three runners


Pallet loading for Packpal with three runners - for evenly distributed load:

- dynamic: up to 500 kg
 - static: up to 1.0 tonne
- (depending on type and configuration of load).

Packpal with perimeter runners

Pallet loading for Packpal with perimeter runners - for evenly distributed load:

- dynamic: up to 1.2 tonnes
 - static: up to 1.5 tonnes
 - racking: up to 350 kg
- (depending on type and configuration of load).





2 Ref. 3F303

pallet with three runners
ventilated deck with collar
Dim.: L 1,200 X w 1,000 X h 172 mm
Dim.: L 47.3 X w 39.4 X h 6.8"
Wt: 9.3 kg/20.5 lbs.
Colour: brown-red.

Ref. 3F302

pallet with three runners
solid deck with collar
Dim.: L 1,200 X w 1,000 X h 172 mm
Dim.: L 47.3 X w 39.4 X h 6.8"
Wt: 10.9 kg/24.0 lbs.
Colour: brown-red.



3 Ref. 3F503

pallet with perimeter runners
ventilated deck with collar
Dim.: L 1,200 X w 1,000 X h 172 mm
Dim.: L 47.3 X w 39.4 X h 6.8"
Wt: 11.9 kg/26.2 lbs.
Colour: brown-red.

Ref. 3F502

pallet with perimeter runners
solid deck with collar
Dim.: L 1,200 X w 1,000 X h 172 mm
Dim.: L 47.3 X w 39.4 X h 6.8"
Wt: 13.5 kg/29.7 lbs.
Colour: brown-red.

Recycled pallets

1200 x 800 – 1200 x 1000

90

Industrial Pallet

Tough and versatile, the Industrial Recycled Pallet is ideal for racking light loads, compatible with a wide range of conveyors and built to withstand intensive use.

Pallet loading for Industrial Recycled Pallet – for evenly distributed load:

- dynamic: up to 1.0 tonne
- static: up to 4 tonnes
- racking: up to 700 Kg
(depending on type and configuration of load)

Shipping Pallet

Manufactured in recycled high density polyethylene, the Shipping Pallet provides a light weight low cost alternative to timber pallets. Ref. 3D003 nests by 70%, saving valuable space on return transport.

Pallet loading for Industrial Recycled Pallet – for evenly distributed load:

- dynamic: up to 350 tonne
- static: up to 700 Kg
(depending on type and configuration of load)



1 Ref. 3P302
pallet with 3 runners
semi-solid deck with 6mm collar
Dim.: L 1,200 x w 800 x h 160mm
Dim.: L 47.2 x w 31.5 x h 6.3"
Wt: 21 Kg/46 lbs.
Colour: light grey
For use in temperatures from 0° to + 40°C




2 Ref. 3P300
pallet with 3 runners
semi-solid deck
Dim.: L 1,200 x w 800 x h 160mm
Dim.: L 47.2 x w 31.5 x h 6.3"
Wt: 21 Kg/46 lbs.
Colour: light grey
For use in temperatures from 0° to + 40°C




3 Ref. 3D003
pallet with 9 feet
ventilated deck with 5mm collar
Dim.: L 1,200 x w 800 x h 144mm
Dim.: L 47.2 x w 31.5 x h 5.7"
Nested height: 45mm / 1.8"
Wt: 7.8 Kg/17.2 lbs.
Colour: dark grey
Supplied in quantities of 50 pallets




4 Ref. 3D303
pallet with 3 runners
ventilated deck with 5mm collar
Dim.: L 1,200 x w 800 x h 162mm
Dim.: L 47.2 x w 31.5 x h 6.4"
Wt: 11.0 Kg/24.2 lbs.
Colour: dark grey



Dimensions in mm.



Stack of 50 nested pallets
(ref. 3D003).



Recypal

Pallet loading for Recypal with three runners - for evenly distributed load:

- dynamic: up to 1.0 tonne
- static: up to 4.0 tonnes
- racking: up to 500 kg (depending on type and configuration of load).



1 Ref. E3300

pallet with three runners
solid deck
Dim.: L 1,200 X w 1,000 X h 150 mm
Dim.: L 47.3 X w 39.4 X h 5.9"
Wt: 25.0 kg/55.0 lbs.
Colour: dark grey.

Ref. E3302

pallet with three runners
solid deck with collar
Dim.: L 1,200 X w 1,000 X h 157 mm
Dim.: L 47.3 X w 39.4 X h 6.2"
Wt: 25.2 kg/55.4 lbs.
Colour: dark grey.


800 x 600 handling unit

- Industrial distribution: supply of parts direct to work station or production line, its small size makes it easier to access than conventional 1200 x 1000mm pallets, saving valuable time unloading
- Retail distribution: compact size for in-store deliveries and ideal for point-of-sale display
- 4-way entry allows easy access by fork lifts and pallet trucks
- Optional lid, with or without adjustable straps, secures load and allows block stacking (see p. 93)
- Identification options include hot-foil printing and radio-frequency tags
- Lids include pimple-pads, for easy removal of adhesive labels, and optional label holder (see p. 93)
- Dynamic load: up to 750 Kg
- Static load: up to 2.0 tonnes (depending on type and configuration of load)




Distribution pallets

800 x 600



2 Ref. 3G303

pallet with 3 runners
ventilated deck with 7mm collar
Dim.: L 800 x w 600 x h 167mm
Dim.: L 31.5 x w 23.6 x h 6.5"
Weight: 6.2 Kg/13.6 lbs.
Colour: grey



3 Ref. 3G301


as ref. 3G303 without collar
Height: 160mm / 6.3"



4 Ref. 3G305

pallet with 3 runners
ventilated deck with 20mm extended collar (collar off-set for full 800 x 600mm deck)
Dim.: L 816 x w 616 x h 180mm
Dim.: L 32.1 x w 24.3 x h 7.1"
Weight: 6.4 Kg/14.1 lbs.
Colour: grey

Distribution Pallet (dimensions in mm)





Easy to handle, compact and secure (pallet ref. 3F303, container ref. 21063 and lid ref. 06972).

Secure handling and distribution

- Compact, stable pallet units
- Protection to contents
- Allow secure block stacking
- Models with adjustable straps provide extra security



Pallet "safety belt" system

The pallet safety belt system provides additional security for pallet loads. A pallet cover is combined with four inertia straps to quickly and securely hold containers in place.


The system operates with the Universal Pallet featured on page 94.

Pallet lids



Protecting contents from rain (pallet ref. 3F503, container ref. 11065 and lid ref. 64701).

LIDS FOR 800 x 600 PALLETS



1 Ref. 06700

Polypropylene lid for 800 x 600mm Distribution Pallets (see p. 91). Compatible with Eureka, Odette and European Standard Range stacking containers.
Dim.: L 820 x w 620 x h 78mm
Dim.: L 32.3 x w 24.4 x h 3.1"
Wt: 2.1 Kg/4.6 lbs., Colour: black

LIDS FOR 1200 x 800 PALLETS



5 Ref. 64801

Lid for all 1200 x 800mm pallets with perimeter runners. Compatible with Traditional stacking & nesting containers (see p. 44 & 45).
Dim.: L 1,246 x w 846 x h 89mm
Dim.: L 49.1 x w 33.3 x h 3.5"
Wt: 5.1 Kg/11.2 lbs., Colour: light grey



6 Ref. 06800

Lid for 1200 x 800mm Packpal pallets with three runners. Compatible with Eureka, Odette and European Standard Range stacking containers.
Dim.: L 1,220 x w 813 x h 53mm
Dim.: L 48.0 x w 32.0 x h 2.1"
Wt: 3.8 Kg/8.4 lbs., Colour: black

LIDS FOR 1200 x 1000 PALLETS



11 Ref. 64701

Lid for all 1200 x 1000mm pallets with perimeter runners. Compatible with Traditional stacking & nesting containers (see p. 44 & 45).
Dim.: L 1,246 x w 1,046 x h 89mm
Dim.: L 49.1 x w 41.2 x h 3.5"
Wt: 6.0 Kg/13.2 lbs., Colour: grey



Other models, with or without adjustable straps, are available on request.

**2 Ref. 06772**

as ref. 06700 with adjustable straps to secure loads from 400 to 900mm high

3 Ref. 00532

label holder for lids ref. 06700 and 06772 – riveted onto lid
for label: 210 x 150mm / 8.3 x 5.9"

**4 Ref. 06705**


minimum order item
Polypropylene lid for 800 x 600mm pallets with perimeter runners.
Compatible with Eureka, Odette and European Standard Range stacking containers.
Dim.: L 820 x w 620 x h 38mm
Dim.: L 32.3 x w 24.4 x h 1.5"
Wt: 1.8 Kg/4.0 lbs., Colour: black

Ref. 06998

minimum order item
Polypropylene lid for 800 x 600mm pallets with perimeter runners.
Compatible with Odette containers.
Dim.: L 803 x w 604 x h 43mm
Dim.: L 31.6 x w 23.8 x h 1.7"
Wt: 1.6 Kg/3.5 lbs., Colour: black

**7 Ref. 06840**

Lid for 1200 x 800mm Maestro and Alligrip pallets with three runners.
Compatible with Eureka, Odette and European Standard Range stacking containers.
Dim.: L 1,220 x w 813 x h 53mm
Dim.: L 48.0 x w 32.0 x h 2.1"
Wt: 3.8 Kg/8.4 lbs., Colour: black

**8 Ref. 06850**

Lid for 1200 x 800mm Maestro and Alligrip pallets with three runners.
Large retaining lip depth: 76mm / 3.0"
Dim.: L 1,215 x w 814 x h 100mm
Dim.: L 47.8 x w 32.0 x h 3.9"
Wt: 4.7 Kg/10.3 lbs., Colour: black

**9 Ref. 06872**

Lid with adjustable straps for 1200 x 800mm Packpal pallets with three runners.
Compatible with Eureka, Odette and European Standard Range stacking containers.
Dim.: L 1,220 x w 813 x h 53mm
Dim.: L 48.0 x w 32.0 x h 2.1"
Wt: 3.8 Kg/8.4 lbs., Colour: black

**10 Ref. 06805**

Lid with for all 1200 x 800mm pallets with perimeter runners.
Compatible with Eureka, Odette and European Standard Range stacking containers.
Dim. And weight as ref. 06872

Ref. 06871

as ref. 06805 with 4 adjustable straps.

**12 Ref. 06996**

Lid for 1200 x 1000mm Packpal pallets with three runners.
Compatible with Eureka, Odette and European Standard Range stacking containers.
Dim.: L 1,210 x w 1,010 x h 45mm
Dim.: L 47.6 x w 39.8 x h 1.8"
Wt: 6.2 Kg/13.6 lbs.
Colour: black, green

**13 Ref. 06940**

Lid for 1200 x 1000mm Maestro and Alligrip pallets with three runners.
Compatible with Eureka, Odette and European Standard Range stacking containers.
Dim.: L 1,210 x w 1,010 x h 45mm
Dim.: L 47.6 x w 39.8 x h 1.8"
Wt: 6.2 Kg/13.6 lbs., Colour: black

**14 Ref. 06972**

as ref. 06940 with 4 adjustable straps.
Colour: green

**15 Ref. 06991**

Polypropylene lid with for all 1200 x 1000mm pallets with perimeter runners.
Compatible with Eureka, Odette and European Standard Range stacking containers.
Dim.: L 1,210 x w 1,010 x h 45mm
Dim.: L 47.6 x w 39.8 x h 1.8"
Wt: 6.2 Kg/13.6 lbs., Colour: blue

Ref. 06971

as ref. 06991 with 4 adjustable straps.



Pallet Collar

- Transforms a standard 1200 x 1000mm pallet into a bulk box.
- Height can be built up in stages to suit height of contents.
- Folds flat for easy storage when not in use.



Flame edge™

- Universal pallet with Flame Edge™ technology provides superior fire redundancy.
- Economic alternative to upgrading warehouse sprinkler systems.



Ultimate hygiene

- Developed for the food and pharmaceutical industries, Biopal's smooth surfaces allow easy and thorough cleaning.
- Biopal can be frozen down to -40°C.

Other pallet ranges

Portacollar

- Fits all Allibert Buckhorn 1200 x 1000mm pallets.
- Also fits heavy duty folding bulk boxes ref. 2B721, 2B722 and 2B723 (see p.67).
- Pallet collars are built up in stages to suit size and height of contents.
- Folds flat when not in use, saving return transport costs.
- Optional cover also available



1 Ref. 3R195

minimum order item
recycled polypropylene pallet collar
Dim.: L 1,200 x w 1,000 x h 230mm
Dim.: L 47.2 x w 39.4 x h 9.1"
Colour: black
Int. height of 1 unit: 195mm / 7.7"
Int. height of 2 units: 390mm / 15.4"
Int. height of 3 units: 585mm / 23.0"
Int. height of 4 units: 780mm / 30.7"
Int. height of 5 units: 975mm / 38.4"

2

Universal pallet

- Reinforced with steel rods, the heavy-duty Universal Pallet can safely rack loads of up to 1.27 tonnes and support a static load of over 13 tonnes!
- Manufactured with Flame Edge™ fire redundancy.
- 4-way entry.
- Ventilated deck with ergonomic hand-holds for easy lifting.
- Compatible with most racking and conveyor systems.



2 Ref. 3B603

pallet with perimeter runners
semi-solid deck with 6mm collar
Dim.: L 1,219 x w 1,016 x h 141mm
Dim.: L 48.0 x w 40.0 x h 5.6"
Wt: 31 Kg/68 lbs.
Colour: black

Pallet loading for Universal Pallet – for evenly distributed load:

- dynamic: 2.260 tonnes
 - static: 13.6 tonnes
 - racking: 1,270 Kg
- (depending on type and configuration of load)

Biopal

- Pallet loadings: for evenly distributed load - depending on type and configuration of load

Ref. R1902

pallet with nine feet
solid deck with 7mm collar
Dim.: L 800 X w 600 X h 147 mm
Dim.: L 31.5 X w 23.6 X h 5.8"
Wt: 7.2 kg/15.9 lbs.
Colour: white
dynamic load: up to 400 kg/880 lbs.

3



3 Ref. R3302

pallet with two runners and three feet
solid deck with 10 mm collar
Dim.: L 1,200 X w 1,000 X h 190 mm
Dim.: L 47.2 X w 39.4 X h 7.5"
Wt: 18.0 kg/39.6 lbs.
Colour: white
dynamic load: up to 1,000 kg/2,200 lbs.

Ref. R3902

pallet with nine feet
solid deck with 10 mm collar
Dim.: L 1,200 X w 1,000 X h 150 mm
Dim.: L 47.2 X w 39.4 X h 5.9"
Wt: 15.0 kg/33.0 lbs.
Colour: white
dynamic load: up to 700 kg/1,550 lbs.



Spill control products : Safe storage, handling and distribution of hazardous liquid containers

A range of products designed to prevent costly spills and leaks of potentially dangerous liquids from storage containers. Suitable for safely handling car batteries, 200 litre drums, 1,000 litre IBC's, etc.

Spill control range:

- 100% plastic: Will not rust and is resistant to most corrosive substances.
- Economy: Low cost, maintenance-free, helps save on floor cleaning, reduces potential environmental and compensation costs and stacks to save space when not in use.
- Ergonomics: Smooth rounded designs promote hygiene and help prevent operator injury.
- Customisation: Most spill control products have large marking areas and are available in other colours depending on order quantity.
- Handling: Light-weight with four-way entry pallet base.




Liquids safely poured into drums using drum funnel (ref B9080).



Retenpal has 56 cells to contain leaks. Nests to save up to 44% of space when not in use (ref R2906).



Drum bunds have moulded decks designed for the safe handling of either two or four drums (refs QS000, WSA07, VSA07).



Retention bunds have flat removable decking grids to suit a variety of liquid containers (refs QS100, WSB07, VSB07).



IBC's (up to 1,000 litres) safely stored on IBC bund (ref. BJS00).

Spill control

Spill
control

95



DRUM FUNNEL

1 Ref. B9080

drum funnel
Ext. dim.: Ø 550 X h 130 mm
Wt: 1.9 Kg
Colour: green.



RETENPAL

17 litres – Ref. R1908

pallet with 23 separate retention cells
Ext. Dim.: L 800 x w 600 x h 225mm
static load: 800 Kg*
dynamic load: 600 Kg*
Wt: 8 Kg
Colour: green

2 35 litres – Ref. R2906

pallet with 56 separate retention cells
Ext. Dim.: L 1,200 x w 800 x h 225mm
static load: 1,500 Kg*
dynamic load: 700 Kg*
Wt: 16 Kg
Colour: green

*depending on type and configuration of load



Separate cells reduce wave effect causing splashing and spillage (ref. XS107)



RETENPACK

75 litres – Ref. XS107

pallet with 9 feet within sump
Ext. Dim.: L 860 x w 660 x h 230mm
static load: 1,500 Kg*
dynamic load: 500 Kg*
Wt: 8.3 Kg. Colour: green sump, grey pallet

*depending on type and configuration of load

1 150 litres – Ref. XS007

pallet with 9 feet within sump
Ext. Dim.: L 1,250 x w 850 x h 230mm
static load: 1,500 Kg*
dynamic load: 500 Kg*
Wt: 16.0 Kg
Colour: green sump, brown-red pallet



DRUM BUNDS

2 220 litres - Ref. QS000

moulded deck for up to 2 drums
Ext. dim.: L 1,300 X w 800 X h 380 mm
static load: 800 kg
Wt: 30.0 Kg.
Colour: green.



3 240 litres - Ref. WSA07

moulded deck for up to 4 drums
Ext. dim.: L 1,300 X w 1,300 X h 285 mm
static load: 1,600 kg
Wt: 40.0 Kg.
Colour: green.

4 450 litres - Ref. VSA07

moulded deck for up to 4 drums
Ext. dim.: L 1,300 X w 1,300 X h 445 mm
static load: 1,600 kg
Wt: 52.0 Kg.
Colour: green.



RETENTION BUNDS

5 220 litres - Ref. QS100

with one removable decking grid
Ext. dim.: L 1,300 X w 800 X h 380 mm
static load: 800 kg
Wt: 36kg.
Colour: green, black grid.




6 240 litres - Ref. WSB07

with two removable decking grids
Ext. dim.: L 1,300 X w 1,300 X h 285 mm
static load: 1,600 kg
Wt: 46.0 Kg.
Colour: green, black grids.

7 450 litres - Ref. VSB07

with two removable decking grids
Ext. dim.: L 1,300 X w 1,300 X h 445 mm
static load: 1,600 kg
Wt: 57.0 Kg.
Colour: green, black grids.

Drum dispensing stand



1 – 20 litre front well collects drips when dispensing liquid from the drum.

2 – Safe overflow from front well into main bund through side.

3 – Holes for strapping drum to stand.

4 – Ergonomic handles.

5 – Can be fitted with optional label holder.



1 Ref. FS107

Dispensing stand for 200 litre drum
Dim.: L 1,245 x w 570 x h 644mm
Dim.: L 49.0 x w 22.4 x h 25.4"
Static load: 330 Kg / 726 lbs.
Wt: 32 Kg/70 lbs., Colour: black



2 Ref. QSF00

Drum stand ref. FS107 supplied with retention bund ref. QSF00



3 Ref. WSF07

Drum stand ref. FS107 supplied with retention bund ref. WSB07 (for storing two drums beside dispensing stand)



4 Ref. VSF07

Drum stand ref. FS107 supplied with retention bund ref. VSB07 (for storing two drums beside dispensing stand)

IBC bund

- 1,100 litre storage capacity retains 110% of a 1,000 litre IBC.

- Ideal for all Allibert Buckhorn IBCs (see pages 78 and 79) together with a wide range of liquids handling containers and drums.

- Maintenance-free, 100% weld-free plastic construction.

- Smooth surfaces and rounded corners for easy cleaning, free from sharp edges that could cause injury.

- Removable deck for emptying.



5 1,100 litres - Ref. BJS00

IBC bund with removable deck

Dim.: L 1,855 x w 1,855 x h 660mm

Dim.: L 73.0 x w 73.0 x h 26.0"

Static load: 2,500 Kg / 5,500 lbs.

Wt: 160 Kg/352 lbs., Colour: green, black grid




Safe liquid handling: up to 1,000 litres can be safely stored and dispensed (ref. BJS00 pictured with Allibert Buckhorn all-plastic IBC – see page 79).



Other ranges and accessories

99



Flooring

100


Floor slats



Laboratory: comfort and anti-slip protection, flexible floor slats roll up for easy cleaning (ref. 61400).





Workshop: floor slats provide comfortable and insulated surface (ref. 61900).



RETENKIT SPILL FLOORING

6 Ref. 619S0

Polypropylene
2.5 litres retention volume per slat
No tools required for assembly, slats simply interlock together to protect employees and flooring from harmful leaks and spills.
Dim.: L 508 X w 508 X h 30 mm
Dim.: L 20.0 X w 20.0 X h 1.2"
Wt: 1.4 kg/3.1 lbs.,
Colour: green.



4 Ref. 61800

honeycomb floor slat
Dim.: L 503 X w 486 X h 20 mm
Dim.: L 19.8 X w 19.2 X h 0.8"
Wt: 0.75 kg/1.6 lbs., Colour: caramel.
Designed to satisfy the needs of Health and Safety Regulations; it is hygienic, durable and considerably reduces noise levels.
SKU quantity: 20



7 Ref. 61300

raised flooring
Dim.: L 1,000 X w 1,000 X h 40 mm
Dim.: L 39.4 X w 39.4 X h 1.6"
Wt: 6.30 kg/square metre - with 200 mm feet
Wt: 6.80 kg/square metre - with 300 mm feet
Colour: brown-red.
Load (fitted with 13 feet): 150 kg/m²
Easy and quick to install or dismantle, feet simply twist-lock into the base of each panel, no tools required. Can be cut to size.

Ref. 00103

feet for raised flooring ref. 61300
height: 200 mm/7.9", Wt: 0.10 kg/0.2 lbs.
13 per panel.

Ref. 00104

feet for raised flooring ref. 61300
height: 300 mm/11.8", Wt: 0.14 kg/0.3 lbs.
13 per panel.

RIGID FLOOR SLATS

1 Ref. 61900


industrial floor slat
Dim.: L 500 X w 500 X h 50 mm
Dim.: L 19.7 X w 19.7 X h 2.0"
Wt: 1.95 kg/4.3 lbs., Colour: brown, white.
Interlock to provide a safe, stable surface and resistant to virtually all forms of chemical corrosion. Ramp sections provide easy access for all handling equipment.
SKU quantity: 10

2 Ref. 61901

ramp for ref. 61900
Dim.: L 500 X w 250 mm
Dim.: L 19.7 X w 9.9"
Wt: 0.85 kg/1.9 lbs., Colour: brown, white.
SKU quantity: 6


3 Ref. 61902

corner ramp for ref. 61900
Dim.: L 250 X w 250 mm
Dim.: L 9.9 X w 9.9"
Wt: 0.39 kg/0.9 lbs., Colour: brown, white.
SKU quantity: 32



5 Ref. 61805

pedestrian floor slat
Dim.: L 503 X w 486 X h 20 mm
Dim.: L 19.8 X w 19.2 X h 0.8"
Wt: 0.93 kg/2.1 lbs., Colour: green.
The ideal surface for outdoor walkways, around swimming pools, showers, etc.
SKU quantity: 20



8 Ref. 61190

minimum order item
polypropylene floor grille
Dim.: L 500 X w 500 X h 40 mm
Dim.: L 19.7 X w 19.7 X h 1.6"
Wt: 2.0 kg/4.4 lbs., Colour: dark green
max load: 125 kg/276 lbs., per panel
Designed for poultry rearing and pigeon lofts, this floor grille is hygienic and easy to clean.
The all-plastic construction and minimal surface area reduce risk of infection
Quick and easy to install - can be cut to size




Allimat & Alligridd

Allimat

Safety and fatigue relief matting

- Safety: ribbing in each direction provides extra grip, both to the floor and to the people or traffic using the matting. Allimat readily conforms to floor contours.
- Fatigue relief: The ideal flooring for workstations, Allimat fights against operator fatigue when standing for long periods and insulates from cold.
- Noise reduction: noise levels are reduced dramatically on hard floors such as concrete, steel and tiles.
- Reversible: for double working life. An optional edging strip is available, Allimat is supplied in 5 m (16.4 ft) and 10 m (32.8 ft) rolls of 0.6, 0.9, 1.2 or 1.5 m (2.0, 3.0, 4.0 or 5.0 ft.) widths.

Alligridd



1 Ref. 61200 Allimat
Mesh size: 22 X 22 mm/0.9 X 0.9"
Wt: 4.85 kg/m² (1.1 lbs./ft²)
Colour: black, blue, green, red and other colours available on application.

Ref. 61201 Allimat
Mesh size: 30 X 30 mm/1.2 X 1.2"
Wt: 4.3 kg/m² (0.9 lbs./ft²)
Colour: black, blue, green, red and other colours available on application.

Ref. 61206 Allimat
Mesh size: 30 X 10 mm/1.2 X 0.4"
Wt: 5.5 kg/m² (1.2 lbs./ft²)
Colour: black, blue, green, red and other colours available on application.

Ref. 61250 Hygimat
Hygienic matting for the food industry, resistant to fats and oils
Mesh size: 22 X 22 mm/0.9 X 0.9"
Wt: 4.85 kg/m² (1.1 lbs./ft²)
Colour: cream, terracotta.

2 Entrance/Workstation mats
Allimat ref. 61200 cut to size with perimeter edging strip.
sizes:
Ref.: **61511**: 1,200 X 600 mm/48 X 24"
Ref.: **61513**: 1,500 X 1,000 mm/60 X 39"
Ref.: **61515**: 1,800 X 1,200 mm/72 X 48"
Colours: black, blue, brown, green, grey, red and yellow.
Workstation mats in black with high visibility yellow safety edging.



Alligridd: corrosion resistant flooring.

Alligridd	Ref.	Mesh (mm)	Thickness (mm)	Panel sizes (mm)	Weight (Kg/m ²)
Foot traffic series	6G90	85 x 18	25	1,000 x 2,000	13.5 Kg
	6GE0	30 x 30	25	1,000 x 2,000	13.5 Kg
Light/Heavy traffic series	6G30	19 x 19	30	1,000 x 2,000	16.0 Kg
	6730	19 x 19	30	1,000 x 3,000	16.0 Kg
	6G80	30 x 30	30	1,000 x 2,000	15.5 Kg
	6780	30 x 30	30	1,000 x 3,000	15.5 Kg
Heavy traffic series	6G70	30 x 30	38	1,000 x 2,000	19.0 Kg
	6G40	19 x 19	40	1,000 x 2,000	21.5 Kg
Very Heavy traffic series	69I0	40 x 15	55	1,500 x 3,000	28.9 Kg

Manufactured in GRP (glass reinforced polyester), Alligridd walkway and stair-tread grating is strong, safe, and exceptionally corrosion resistant. Other dimensions available on demand.



Bottle crates for efficient and safe handling in production and distribution.



Seed trays for horticulture

Ref. 60404

minimum order item
336 cell modular seed tray
volume 18 cc per cell
Dim.: L 600 X w 400 X h 40 mm
Dim.: L 23.6 X w 15.8 X h 1.6"
Wt: 1.1 kg/2.4 lbs. Colour: on application.

Waste Management

An attractive and functional range of wheeled waste containers. The smooth moulding promotes hygiene by allowing easy and thorough cleaning.

Tilt & push bins are supplied in 80, 120, 140, 240 and 340 litre capacities. Larger four wheel versions are available in 660 and 770 litre models.

Standard colour: light lagoon green body with dark lagoon green lid.



Specialised products



Battery Recycling containers

Designed for collecting conventional, watch and other batteries. The containers incorporate a hinged lid with openings (70 X 40 and 40 X 10 mm) for the receipt of two sizes of battery and a removable compartment for watch batteries.

1 15 litres - Ref. 21P27

minimum order item
Ext. dim.: L 400 X w 300 X h 186 mm
Wt: 1.69 kg/3.7 lbs., Colour: red.

2 20 litres - Ref. 21P20

minimum order item
Ext. dim.: L 400 X w 300 X h 246 mm
Wt: 1.98 kg/4.4 lbs., Colour: red.



Jumboroll Roll Cages

Jumboroll can be equipped with a choice of castors and two side frame heights. Unlike metal roll cages the plastic base ensures that Jumboroll is very quiet in operation, an important feature when making deliveries close to residential areas.


base dim.: 820 x 720mm/32.3 x 28.4"
base colour: red

short side rail height: 1,500mm / 60"
(overall height: 1,688mm/66.5")

tall side rail height: 1,729mm/68"
(overall height: 1,917mm/75.5")

Round bins and trucks

Manufactured in tough, food quality polyethylene, Allibert Buckhorn trucks and round bins feature smooth sides and curved corners for hygiene and ease of cleaning. All models supplied to order.



STRAIGHT SIDED ROUND BINS

Stack with or without lid

1 18 litres - Ref. B0018

Ext. dim.: Ø 425 X h 178 mm
Ext. dim.: Ø 16.7 X h 7.0"
Wt: 1.6 Kg/3.5 lbs.
Colour: natural, red, yellow, green, blue.

2 31 litres - Ref. B0031

Ext. dim.: Ø 425 X h 300 mm
Ext. dim.: Ø 16.7 X h 11.8"
Wt: 2.2 Kg/4.8 lbs.
Colour: natural, red, yellow, green, blue.

3 46 litres - Ref. B0046

Ext. dim.: Ø 425 X h 438 mm
Ext. dim.: Ø 16.7 X h 17.2"
Wt: 2.7 Kg/5.9 lbs.
Colour: natural, red, yellow, green, blue.

4 73 litres - Ref. B0073

Ext. dim.: Ø 425 X h 650 mm
Ext. dim.: Ø 16.7 X h 25.6"
Wt: 3.6 Kg/8.0 lbs.
Colour: natural, red, yellow, green, blue.

5 Ref. BL001

Lid for straight sided round bins
Ext. dim.: Ø 443 X h 58 mm
Ext. dim.: Ø 17.4 X h 2.3"
Wt: 0.7 Kg/1.6 lbs.
Colour: natural, red, yellow, green, blue.

6 Ref. B0900

Wheeled dolly for straight sided round bins
Ext. dim.: L 435 X w 435 X h 180 mm
Ext. dim.: L 17.1 X w 17.1 X h 7.1"
Wt: 4.7 Kg/10.4 lbs.
Colour: natural, red, yellow, green, blue.



7 500 litres - Ref. A4628

polyethylene body (low density)
Ext. dim.: L 1,270 X w 875 X h 628 mm
Ext. dim.: L 50.0 X w 34.5 X h 24.7"
Int. dim.: L 1,168 X w 685 X h 609 mm
Int. dim.: L 46.0 X w 27.0 X h 24.0"
Wt: 20.40 kg/45.0 lbs.,
Colour: white.

8 Ref. T4628

trolley for ref. A4628 blue paint finish
fitted with 4 X 6" nylon wheels on rocker system.

Ref. T4629

trolley for ref. A4628 galvanised finish
fitted with 4 X 6" nylon wheels on rocker system.

9 Ref. L4628

lid for ref. A4628
Wt: 7.3 kg/16.1 lbs.

Chassis trucks are also available in 318 and 627 litre capacities. Both models are available with painted or galvanised chassis and optional lid.



10 325 litres - Ref. F3624

free standing polyethylene truck (low density)
fitted on a reinforced plywood base with castors
Ext. dim.: L 1,015 X w 685 X h 760 mm
Ext. dim.: L 40.0 X w 27.0 X h 29.9"
Int. dim.: L 915 X w 610 X h 610 mm
Int. dim.: L 36.1 X w 24.0 X h 24.0"
Wt: 18.20 kg/40.0 lbs
Colour: blue.



11 455 litres - Ref. F4824

free standing polyethylene truck (low density)
fitted on a reinforced plywood base with castors
Ext. dim.: L 1,320 X w 710 X h 760 mm
Ext. dim.: L 52.0 X w 28.0 X h 29.9"
Int. dim.: L 1,220 X w 610 X h 610 mm
Int. dim.: L 48.1 X w 24.0 X h 24.0"
Wt: 25.50 kg/56.0 lbs
Colour: blue.



12 200 litres - Ref. 31193

Mortar container can be handled by forklift or crane,
steel ring under lip provides rigidity when lifted.
Ext. dim.: L 1,045 x w 666 x h 490mm
Ext. dim.: L 41.1 x w 26.2 x h 19.3"
Int. dim.: L 911 x w 577 x h 473mm
Int. dim.: L 35.9 x w 22.7 x h 18.6"
Nested height: 50mm / 2.0"
Unit load: 400 Kg/880 lbs.
Wt: 15.6 Kg/34.3 lbs., Colour: grey



Distribution: ideal for delivery of frozen or chilled produce (ref. ISO23).

Temperature control

Allibert Buckhorn insulated containers and liners are the ideal distribution solution for a wide range of frozen and chilled applications, including fresh and frozen food retail distribution, home shopping deliveries, catering, pharmaceutical distribution, medical applications (e.g. blood, plasma, vaccines), police forensic evidence, etc.

Insulated containers & cabinets

- Insulated containers are manufactured in polyethylene, with polyurethane foam filled cavity walls and base, for a working temperature from -40°C to $+40^{\circ}\text{C}$ (ref. ISR03 is operational down to -60°C).
- Insulated mobile cabinets are also available in sizes up to 1,600 litres, details available on request.

Insulated liners and covers

- Insulated liner and cover keep contents frozen, chilled or piping hot.
- The insulated liner fits 50-litre Attached Lid Container ref. 1005B (see page 34).
- Includes Velcro closure and two carrying straps.
- Easy to remove and wash.
- The insulated cover, together with mobile rack, accepts a number of 600 x 400 Euro stacking container combinations.
- Secure Velcro closures help to maintain temperature.
- Covers can be tailor-made to order (subject to a minimum order quantity).



Catering: delivery of frozen produce on standard transport (ref. ISD20).



Home shopping delivery: preparation of fresh and frozen orders (ref. ISO51).

Insulated containers



1 23 litres - Ref. ISO23*

Insulated container with lockable recessed clasp.

Ext. dim.: L 600 x w 400 x h 250mm
Ext. dim.: L 23.6 x w 15.7 x h 9.8"
Int. dim.: L 445 x w 333 x h 173mm
Int. dim.: L 17.5 x w 13.1 x h 6.8"
Wt: 7 Kg/15.4 lbs., Colour: blue

23 litres - Ref. ISO24*

as insulated container ref. ISO23 with support for a eutectic plate in the lid.



2 26 litres - Ref. ISR03

Insulated container with shoulder strap, carrying handle and lockable recessed clasps. This unit operates down to -60°C .

Ext. dim.: L 575 x w 285 x h 430mm
Ext. dim.: L 22.6 x w 11.2 x h 16.9"
Int. dim.: L 480 x w 180 x h 300mm
Int. dim.: L 18.9 x w 7.1 x h 11.8"
Wt: 5.9 Kg/13.0 lbs., Colour: blue



3 50 litres - Ref. ISO51*

ALC ref. 1005B (see page 34) supplied with insulated liner. Liner includes Velcro closure and two carrying straps. Container can be fitted with tamper-evident security seal ref. 00701.

Ext. dim.: L 600 x w 400 x h 320mm
Ext. dim.: L 23.6 x w 15.7 x h 12.6"
Wt: 4.26 Kg/9.4 lbs.
Colour: green container with blue liner



4 Ref. IS301

Eutectic plate for frozen products. Fits insulated containers ref. ISO23 and ISO24.

Dim.: L 327 x w 167 x h 39mm
Dim.: L 12.9 x w 6.6 x h 1.5"
Wt: 1.9 Kg/4.2 lbs., Colour: blue
Optimum working temperature: -12°C
Latent heat of fusion: 240 Kcal

Ref. IS342

As eutectic plate ref. IS301 for chilled products.

Optimum working temperature: -3°C



Insulated container ref. ISO23 with eutectic plates

**These four containers inter-stack*

**5 50 litres - Ref. ISO04***

Insulated container
Inter-stacks with refs. ISO23, ISO24, ISO51, 600 x 400
ALCs and 600 x 400 Euro stacking containers
Ext. dim.: L 600 x w 400 x h 469mm
Ext. dim.: L 23.6 x w 15.7 x h 18.5"
Int. dim.: L 498 x w 298 x h 335mm
Int. dim.: L 19.6 x w 11.7 x h 13.2"
Unit load: 20 Kg / 44 lbs.
Wt: 11.5 Kg/25.3 lbs., Colour: blue

**6 Ref. 91005**

Dolly for insulated container refs. ISO23, ISO24, ISO51
and ISO04 (see p.60).

**Insulated cabinets**

Insulated cabinets are available in sizes from 455 to
1,600 litres, details available on request.

**7 11 litres - Ref. A2401**

Stacking tray, stacks 3-high inside insulated container ref.
ISO04
Ext. dim.: L 490 x w 295 x h 100mm
Ext. dim.: L 19.3 x w 11.6 x h 3.9"
Int. dim.: L 465 x w 270 x h 88mm
Int. dim.: L 18.3 x w 10.6 x h 3.5"
Wt: 0.54 Kg/1.2 lbs., Colour: blue

**8 18 litres - Ref. A2801**

Stacking tray, stacks 2-high inside insulated container ref.
ISO04
Ext. dim.: L 490 x w 295 x h 165mm
Ext. dim.: L 19.3 x w 11.6 x h 6.5"
Int. dim.: L 465 x w 270 x h 144mm
Int. dim.: L 18.3 x w 10.6 x h 5.7"
Wt: 0.58 Kg/1.3 lbs., Colour: blue

**9 Ref. ISA01**

Eutectic plate for frozen products.
Dim.: L 480 x w 280 x h 40mm
Dim.: L 18.9 x w 11.0 x h 1.6"
Wt: 4.5 Kg/9.9 lbs., Colour: white
Optimum working temperature: -21°C
Latent heat of fusion: 240 Kcal

**10 Ref. IS142**

Eutectic plate for chilled products.
Dim.: L 480 x w 280 x h 40mm
Dim.: L 18.9 x w 11.0 x h 1.6"
Wt: 4.1 Kg/9.0 lbs., Colour: red
Optimum working temperature: -3°C
Latent heat of fusion: 300 Kcal

**Insulated cover and trolley**

The multi tier trolley holds a variety of 600 x 400mm ESR
containers. Adjustable supports simply flip out of the way
to accommodate taller containers.

The insulated cover allows the trolley to be used for the
storage and distribution of temperature sensitive products.

With a 135mm spacing between supports, the trolley
accepts the following 600 x 400mm ESR container
combinations:

- Nine 21-litre trays ref. 2A022 (ventilated) / 2A021 (solid).
 - Four 45-litre containers ref. 2A046 (ventilated) / 2A045 (solid) + one 21-litre tray.
 - Three 45-litre containers + three 21-litre trays.
 - Two 45-litre containers + five 21-litre trays.
 - Three 75-litre containers ref. 20087 (ventilated) / 20085 (solid).
- Further details available on request.

Polyrange 2 shelving

106



Safe and hygienic storage: for cold rooms, dry stores and freezer rooms.



Supplied in kit form.







Easy and quick to assemble, no tools required.



Corner unit.



Mobile unit.

	References	Dimensions L x W x H in mm	N° of shelves	Distance between shelves
Shelving 	7S413	1000 X 400 X 1080	4	250
	7S414	1000 X 400 X 1380	4	350
	7S415	1000 X 500 X 1080	4	250
	7S416	1000 X 500 X 1380	4	350
	7S514	1000 X 400 X 1380	5	250
	7S517	1000 X 400 X 1780	5	350
	7S516	1000 X 500 X 1380	5	250
	7S519	1000 X 500 X 1780	5	350
Shelving 	7S451	1500 X 400 X 1080	4	250
	7S453	1500 X 400 X 1380	4	350
	7S455	1500 X 500 X 1080	4	250
	7S457	1500 X 500 X 1380	4	350
	7S551	1500 X 400 X 1380	5	250
	7S553	1500 X 400 X 1780	5	350
	7S555	1500 X 500 X 1380	5	250
	7S557	1500 X 500 X 1780	5	350
Shelving 	7S401	2000 X 400 X 1080	4	250
	7S403	2000 X 400 X 1380	4	350
	7S405	2000 X 500 X 1080	4	250
	7S407	2000 X 500 X 1380	4	350
	7S501	2000 X 400 X 1380	5	250
	7S503	2000 X 400 X 1780	5	350
	7S505	2000 X 500 X 1380	5	250
	7S507	2000 X 500 X 1780	5	350
Shelving on castors 	7S601	1000 X 500 X 1430	5	250
	7S602	1000 X 500 X 1830	5	350
	7S603	1500 X 500 X 1430	5	250
	7S604	1500 X 500 X 1830	5	350
Platform 	7S915	1500 X 400 X 170		
	7S920	2000 X 400 X 170		
	7S916	1500 X 500 X 170		
	7S921	2000 X 500 X 170		
Raised feet 	7S001	150 X 400		
	7S002	250 X 400		
	7S003	150 X 400		
	7S004	250 X 400		
Mobile rack for ESR containers 	7S510	660 X 540 X 1420	4	250 4 ESR cont. 600 X 400 h ≤ 220
Mobile rack for ESR containers 	7S520	660 X 540 X 1420	6	250 6 ESR cont. 600 X 400 h ≤ 130
Mobile rack for gastronorme trays 	7S530	550 X 470 X 1550	10	80 10 gastronorme trays 1/1 h ≤ 80
	7S540	850 X 550 X 1550	20	80 20 gastronorme trays 1/1 h ≤ 80



Distribution Centre: Design and installation of storage and picking system.

Storage solutions

- In addition to manufacturing Europe's largest range of plastic containers and pallets, Allibert Buckhorn also supply an extensive range of storage and handling equipment, together with the experience and expertise to solve all manner of materials handling problems.
- Racking systems are engineered with safety at the forefront of design. New systems have for many years conformed with the FEM European standard.



Copper alloy storage: 12 tonnes per level on adjustable cantilever racking

- The range of capacities available has enabled systems to be supplied that have previously been considered impossible.
- We also assist our Customers in planning the most suitable layout and provide technical back-up for loadings, fire precautions, health & safety legislation and building regulations relating to racking, shelving and mezzanine floors.



Automotive Industry: line-side gravity feed


Racking and shelving systems

107



1 Pallet Racking

Pallet racking systems designed to optimise storage space and work efficiently with existing handling equipment. Pallet racking can be installed in standard, narrow aisle, drive-through and drive-in configurations



2 Cantilever Racking

Series 240 cantilever features tapered columns and arms, for strength where it is needed most and providing greater clearance for easy access. Narrow aisle and continuous storage systems can be installed.



3 Shelving Systems

Shelving can fulfil many needs from a small storeroom to a high bay warehouse. Shelving systems, designed to optimise available storage space, include long-span, high bay, multi-tier, etc.



4 Mobile Shelving

Mounted on mobile bases which move along a floor mounted track, mobile shelving makes the best use of limited storage space.



5 Mezzanines

A simple storage platform releases ground floor space for production or further storage. Lower and upper floors can be partitioned for offices or secure storage. Multi-tier systems provide as many levels as the building height allows.



6 Live Storage

Live storage allows pallets, containers or boxes to flow down an inclined bed of rollers. This system combines great storage density with the advantage of 'first-in, first-out' stock rotation.



Radio Frequency Tags



R. F. identification: 100% accurate readings.

Making your mark

Most Allibert Buckhorn containers can be marked with the owners' name, logo and message.

We offer two marking systems;

Hot-foil printing is available in a large choice of colours.

Lettering is in a range of standard sizes, or we can produce a specially engraved die to match your company name style and logo.

For very large orders, containers can be marked in relief at manufacture. The lettering forms part of the mould and is therefore the same colour as the container.

Dimensions vary according to model.



Embossed moulding in relief during manufacture.



Hot foil printing.



Hot foil printing including standard letters.



Hot foil printing in standard letters.

- Radio Frequency tags are used for the identification of container, contents and destination.
- Having a unique identity, the container can be traced at any time, aiding system management control.
- Read / write tags can be continuously updated with details of contents and destination.
- RF Tags can be supplied with a range of frequencies according to environment, reading distances, etc.
- RF Tags are insensitive to environmental conditions: freezing, overheating, frost, dirt etc. Operational from -40 to $+85^{\circ}\text{C}$, they can be stored from -55 to $+125^{\circ}\text{C}$.
- Applications:
 - management of returnable containers
 - stock management
 - order picking
 - tracking goods from supply to final destination.

Colour chart



403 Blue

Containers and lids featured on pages 8 to 57 can be manufactured in 29 colours, subject to minimum quantity order. N.B. due to the printing process of this catalogue, colours shown may not be an exact match to the moulded plastic.



428 Blue



472 Blue



432 Blue



435 Blue



109 Brown



102 Brown



107 Brown



382 Brown



506 Green



504 Green



507 Green



548 Green



152 Red



235 Orange



251 Orange



301 Yellow



304 Yellow



967 Beige



384 Beige



951 Ivory



964 Yellow



971 Beige



965 Ivory



902 White



601 Black



654 Grey



653 Grey



656 Grey

Meeting the regulations and requirements of industry

110



- **Materials and colouring agents:** Allibert Buckhorn products are treated with light stabilisers to resist polymer breakdown and reduce colour fade caused by exposure to ultraviolet light. Raw materials, colouring agents and additives conform to European regulations Directive 94/62 EC, French specifications Decree 98/638 and meet the requirements specified for year 2001 regarding the presence of heavy metals. Products featured on pages 35, 66–69 and 76–77 are not all treated with light stabilisers.
- **Suitability for contact with foodstuffs:** The materials and colouring agents used conform to Directive 90/128 EC, to its amendments and to J.O.R.F. brochure No. 127.
- **Temperatures for use:** The materials used are operational within a wide temperature range. Polyethylene is compatible with temperatures ranging from -30°C to $+60^{\circ}\text{C}$ and polypropylene is functional from -20°C to $+80^{\circ}\text{C}$. For any application that approaches the limits of these temperatures, we recommend that the product is tested before implementation and that Allibert Buckhorn is consulted in the event of any doubt.
- **Unit and stacked loading:** Load values depend on the type of container, the type of load, the temperature and the duration. Each product is designed for many years continuous industrial use. In the event of any doubt or of non-typical applications, please consult Allibert Buckhorn.
- **Resistance to Chemicals:** Allibert Buckhorn products are resistant to most chemical agents currently encountered in industry. In the event of any doubt, please consult Allibert Buckhorn.
- **Washing:** Allibert Buckhorn products can be passed through washers under high pressure at temperatures of $80/90^{\circ}\text{C}$ and with most washing and soda based detergents currently in use.



Racking & Shelving Systems

No other name carries so much weight!


STORAGE DESIGN LIMITED



The Complete Storage Solution

Allibert Buckhorn offers customers a single source for equipment to fit out warehouses, supply chain distribution centres, retail outlets and store rooms.

- ❶ We supply a comprehensive range of products for storage, handling and distribution. Many products are available ex-stock from our 10,500 sq. m. head office and distribution centre at Bromsgrove in North Worcestershire.
- ❷ Pallet and cantilever racking - from standard racking bays to bespoke solutions capable of storing loads of up to 12 tonnes per level.
- ❸ Shelving - from a single bay delivered ex-stock for self assembly to multi-tier or high bay systems.
- ❹ Mezzanines and multi-level storage - from a simple storage platform to a multi-tier storage solution complete with offices, racking, shelving and inter-floor conveyors.



Complimenting our racking and shelving products, we manufacture Europe's largest range of plastic containers, pallets and bulk boxes to complete your supply chain requirements.

Whether supplying a single bay of shelving or fitting out a complete distribution centre with racking, mezzanines, shelving, conveyors, picking trolleys, containers, pallets and bulk boxes - Allibert Buckhorn provides the answer.



Design & Project Management

Our design team have the skills and experience needed to provide you with a full project management service.

We will survey your premises, analyse your handling procedures (including future requirements) and recommend a storage solution to save you space and time.

Once the design has been agreed we ensure that all work is carried out to manufacturers instructions, in accordance with FEM / SEMA codes of practice and meets all health & safety regulations - leaving you with total peace of mind.

Pallet Racking

Pallet racking systems come in many configurations, but the importance of getting the basics right is fundamental. For safe and efficient operation, the racking system must be designed to interface with both the pallet / load and the mechanical handling equipment.

Allibert Buckhorn racking systems are engineered with safety at the forefront of design. New systems have for many years conformed with the FEM European code of practice.

❶ Wide aisle racking eases and speeds access for mechanical handling equipment.

❷ Narrow aisle racking greatly improves storage density, requiring specialised narrow-aisle lift trucks.

❸ Drive-in / Drive-through racking provides even greater storage capacity by eliminating aisles. Drive-in racking is a LIFO (last-in / first-out) storage system.

❹ Pallet Live Storage allows pallets to flow down inclined rollers, combining great storage density with the advantage of FIFO (first-in / first-out) stock rotation. Push-back racking can be used to give high density storage in LIFO (last-in / first-out) configurations up to six pallets deep.



Office 2 Office (Banner)

Office 2 Office opened their new Distribution Centre in Basingstoke, they chose Allibert Buckhorn to design and install their racking, shelving and picking systems.

"Allibert Buckhorn came up with some initial ideas which we worked on together to arrive at the final design for our storage and picking systems."

It's great to work with a company that fully understands what the client wants and can find cost effective ways of achieving it."

Cantilever Racking

Cantilever racking is designed for the storage of long items. It is the perfect solution for bars, tubes, profiles and sheet materials.


It is used extensively throughout the metals, timber and plastics industries.

❶ Allibert Buckhorn's cantilever racking is simply the best design available. It features tapered columns and arms, providing strength where it is needed most and providing greater clearance for easy access. The rectangular locking pin allows quick and precise arm adjustment.

❷ Cantilever racking can be supplied in both single sided and double sided configurations, and is often used with side-loading forklifts in narrow aisle systems.

❸ It can also be fitted with product retaining trays or with beams to provide continuous uninterrupted storage.

❹ Allibert Buckhorn is adept at designing 'custom specials' to meet the needs of all manner of storage problems. An adjustable cantilever racking system was designed and installed for B Mason & Son to store copper-alloy strip. Two racking systems were installed; one to store 55 tonnes in 10m high bays and the other to store coils of up to 12 tonnes per level - a load previously unheard of for an adjustable system.



TW Metals

Cantilever racking enabled Southampton based TW Metals to optimise the use of storage space as the business expanded.

"Allibert Buckhorn engineers designed a system to cater for the greater volumes and wider range of sheet, plate and tubes that we needed to stock - and without taking up extra floor space."

Prior to installation we were shown other sites in operation, which gave us the confidence that the solution Allibert Buckhorn recommended would work for us."

Shelving

Hand loaded shelving systems can fulfil a multitude of needs, from a small storeroom to a high-bay warehouse.

❶ Long-Span shelving offers a full range of beam sizes and load capacities that are easily adjustable in sturdy upright frames. Available with steel shelf panels or chipboard decking.

❷ Closed shelving with sheet steel backs and sides easily divided for small parts storage.

❸ Carton Live Storage allows cartons or containers to flow down inclined rollers for FIFO (first-in, first-out) stock rotation and order picking.

❹ Line-side Carton Live Storage units are ideal for just-in-time manufacturing practices.

❺ Mobile systems make the best use of limited space. Long span or closed shelving is mounted on mobile bases which move along floor mounted tracks. In this way a conventional system can be reduced in area by up to 30%, closing-up adjacent runs and creating an aisle only when it is needed. Consequently, more runs of shelving can be fitted into the available area or the free space can be used for other activities.



World Design Trade

WDT (World Design Trade) operate a Distribution Centre in West London for leading brands of leisure fashion and were provided with five miles of shelving - some on mezzanine floor and some built as a two-tier.

"Allibert Buckhorn came highly recommended and we liked their style. The people I dealt with were the most helpful I have ever worked with."

Even when the inevitable live challenges arose they just established the reason, worked out a solution and got on with the job - a refreshing change."

Mezzanines and Over-Sailing Floors

Mezzanine floors provide a cost efficient means of increasing floor space for a number of uses.

Allibert Buckhorn design and install multi-level systems from simple over-sailing floors to integrated storage solutions complete with offices, racking, shelving, live storage and inter-floor conveyors.

Fire Rating for mezzanine floors, staircases, handrailing and pallet safety gates are among the many essentials to complete a project.

❶ A storage platform releases ground floor space for production or further storage.



The lower and upper floor areas can be partitioned for offices or mesh security enclosures.

❷ A two-tier system doubles the amount of accessible shelving.

❸ Multiple-tier systems can be constructed to provide as many levels as the building height allows.

❹ Inter-floor conveyors can be installed to ease and speed handling operations.

As required, we can liaise with local authorities for Building Regulation approval.





Express Delivery

Shelving and pallet racking can be supplied ex-stock for self assembly or installation by our installation teams.

A wide choice of beam lengths and frame heights and depths, together with a variety of accessories, allow you to configure a storage solution to suit the load and fit the available storage area.

- ❶ Long Span epoxy coated shelving (orange beams and blue side frames) with pre-galvanised shelf panels.
- ❷ Long Span pre-galvanised shelving with Allibin open-front storage bins.
- ❸ Pallet racking in either galvanised (for outside storage) or epoxy coated finishes.
- ❹ Easy and quick to assemble, adjustable beams simply locate into the side frame and are secured with safety clips.

A wide range of shelf trays, open-front picking containers, storage bins and plastic pallets are available from the Allibert Buckhorn container catalogue to compliment our shelving and pallet racking.



Long Span shelving can be supplied in the following standard sizes and load capacities:

Beam length:	890 mm	1,070 mm	1,250 mm	1,425 mm	1,605 mm
Max load per pair beams UDL:	145 Kg	125Kg	200 Kg	180 Kg	165 Kg
Side frame depth:	400, 500, 600, 800 or 900 mm				
Side frame height:	2,000, 2,400 or 3,000 mm				

All units are supplied with foot plates, bracing, safety clips and either pre-galvanised or chipboard shelf panels

Pallet Racking can be supplied in the following standard sizes and load capacities:

Beam length:	1,350 mm	2,700 mm	2,700mm
Max load per pair beams UDL:	1,000 Kg	2,000 Kg	3,000 Kg
Side frame depth:	900 or 1,100 mm		
Side frame height:	Any height from 3,000 to 6,000 mm (in 100 mm increments)		

All units are supplied with foot plates, bracing and safety clips.

Accessories include column guards, chipboard decking, chipboard support bars and pallet support bars.

STORAGE DESIGN LIMITED
Primrose Hill
Cowbridge
South Wales
CF71 7DU
Tel: 01446 772614
Fax: 01446 774770

