



1 lockers



2 shelving



3 cupboards & work stations



4 mobile shelving



5 technic shelving



6 cloakroom



7 cabinets



MEETS BS 4875-7: 2006 PART 7  
AND BS 4875-8: 1998 PART 8

PROBE

shelving

2

STORAGE DESIGN LIMITED



Tel: 01446 772614 Fax: 01446 774770 info@storage-design.co.uk

# möbilis MOBILE SHELVING



## SHELVING AC+IVECOAT®

Available with Probe's Diablo, Mistral, Industrial Angle and Rolled Edge Shelving for added flexibility.

## DECOR END PANELS

Probe offer these optional Decor End Panels in a range of materials, finishes and colours. See previous page for details.


maximum bay loading 500kg  
pictured: double sided bay, 1,000kg max loading

## ERGONOMIC HANDLE

Ergonomic handle built with style and performance in mind.

## DRIVE MECHANISM

Chain driven with mechanical gear reduction, making operation simple and light.



## TRACK SPECIFICATIONS


|          |   |
|----------|---|
| Lengths  | 1200, 1800, 2400mm                              |
| Widths   | 99mm (65mm visible)                             |
| Height   | 38mm  |
| Material | Aluminium extrusion 6063T6                      |
|          | Rolling surface:<br>12 x 30mm bright mild steel |
| Finish   | Anodised natural AA10                           |

## FLOOR PANELS

|          |                               |
|----------|-------------------------------|
| Depth    | 600mm                         |
| Widths   | 750, 1000mm (nom)             |
| Material | 18mm Flooring grade chipboard |
| Finish   | Laminate - Graphite Grey      |

## DRIVE SPECIFICATIONS



1.866:1 mechanical reduction gearing.  
Effort 0.8kg/100kg



## increase storage space

### ● PROBE MÖBILIS SHELVING

Below are two examples of shelving in the same area. Probes Mobile Shelving System increases shelving area by as much as **100%**.



UP TO **100%**  
SPACE  
SAVING

**PR****O****B****E**

möbilis shelving

1

## STORAGE DESIGN LIMITED

**ACTIVECOAT®**  
anti-bacterial technology

**99.9% REDUCTION OF MRSA, E-COLI & BACTERIA**  
Antimicrobial efficiency will continue for the life of the coating.

2

mobilis shelving

MÖBILIS

This Medium Duty Mobile Shelving System from Probe offers the highest quality track, mechanism and base. It will accommodate Probe's Mistral, Diablo and Rolled Edge shelving systems and create up to 100% more storage space in your existing archive area.

**SHELVING**  
Pictured with Probes flexible Mistral Shelving System.

**DECOR END PANELS**  
Probe offer a large range of, optional, high quality decor end panels to suit your environment. Standard mobile system is supplied without decor end panels, see cutaway opposite.

**AC+IVECOAT<sup>®</sup> ERGONOMIC HANDLE**  
Ergonomic handle built with style and performance in mind.

**DRIVE MECHANISM**  
Chain driven with mechanical gear reduction, making operation simple and light. Can be hidden with optional Decor End Panels as seen here.

**END STOPS**

**LOW PROFILE BASE**  
Increases floor height by a mere 38mm. Additional 82mm to base of shelving.

**HEIGHT ADJUSTABLE TRACKS**  
Height adjustable tracks enable installation on uneven floors and as the tracks are not fixed to the existing floor, the entire mobile system can be easily relocated.

**FLOORING RAMP**  
Enabling installation on top of existing flooring.


**INTEGRAL TEXTURED FLOOR**

|          |                               |
|----------|-------------------------------|
| Depth    | 600mm                         |
| Widths   | 750, 1000mm (nom)             |
| Material | 18mm Flooring grade chipboard |
| Finish   | Laminate - Graphite Grey      |

Shelving systems verses filing cabinets

As you can see by the illustration (right) that you can achieve an equal amount of filing space with one double sided bay of shelving than in five traditional filing cabinets. Add a mobile system and increase filing capacity by up to a further 100%

|                    |                              |                                |
|--------------------|------------------------------|--------------------------------|
| 1 double sided bay | = 12 metres of linear filing | Foot print = 0.7M <sup>2</sup> |
| 5 filing cabinets  | = 12 metres of linear filing | Foot print = 1.4M <sup>2</sup> |



MÖBILIS MOBILE SHELVING

A completely freestanding mobile shelving system, no drilling, no fixing down, no messy ground or civil works. It will not damage or disturb your carpet or floor covering in any way.

INTEGRAL FLOOR

The integral floor provides a secure, rigid and safe platform to walk on.

HEIGHT ADJUSTABLE TRACK

The unique screw adjustment from above ensures a level track even on uneven floors. Track joints are doweled and screwed for security and efficiency.

ANTI TILT

Ultra safe anti-tilt mechanism locks shelving into the track.



MÖBILIS MOBILE BASE

The standard base comes with drive mechanism housed in colour co-ordinated section. See below for optional Decor End Panels.

Optional Decor End Panels

This is a small sample of the finishes available. Others available on request. \*Denotes timber effect.

ASH\*

BEECH\*

OAK\*

MAPLE\*

SMOKE WHITE STEEL


PERFORATED STEEL

A WIDE RANGE OF LAMINATE COLOURS ARE AVAILABLE

STORAGE DESIGN LIMITED

99.9% REDUCTION OF MRSA, E-COLI & BACTERIA

Antimicrobial efficiency will continue for the life of the coating.



#### ACTIVECOAT®

The new hard wearing, anti-bacterial powder coating exclusively from Probe, developed in conjunction with DUPONT.

#### SPECIAL USE SHELVES

A wide range of special use shelves are available to adapt this system to your individual needs.

#### UPRIGHTS

This versatile system includes single & double sided floorstanding uprights and wall mounted uprights.

#### REMOVABLE BACKSTOP

These clear plastic backstops can be easily removed if required.

maximum bay loading 500kg  
dependent on specification

pictured: double sided bay

#### UPRIGHTS

These uprights allow for quick and easy adjustment of shelves in increments of 25mm.



For your piece of mind, Probe Technic Shelving has passed the following British Standards for strength and rigidity:

**BS 4875-7: 2006 PART 7 & BS 4875-8: 1998 PART 8**

## options

#### SINGLE SIDED BAYS pictured right

| Height (mm)<br>Uprights | Widths (mm)<br>Shelf |
|-------------------------|----------------------|
| 1200                    | 750                  |
| 1500                    |                      |
| 1800                    |                      |
| 2100                    | 900                  |
| 2300                    |                      |

#### DOUBLE SIDED BAYS pictured left

| Height (mm)<br>Uprights | Widths (mm)<br>Shelf |
|-------------------------|----------------------|
| 1200                    | 750                  |
| 1500                    |                      |
| 1800                    |                      |
| 2100                    | 900                  |
| 2300                    |                      |

#### WALL MOUNTED BAYS pictured right



| Height (mm)<br>Uprights | Widths (mm)<br>Shelf |
|-------------------------|----------------------|
| 1030                    | 750                  |
| 1380                    |                      |
| 1680                    |                      |
| 2030                    | 900                  |
| 2300                    |                      |

maximum bay loading 500kg  
dependent on specification



| MAXIMUM SHELF LOADING (UNIFORMLY DISTRIBUTED) |           |      |
|---|-----------|------|
| SHELF   | SIZE(mm)  | UDL  |
| Flush/Canopy Shelf                            | 750 x 250 | 65kg |
|   | 750 x 300 | 65kg |
|   | 900 x 250 | 65kg |
|   | 900 x 300 | 65kg |
| Display Shelf                                 | 750       | 65kg |
|   | 900       | 65kg |
| Tape Cassette or CD/DVD Shelf                 | 900       | 65kg |
| Video Shelf                                   | 900       | 65kg |
| Display & Storage Shelf                       | 900 x 350 | 65kg |
| Standard Shelf                                | 750 x 250 | 65kg |
|   | 750 x 300 | 65kg |
|   | 900 x 250 | 65kg |
|   | 900 x 300 | 65kg |

#### DOUBLE SIDED BAY

Pictured with shelves on one side only



#### WHEEL MOUNTED



**SHELF ADJUSTMENT**  
Shelves can be raised or lowered by 25mm increments making this system extremely versatile.

TECHNIC  
CONTINUED

# technic office shelving

## TECHNIC SHELVING

This versatile shelving system offers a wide range of specialist shelves and accessories to suit your business. Technic Office can be quickly adapted to meet your changing needs.



□ SINGLE SIDED BAYS

**5 HEIGHT OPTIONS**  
Available in five heights 1200, 1500, 1800, 2100 & 2300mm and two depths 250 & 300mm. Note: Wall mounted available in different heights, see technical page.

**SHELF OPTIONS**  
A wide range of shelf options has been made available to suit your needs.


**A STYLISH SYSTEM**  
A stylish system well suited to your office environment.

**QUICK BUILD**  
This versatile shelving system is quick and easy to construct, saving down time and minimising disturbance.



For your piece off mind, Probe Technic Shelving has passed the following British Standards for strength and rigidity:  
**BS 4875-7: 2006 PART 7 & BS 4875-8: 1998 PART 8**

## accessories



**STANDARD SHELF**  
A wide range of shelf options are available to suit your needs. Standard shelf comes with clear plastic back stop. Pictured with optional Under Shelf Divider



**DISPLAY SHELF**  
Display documents, brochures and products. UDL 65Kg



**DISPLAY & STORAGE SHELF**  
This shelf is similar to the display shelf with the added facility to store a number of displayed items. UDL 65Kg

## AVAILABLE COLOURS FOR TECHNIC SHELVING

All Technic units are powder coated with **ACTIVECOAT**™ exclusive to Probe.



SILVER



WHITE



YELLOW



BLUE



GREEN



RED



BLACK

□ DOUBLE SIDED BAYS



□ WALL MOUNTED BAYS



## FEATURES & BENEFITS

- Full range of optional accessories.
- Adjustable feet (except wall & wheel mounted units).
- Elegant and sturdy construction
- A quick and easy to build system
- Available in a wide range of colours


## accessories



**TAPE/VIDEO CASSETTE OR CD/DVD SHELF**  
UDL 65Kg



**FLUSH/CANOPY SHELF**  
Used at the top of this system to maximise storage space. UDL 65Kg



**CASTORS**  
Castor sets are available enabling the shelving to be moved easily.



technic office shelving

# STORAGE DESIGN LIMITED



**ACTIVECOAT**®  
anti-bacterial technology

**99.9% REDUCTION OF MRSA, E-COLI & BACTERIA**  
Antimicrobial efficiency will continue for the life of the coating.

# technic shelving

## TECHNIC SHELVING

This versatile shelving system offers a wide range of specialist shelves and accessories to suit your storage requirements. Technic Shelving can be quickly adapted to meet your changing needs.



For your piece off mind, Probe Technic Shelving has passed the following British Standards for strength and rigidity:  
**BS 4875-7: 2006 PART 7 & BS 4875-8: 1998 PART 8**



□ DOUBLE SIDED BAYS

### 5 HEIGHT OPTIONS

Available in five heights 1200, 1500, 1800, 2100 & 2300mm and two depths 250 & 300mm. Note: Wall mounted available in different heights, see technical page.

### SHELF OPTIONS

A wide range of shelf options has been made available to suit your needs.

### A STYLISH SYSTEM

A stylish system well suited to your office environment.

### QUICK BUILD

This versatile shelving system is quick and easy to construct, saving down time and minimising disturbance.

## AVAILABLE COLOURS FOR TECHNIC SHELVING

All Technic units are powder coated with **ACTIVECOAT**™ exclusive to Probe.



SILVER



WHITE



YELLOW



BLUE



GREEN



RED



BLACK

## FEATURES & BENEFITS

- Elegant and sturdy construction
- A quick and easy to build system
- Available in a wide range of colours



□ WHEEL MOUNTED LOW BAY




□ SINGLE SIDED BAYS

## FEATURES & BENEFITS

- Full range of optional accessories.
- Adjustable feet (except wall & wheel mounted units).

## accessories



### STANDARD SHELF

A wide range of shelf options are available to suit your needs. Standard shelf comes with clear plastic back stop. Pictured with optional Under Shelf Divider



### DISPLAY SHELF

Display documents, brochures and products. UDL 65Kg



### DISPLAY & STORAGE SHELF

This shelf is similar to the display shelf with the added facility to store a number of displayed items. UDL 65Kg


## accessories



TAPE/VIDEO CASSETTE OR CD/DVD SHELF  
UDL 65Kg



FLUSH/CANOPY SHELF  
Used at the top of this system to maximise storage space. UDL 65Kg



CASTORS  
Castor sets are available enabling the shelving to be moved easily.



technic shelving

# STORAGE DESIGN LIMITED



**99.9% REDUCTION OF MRSA, E-COLI & BACTERIA**  
Antimicrobial efficiency will continue for the life of the coating.

# mistral TRUE DELTA

**SMOKE WHITE ACTIVECOAT®**  
The new hard wearing, anti-bacterial powder coating exclusively from Probe, developed in conjunction with DUPONT.

**SHELVES**  
A quick and simple system to build with shelves being clipped in place.

**TRUE DELTA EDGE**  
This, slim, True Delta Edge adds style and strength to this high quality shelving system.

maximum bay loading 500kg  
dependent on specification  
pictured: single bay

**A STYLISH SOLUTION**  
Available in three heights, six depths and with a range of special use shelves and accessories, you are sure to find what you are looking for.

**3 HEIGHT OPTIONS**  
Uprights available in 3 heights and six depths.

**SHELF OPTIONS**  
A range of shelves are available to suit your needs, including pull out shelves and filing cradles & frames.


**DECOR END PANELS**  
Add the finishing touch to this stylish system with these neat decor end panels.

**DOOR & FRAME SETS**  
These convenient door sets allow an added security feature to this universal system.  
Available in 1880mm & 2230mm high and 1000mm wide.  
Pull out shelves are not compatible with Door & Frame Sets.

## BAY DIMENSIONS

| Height (mm) | Widths (mm) | Depths (mm) |     |     |     |     |     |
|-------------|-------------|-------------|-----|-----|-----|-----|-----|
| Sidewalls   | Shelf       | 250         | 300 | 350 | 400 | 450 | 600 |
| 1880        | 750         | •           | •   | •   | •   | •   | •   |
| 2230        | 900         | •           | •   | •   | •   | •   | •   |
| 2580        | 1000        | •           | •   | •   | •   | •   | •   |

Individual shelf loading of 80kgs UDL.




**SHELF ADJUSTMENT**  
Shelves can be raised or lowered by 25mm increments making this system extremely versatile.

bay bracing requirements  
maximum bay loading 500kg  
dependent on specification



## BAYS AERIAL VIEW

### WITHOUT CLADDING




□ This system does not need bracing if fully clad.

## BAY REAR VIEW



**SIDEWALLS**  
Mistral sidewalls blend strength with appearance through innovative design and manufacture.



**DECOR END PANELS**  
Mistral offers an optional Decor End Panel to add that finishing touch to this attractive system.

MISTRAL  
CONTINUED

PROBE

mistral true delta

11

STORAGE DESIGN LIMITED

**ACTIVECOAT®**  
anti-bacterial technology

**99.9% REDUCTION OF MRSA, E-COLI & BACTERIA**  
Antimicrobial efficiency will continue for the life of the coating.

12

# mistral true delta

## MISTRAL

This is a stylish shelving system which offers a wide range of accessories making it a flexible and affordable option for all your storage needs.



### 3 HEIGHT OPTIONS

A range of heights and depths are available to suit your needs.

### SHELF OPTIONS

A wide range of shelf sizes and special use shelves have been made available to suit your needs.

### DOOR SET

These convenient door sets allow secure storage of valuable items within this affordable system.

### TRUE DELTA

These True Delta uprights give this system a stylish appearance while adding strength.

## FEATURES & BENEFITS

- A stylish and affordable shelving system.
- **ACTIVECOAT®**  
Probe's new hard wearing, anti-bacterial, powder coating make this system suitable for clean environments.
- Shelves may be clipped for quick and easy assembly or bolted for added strength.




## FEATURES & BENEFITS

- Quality engineered to provide a sturdy and robust shelving system that will give many years of service.
- A wide range of accessories makes this a truly flexible system to suit your needs.


# commercial

## accessories




### COMMERCIAL SHELF

To complement this system, a wide range of shelf options have been made available to suit your needs.




### PULL OUT SHELF\*

These Pull Out Shelves offer quick and convenient access to many items.  
UDL 40Kg




### PULL OUT CRADLE\*

This Pull Out Cradle is designed to give easy access to stored hanging files and is available in two depths: 350mm & 400mm  
UDL 40Kg




### LATERAL RAIL

This Lateral Rail allows for the economical storage of hanging files and is available in two depths: 350mm & 400mm  
UDL 40Kg



### DIVIDERS

A large range of Full and Part height Dividers are available, see price guide for all options.



### DOOR SETS\*

These convenient door sets allow an added security feature to this universal system. Available in 1880mm & 2230mm high and 1M wide.

\*Pull out shelves are not compatible with Door & Frame Sets.

\*Pull out shelves are not compatible with Door & Frame Sets.



mistral true delta

13

# STORAGE DESIGN LIMITED



**99.9% REDUCTION OF MRSA, E-COLI & BACTERIA**  
Antimicrobial efficiency will continue for the life of the coating.

14

industrial angle

strength

#### HEIGHT OPTIONS

Available in a wide range of heights and depths.

#### SHELF OPTIONS

A wide range of shelf sizes have been made available to suit your needs.

#### DOOR & FRAME SETS


These convenient door sets offer an added security feature to this universal system. Available in 75" & 87" high and 36" wide.

#### SHELF ADJUSTMENT

Shelves can be raised or lowered by 1" (25.4mm) increments making this system extremely versatile.

#### SHELF CLIPS

Shelves may be seated on clips for ease of adjustment but maximum shelf loading is reduced. Specific shelves still need to be bolted, refer to technical department for specification.




#### BAY DIMENSIONS

| Height (inch) | Widths (inch) | Depths (inch) |    |    |    |    |    |
|---------------|---------------|---------------|----|----|----|----|----|
|               |               | 12            | 15 | 18 | 24 | 30 | 36 |
| 39            | 24            | .             | .  | .  | .  | .  | .  |
| 51            | 30            | .             | .  | .  | .  | .  | .  |
| 63            | 36            | .             | .  | .  | .  | .  | .  |
| 75            | 42            | .             | .  | .  | .  | .  | .  |
| 87            | 48            | .             | .  | .  | .  | .  | .  |
| 99            | 1M            | .             | .  | .  | .  | .  | .  |
| 111           |               | .             | .  | .  | .  | .  | .  |
| 123           |               | .             | .  | .  | .  | .  | .  |


Individual shelf loadings from 115-204kgs UDL

#### BAYS REAR VIEW WITHOUT REAR CLADDING




bay bracing requirements  
maximum bay loading 6800kgs  
dependent on specification

#### BAYS AERIAL VIEW WITHOUT CLADDING



#### BAYS AERIAL VIEW WITH BACK CLADDING ONLY




□ This system does not need bracing if fully clad.

#### DOVE GREY AC+IVECOAT®

The new hard wearing, anti-bacterial powder coating exclusively from Probe, developed in conjunction with DUPONT.

#### ROLLED ANGLE POST

This universal system offers maximum strength for heavy industrial applications.



#### HEAVY DUTY SHELVES

Both Commercial and British Standard shelves are available in many widths and depths for maximum flexibility.

#### BS:826 MANUFACTURED

Manufactured in accordance with BS:826:1955

compatible

PROBE

industrial angle

15

STORAGE DESIGN LIMITED

 **ACTIVECOAT®**  
anti-bacterial technology

**99.9% REDUCTION OF MRSA, E-COLI & BACTERIA**  
Antimicrobial efficiency will continue for the life of the coating.

16

INDUSTRIAL ANGLE  
CONTINUED

# industrial angle

## INDUSTRIAL ANGLE

This shelving system offers maximum strength and flexibility. It also offers our widest range of sizes to accommodate your space and is fully compatible with any similar, third party, BSS systems you may already have.



### HEIGHTS TO SUIT

Available in many standard heights and may be supplied cut to your own specification. These uprights come in two strengths, Heavy Duty and Ultra-Heavy Duty.

### HEAVY DUTY SHELVES

Both Commercial and British Standard shelves are available in many widths and depths for maximum flexibility.

### DOOR SET

These convenient door sets allow secure storage of valuable items within this universal system.

## FEATURES & BENEFITS

- Extremely strong construction.
- Fully compatible with all similar, third party, BSS systems.
- **AC+IVECOAT®**  
Probe's new hard wearing, anti-bacterial, powder coating greatly improves levels of hygiene in your environment.




universal




## FEATURES & BENEFITS

- Quality engineered to provide a shelving system that will give many years of service.
- A large range of optional accessories to accommodate your specific needs.

## accessories



**BRITISH STANDARD SHELF**  
To complement this system, a wide range of heavy duty shelf options has been made available to suit your needs.




**COMMERCIAL SHELF**  
To further increase the flexibility of this popular system a lighter duty, economical, shelf has been added for those applications where ultimate strength is not required.




**PART HEIGHT SHELF DIVIDER**  
These dividers are designed for easily creating individual part height compartments on shelves.


## accessories



**SHELF DIVIDER**  
These dividers are perfect for creating individual compartments on shelves and are available in a range of depths and heights.



**RETAINING BIN FRONT AND PLINTH**  
Retaining Bin Fronts are easily fixed to shelves preventing items rolling off. Plinths fit to bottom of bay preventing items rolling under.



**DOOR SETS**  
These convenient door sets allow an added security feature to this universal system. Available in 75" & 87" high and 36" wide.

**PROBE**

industrial angle

17

**STORAGE DESIGN LIMITED**

**ACTIVECOAT®**  
anti-bacterial technology

**99.9% REDUCTION OF MRSA, E-COLI & BACTERIA**  
Antimicrobial efficiency will continue for the life of the coating.

18

rolled edge

DOVE GREY **ACTIVECOAT**<sup>®</sup>

The new hard wearing, anti-bacterial powder coating exclusively from Probe, developed in conjunction with **DUPONT**.

SHELVES

Both Commercial and British Standard shelves are available in many widths and depths for maximum flexibility.

SLIM VERTICAL EDGE

This, slim, rolled edge allows maximum shelf width to be used while adding strength to this system.

maximum bay loading 500kg

dependent on specification

pictured: single bay

ROLLED EDGE UPRIGHTS

Available in three heights 75", 87" & 99" and four depths 12", 15", 18" & 24".  
Note: 99" not available in 24" depth.

Practical

3 HEIGHT OPTIONS

75" 87" and 99" uprights in a choice of depths.

4 SHELF DEPTHS & 6 WIDTHS

A wide range of shelf options have been made available to suit your needs. Not all depths are available with all widths, see price guide for a comprehensive list.

SPECIAL USE SHELVES

See the next page for the full range of pull out and filing shelves.

DOOR & FRAME SETS

These convenient door sets allow an added security feature to this universal system. Available in 75" & 87" high and 36" wide.

SLIM VERTICAL EDGE

Slim Vertical Edge rolled for added strength and style. Pictured with optional Decor End Panels to finish off bay ends neatly.

SHELF ADJUSTMENT

Shelves can be raised or lowered by 1" (25.4mm) increments making this system extremely versatile.

SHELF CLIPS

Shelves may be seated on clips for ease of adjustment but maximum shelf loading is reduced. Specific shelves still need to be bolted, refer to technical department for specification.

bay bracing requirements

maximum bay loading 500kg

dependent on specification

BAYS AERIAL VIEW

WITHOUT CLADDING

Denotes position of bracing

5

1 2 3 4 5

4

1 2 3 4

3

1 2 3

2

1 2

1

1

Number of bays

□ This system does not need bracing if fully clad.

BAY REAR VIEW

ROLLED EDGE CONTINUED

# rolled edge

## ROLLED EDGE

This neat shelving system with its Slim Vertical Edge gives increased access to shelves and is fully compatible with all, third party, rolled edge shelving systems.



### 3 HEIGHT OPTIONS

Available in three heights 75" , 87" & 99" and four depths 12" , 15" , 18" & 24" . Note: 99" not available in 24" depth.

### 4 SHELF DEPTHS AND 6 WIDTHS

A wide range of shelf options have been made available to suit your needs.

Not all depths are available with all widths, see price guide for a comprehensive list.

### DOOR SET

These convenient door sets allow secure storage of valuable items within this universal system.

### SLIM VERTICAL EDGE

This, slim, rolled edge allows increased access to shelves and gives added strength to this neat system.

## FEATURES & BENEFITS

- Slim Vertical Edge giving increased access to shelves.
- Fully compatible with all, third party, rolled edge shelving systems.
- Shelves may be clipped for quick and easy assembly or bolted for added strength.




variable



## FEATURES & BENEFITS


- Quality engineered to provide a sturdy and robust shelving system that will give many years of service.
- **ACTIVECOAT®**  
Probe's new hard wearing, anti-bacterial, powder coating greatly improves levels of hygiene in your environment.

## accessories




### SHELVES

To complement this system, a wide range of shelf options have been made available to suit your needs.




### PULL OUT SHELF

These Pull Out Shelves offer quick and convenient access to many items.  
UDL 40Kg




### PULL OUT CRADLE

This Pull Out Cradle is designed to give easy access to stored hanging files and is available in two depths: 15" & 18"  
UDL 40Kg




### LATERAL RAIL

This Lateral Rail allows for the economical storage of hanging files and is available in two depths: 15" & 18"  
UDL 40Kg



### DIVIDERS

A large range of Full and Part height Dividers are available, see price guide for all options.



### DOOR SETS

These convenient door sets allow an added security feature to this universal system.  
Available in 75" & 87" high and 36" wide.

PR BE

rolled edge

21

STORAGE DESIGN LIMITED

**ACTIVECOAT®**  
anti-bacterial technology

**99.9% REDUCTION OF MRSA, E-COLI & BACTERIA**  
Antimicrobial efficiency will continue for the life of the coating.

22