

STORAGE DESIGN LIMITED
PRIMROSE HILL
COWBRIDGE
SOUTH WALES
CF71 7DU
TEL: 01446 772614 FAX: 01446 774770
INFO@STORAGE-DESIGN.CO.UK


CATALOGUE 2009

EDITION 9

CATALOGUE 2009



EDITION 9



CONTENTS

**Section 1
DOCK BUMPERS AND
PACKERS**

Page 3

| | |
|--------------------|----|
| DB1810 | 4 |
| TPX1810 | 4 |
| DB1310 | 5 |
| TPX1310 | 5 |
| DB3010 | 6 |
| DB1818L | 7 |
| DB18106 | 8 |
| DB2410 | 9 |
| UHMWPE.1810 | 10 |
| UHMWPE.2410 | 11 |
| UHMWPE.3010 | 12 |
| DB/LH 750 | 13 |
| DB/RH 750 | 13 |
| DB1312 | 14 |
| TPX490 | 15 |
| TPX.30X4.5 | 15 |
| DB.LAMINATE | 16 |
| DB18102 | 17 |
| DB13102 | 18 |
| DB1810/10 | 19 |
| DB1810/20 | 20 |
| DB1810/30 | 21 |
| DB1818L/20 | 22 |

**Section 2
STEELWORK FOR DOCK
BUMPERS**

Page 23

| | |
|--|----|
| SP1810/SIDE | 24 |
| SP3010/SIDE | 25 |
| SP1818L | 26 |
| SP18106 | 27 |
| SP18106/SIDE | 28 |
| SP/LH/FP750 | 29 |
| SP/RH/FP750 | 29 |
| DB1810.SLIDE | 30 |
| DB3010.SLIDE | 31 |
| SP/BP3010 | 32 |
| SP/BP1810TH | 33 |
| SP/BP3010TH | 34 |
| SP/LH/BP750 | 35 |
| SP/RH/BP750 | 35 |
| SP ANGLE BRACKET | 36 |
| PLVB420 - SYCA | 37 |
| PLVB2 - SYCA | 38 |
| Handed Dock Bumper Plate Assembly | 39 |
| Dock Bumper/Plate Assembly | 40 |
| SP.WG.CRANKED | 41 |
| SP.WG.STRAIGHT | 42 |
| Dock Bumper Plate Accessories | 43 |

**Section 3
WHEEL CHOCKS AND
ACCESSORIES**

Page 45

| | |
|--------------------|----|
| CWC8 | 46 |
| CWC8 SOLID | 47 |
| CWC 8SP | 48 |
| TPX CHOC | 49 |
| CWC9 | 50 |
| CWC9 SOLID | 51 |
| CWC AIR | 52 |
| CWC AIR/2 | 53 |
| CWC AIR/3 | 54 |
| CWC AIR/225 | 55 |
| CWC4 SMALL | 56 |
| CWC11.H | 57 |
| CWC12.Y | 58 |
| CHOKA | 59 |

**Section 4
SITE SAFETY AND
TRAFFIC CONTROL**

Page 61


| | |
|--------------------------|----|
| COR.01 | 62 |
| COR.02 | 63 |
| EXD/CORNER | 64 |
| EXD/KERB/STD | 65 |
| EXD/KERB/HD | 66 |
| SPEED RAMPS | 67 |
| SP50B | 68 |
| SP50Y | 68 |
| SP50.END | 68 |
| SP75B | 69 |
| SP75Y | 69 |
| SP75.END | 69 |
| BOLLARDS | 70 |
| FLEXIBLE BOLLARDS | 71 |
| FLEXI-CONES | 72 |
| HR.KERB | 73 |

**Section 5
COMMERCIAL VEHICLE
MUDFLAPS & BUMPERS**

Page 75

| | |
|--|----|
| Mudflaps | 76 |
| Trailer Flaps | 77 |
| Rear Trailer Flaps - Plain | 78 |
| Personalised Mudflaps | 79 |
| Rear Trailer Flaps UK Style | 80 |
| Rear Trailer Flaps Continental Style | 80 |
| Personalised Rear Trailer Flaps | 80 |
| Personalised Rear Trailer Picture Flaps | 81 |
| LLO.5 | 82 |
| LL1.25 | 82 |
| LL118 | 82 |
| LL112 | 82 |
| LL112/36/40 | 82 |
| LL40x40 | 82 |
| RB2.5 | 83 |
| RB2.5 SOLID | 83 |
| RB2.5 HD | 83 |
| CON.01 | 84 |
| CON.02 | 84 |
| CON.03 | 84 |
| RBTHB | 85 |
| RBTHB2 | 85 |
| RB5 | 85 |
| RB3 | 86 |
| RB8D | 86 |
| RB622 | 87 |
| RB822 | 87 |
| RB1022 | 87 |
| RB1222 | 88 |
| RB1622 | 88 |
| RB130 | 89 |
| RB250 | 89 |
| RB360 | 89 |
| RB425 | 90 |

CONTENTS



Page 91



Page 107



Page 117

| | |
|--------------------------------|-----|
| PP.106 | 92 |
| PP.107 | 92 |
| PP.108 | 93 |
| HR1 | 94 |
| HR2 | 95 |
| HR2 END/MALE | 96 |
| HR2 END/FEMALE | 96 |
| HR2 Full Assembly | 97 |
| HR3 | 98 |
| HR4 | 99 |
| HCR4/FIBRE | 100 |
| HCR4/STEEL | 100 |
| HR4MOD - END SECTION | 101 |
| HR4MOD - MIDDLE SECTION | 102 |
| HRS | 103 |
| HR6 | 104 |
| HR6/BLOCK | 104 |
| HR6/WEDGE | 104 |
| HR6/BRIDGE | 104 |
| HR7 | 105 |
| HR7/BRIDGE/2 CHANNEL | 105 |
| HR7/JOINER | 105 |
| HR.BAL.RL | 106 |

| | |
|---------------------------|-----|
| EXD/3x3 - 2.44m | 108 |
| EXD/4x4 - 2.44m | 108 |
| EXD/G&A - 2.5m | 109 |
| EXD/834 - 3m | 109 |
| EXD/4x4/HD - 2.0m | 110 |
| EXD/60 x 52 | 111 |
| EXD/50 x 30 | 111 |
| EXD/DELTA - 2.6m | 112 |
| EXD/30 x 16 | 112 |
| EXD/6 x 2 | 113 |
| EXD/6 x 6 | 114 |
| EXD/8 x 6 | 115 |
| EXD/8 x 8 | 116 |

| | |
|---------------------|-----|
| RIB ROLL | 118 |
| TUF SKIN | 118 |
| STABLE MAT | 119 |
| EQWELLI BOOT | 120 |

PLEASE NOTE:

How to find us 122

All dimensions throughout this catalogue are in millimetres unless stated otherwise.

Every effort has been made to make this catalogue as accurate as possible, but we cannot be held responsible for any errors or omission.

DOCK BUMPERS AND PACKERS


| | |
|--------------------|----|
| DB1810 | 4 |
| TPX1810 | 4 |
| DB1310 | 5 |
| TPX1310 | 5 |
| DB3010 | 6 |
| DB1818L | 7 |
| DB18106 | 8 |
| DB2410 | 9 |
| UHMWPE.1810 | 10 |
| UHMWPE.2410 | 11 |
| UHMWPE.3010 | 12 |
| DB/LH 750 | 13 |
| DB/RH 750 | 13 |
| DB1312 | 14 |
| TPX490 | 15 |
| TPX.30X4.5 | 15 |
| DB.LAMINATE | 16 |
| DB18102 | 17 |
| DB13102 | 18 |
| DB1810/10 | 19 |
| DB1810/20 | 20 |
| DB1810/30 | 21 |
| DB1818L/20 | 22 |

Section 1

DOCK BUMPERS AND PACKERS**Part Number: DB1810**

MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 11Kg



GALVANISED WASHER


Part Number: **M24** - Available separately

O/D = 60mm, I/D = 26mm, Thickness = 5mm

Part Number: TPX1810

MATERIAL: TYRECORD HI-FIBRE (RAYON REINFORCEMENT/SBR RUBBER COMPOUND)


Weight: 11Kg



GALVANISED WASHER

Part Number: **M24** - Available separately

O/D = 60mm, I/D = 26mm, Thickness = 5mm



DOCK BUMPERS AND PACKERS**Part Number: DB1310**


MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 7.2Kg

**Part Number: TPX1310**

MATERIAL: TYRECORD HI-FIBRE (RAYON REINFORCEMENT/SBR RUBBER COMPOUND)

Weight: 6.15Kg




Section 1

DOCK BUMPERS AND PACKERS**Part Number: DB3010**

MATERIAL: NATURAL/SBR RUBBER COMPOUND


Weight: 21Kg



GALVANISED WASHER

Part Number: **M24** - Available separately


O/D = 60mm, I/D = 26mm, Thickness = 5mm



DOCK BUMPERS AND PACKERS**Part Number: DB1818L**

MATERIAL: NATURAL/SBR RUBBER COMPOUND


Weight: 12Kg



GALVANISED WASHER

Part Number: M24 - Available separately

O/D = 60mm, I/D = 26mm, Thickness = 5mm




Section 1

DOCK BUMPERS AND PACKERS**Part Number: DB18106**

MATERIAL: NATURAL/SBR RUBBER COMPOUND


Weight: 16.2Kg



GALVANISED WASHER

Part Number: M24 - Available separately


O/D = 60mm, I/D = 26mm, Thickness = 5mm



DOCK BUMPERS AND PACKERS**Part Number: DB2410**

MATERIAL: NATURAL/SBR RUBBER COMPOUND


Weight: 17Kg



GALVANISED WASHER

Part Number: M24 - Available separately

O/D = 60mm, I/D = 26mm, Thickness = 5mm



Section 1

DOCK BUMPERS AND PACKERS**ULTRA HIGH MOLECULAR WEIGHT POLYETHYLENE FACED DOCK BUMPERS****Part Number: UHMWPE.1810**

MATERIAL: UHMWPE/SBR RUBBER COMPOUND





Weight: 13.5Kg

Tough High Molecular weight PE front to withstand daily punishment.

High visibility to help drivers align trailers more accurately.

Rubber backing to allow compression and save direct load onto loading bay.




Easy to fit onto existing fixtures - same hole centres as current industry standard 450mm bumpers



DOCK BUMPERS AND PACKERS**ULTRA HIGH MOLECULAR WEIGHT POLYETHYLENE FACED DOCK BUMPERS**Part Number: **UHMWPE.2410**

MATERIAL: UHMWPE/SBR RUBBER COMPOUND


Weight: 17.5Kg



Tough High Molecular weight PE front to withstand daily punishment.

High visibility to help drivers align trailers more accurately.

Rubber backing to allow compression and save direct load onto loading bay, or dockside as see below.






Section 1

DOCK BUMPERS AND PACKERS**ULTRA HIGH MOLECULAR WEIGHT POLYETHYLENE FACED DOCK BUMPERS****Part Number: UHMWPE.3010**

MATERIAL: UHMWPE/SBR RUBBER COMPOUND

Weight: 23.3Kg




Tough High Molecular weight PE front to withstand daily punishment.

High visibility to help drivers align trailers more accurately.

Rubber backing to allow compression and save direct load onto loading bay.

Easy to fit onto existing fixtures - same hole centres as current industry standard 750mm bumpers



DOCK BUMPERS AND PACKERS**HANDED DOCK BUMPER****Part Number: DB/LH 750** (Left Hand)


MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 35Kg

Part Number: DB/RH 750 (Right Hand)

MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 35Kg





Section 1

DOCK BUMPERS AND PACKERS**Part Number: DB1312**

MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 8.5Kg





DOCK BUMPERS AND PACKERS

Part Number: TPX490

MATERIAL: TYRECORD HI-FIBRE (RAYON REINFORCEMENT/SBR RUBBER COMPOUND)


Weight: 3.2Kg




Part Number: TPX.30X4.5

MATERIAL: TYRECORD HI-FIBRE (RAYON REINFORCEMENT/SBR RUBBER COMPOUND)


Weight: 6.5Kg





Section 1

DOCK BUMPERS AND PACKERSPart Number: **DB.LAMINATE****Available in:**

200mm to 1000mm Widths &
300mm to 900mm Depths





Other possible Depth Variations



DOCK BUMPERS AND PACKERS**Part Number: DB18102**

MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 6.6Kg




Section 1

DOCK BUMPERS AND PACKERS**Part Number: DB30102**


MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 13Kg



GALVANISED WASHER

Part Number: M24 - Available separately
O/D = 60mm, I/D = 26mm, Thickness = 5mm





DOCK BUMPERS AND PACKERS**DOCK BUMPER/SHIM ASSEMBLY****Part Number: DB1810/10**



MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 1.3Kg

10mm Shim to suit DB1810 Standard Dock Bumper



For accurate projection of Dock Bumper for maximum protection of the dock.





Section 1

DOCK BUMPERS AND PACKERS**DOCK BUMPER/SHIM ASSEMBLY****Part Number: DB1810/20**



MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 1.8Kg

20mm Shim to suit DB1810 Standard Dock Bumper




For accurate projection of Dock Bumper for maximum protection of the dock.






DOCK BUMPERS AND PACKERS**DOCK BUMPER/SHIM ASSEMBLY****Part Number: DB3010/20**

MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 3Kg

20mm Shim to suit DB3010
Standard Dock Bumper

For accurate projection of Dock Bumper for maximum protection of the dock.






Section 1

DOCK BUMPERS AND PACKERS**DOCK BUMPER/SHIM ASSEMBLY****Part Number: DB1818L/20**

MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 2.3 Kg

20mm Shim to suit DB1818L
Standard Dock Bumper.

STEELWORK FOR DOCK BUMPERS





| | |
|--|----|
| SP1810/SIDE | 24 |
| SP3010/SIDE | 25 |
| SP1818L | 26 |
| SP18106 | 27 |
| SP18106/SIDE | 28 |
| SP/LH/FP750 | 29 |
| SP/RH/FP750 | 29 |
| DB1810.SLIDE | 30 |
| DB3010.SLIDE | 31 |
| SP/BP3010 | 32 |
| SP/BP1810TH | 33 |
| SP/BP3010TH | 34 |
| SP/LH/BP750 | 35 |
| SP/RH/BP750 | 35 |
| SP ANGLE BRACKET | 36 |
| PLVB420 - SYCA | 37 |
| PLVB2 - SYCA | 38 |
| Handed Dock Bumper Plate Assembly | 39 |
| Dock Bumper/Plate Assembly | 40 |
| SP.WG.CRANKED | 41 |
| SP.WG.STRAIGHT | 42 |
| Dock Bumper Plate Accessories | 43 |

Section 2

STEELWORK FOR DOCK BUMPERS**HEAVY DUTY DOCK BUMPER FRONT/SIDE PLATES****Part Number: SP1810/SIDE - Fits DB1810****MATERIAL: GALVANISED MILD STEEL****Weight: 15Kg**


Galvanised mild steel front plate to suit DB1810 c/w welded side plates for high traffic sites




STEELWORK FOR DOCK BUMPERS**HEAVY DUTY DOCK BUMPER FRONT/SIDE PLATES****Part Number: SP3010/SIDE - Fits DB3010**

MATERIAL: GALVANISED MILD STEEL

Weight: 25Kg



Galvanised mild steel front plate to suit DB3010 c/w welded side plates for high traffic sites.





Section 2

STEELWORK FOR DOCK BUMPERS**DOCK BUMPER RIGHT ANGLE PLATES**Part Number: **SP1818L** - Fits DB1818L

MATERIAL: GALVANISED MILD STEEL

Weight: 12.8Kg





Note: - Plates are sold in pairs and are Left and Right Handed as shown.

STEELWORK FOR DOCK BUMPERS**DOCK BUMPER FRONT PLATES**



Part Number: **SP18106** - Fits DB18106

MATERIAL: GALVANISED MILD STEEL

Weight: 11.5Kg



Section 2

STEELWORK FOR DOCK BUMPERS**DOCK BUMPER FRONT PLATES****Part Number: SP18106/SIDE - Fits DB18106****MATERIAL: GALVANISED MILD STEEL****Weight: 14Kg**

STEELWORK FOR DOCK BUMPERS**HANDED DOCK BUMPER FRONT PLATE**

Part Number: **SP/LH/FP750** - Left Hand



MATERIAL: HOT DIPPED GALVANISED MILD STEEL

Weight: 36Kg

Part Number: **SP/RH/FP750** - Right Hand

MATERIAL: HOT DIPPED GALVANISED MILD STEEL

Weight: 36Kg




Section 2

STEELWORK FOR DOCK BUMPERS**SLIDING BACK PLATE PLATE**

Part Number: DB1810.SLIDE - Suitable for DB1810 and UHMWPE1810

MATERIAL: GALVANISED STEEL

Weight: 32Kg (without Bumpers)





FRAME WITH
SPRING

FRAME WITH SLIDING
BACK PLATE FITTED

WITH DB1810 FITTED

WITH UHMWPE1810 FITTED



RUBBER BUMPER*
(DB1810)

*Note: UHMWPE1810
with YELLOW FACE = 115mm




STEELWORK FOR DOCK BUMPERS

SLIDING BACK PLATE PLATE

Part Number: DB3010.SLIDE - Suitable for DB3010 and UHMWPE3010

MATERIAL: GALVANISED STEEL

Weight: 47Kg (without Bumpers)





FRAME WITH
SPRING

FRAME WITH SLIDING
BACK PLATE FITTED

WITH DB3010 FITTED

WITH UHMWPE3010 FITTED



*Note: UHMWPE3010
with YELLOW FACE = 115mm



Section 2

STEELWORK FOR DOCK BUMPERS**DOCK BUMPER HEAVY DUTY BACKING PLATE**

Part Number: **SP/BP3010** - Fits DB3010 and UHMWPE3010

MATERIAL: GALVANISED STEEL C/W WELDED M24 STUDS

Weight: 24Kg




M16 x 115mm
SHIELD ANCHOR BOLT

STEELWORK FOR DOCK BUMPERS**DOCK BUMPER HEAVY DUTY BACKING PLATE**


Part Number: **SP/BP1810TH** - *Fits DB1810 and UHMWPE1810*

MATERIAL: GALVANISED STEEL - available in self colour if you need to weld to the Dock Leveller Frame

Weight: 15Kg

**M24 ALL THREAD BAR AVAILABLE IN:**

90mm, 100mm, 150mm and 1,000mm lengths



M16 x 115mm
SHIELD ANCHOR BOLT




Section 2

STEELWORK FOR DOCK BUMPERS**DOCK BUMPER HEAVY DUTY BACKING PLATE**

Part Number: **SP/BP3010TH** - *Fits DB3010 and UHMWPE3010*

MATERIAL: GALVANISED STEEL

Weight: 24Kg



M16 x 115mm
SHIELD ANCHOR BOLT

M24 ALL THREAD BAR AVAILABLE IN:

90mm, 100mm, 150mm and 1,000mm lengths

STEELWORK FOR DOCK BUMPERS

HANDED DOCK BUMPER BACKING PLATE

Part Number: **SP/LH/BP750** - Left Hand




MATERIAL: GALVANISED MILD STEEL

Weight: 34Kg

Part Number: **SP/RH/BP750** - Right Hand

MATERIAL: GALVANISED MILD STEEL

Weight: 34Kg








Section 2

STEELWORK FOR DOCK BUMPERS**Part Number: SP ANGLE BRACKET**

MATERIAL: MILD STEEL SELF COLOUR

Weight: 8.1Kg

SP ANGLE BRACKET FITS POLYMER
PRODUCT (UK) LTD BACK PLATESM16 x 115mm
SHIELD ANCHOR BOLTM24 Threaded
Holes






STEELWORK FOR DOCK BUMPERS

STEEL DOCK BUMPERS/PLATES

Part Number: **PLVB420 - SYCA**

MATERIAL: GALVANISED MILD STEEL/RUBBER

Weight: 67Kg





M16 x 115mm
SHIELD ANCHOR BOLT


Section 2

STEELWORK FOR DOCK BUMPERS**STEEL DOCK BUMPERS/PLATES**Part Number: **PLVB2-SYCA**


MATERIAL: GALVANISED MILD STEEL/RUBBER

Weight: 65Kg

M16 x 115mm
SHIELD ANCHOR BOLT

STEELWORK FOR DOCK BUMPERS**HANDED DOCK BUMPER/PLATE ASSEMBLY****Part Numbers: SP/LH/FP750, DB/LH750, SP/LH/BP750****MATERIAL: STEEL & NATURAL/SBR RUBBER COMPOUND**M16 x 115mm
SHIELD ANCHOR BOLT

Section 2

STEELWORK FOR DOCK BUMPERS**DOCK BUMPER/PLATE ASSEMBLY****Part Numbers: SP1810/SIDE, DB1810, DB18102 & SP/BP1810TH****MATERIAL: STEEL & NATURAL/SBR RUBBER COMPOUND**


STEELWORK FOR DOCK BUMPERS

LOADING BAY FITTINGS CRANKED WHEEL GUIDES - BOLT DOWN TYPE

Part Number: SP.WG.CRANKED

MATERIAL: GALVANISED MILD STEEL

Weight: 45Kg Each



Section 2


STEELWORK FOR DOCK BUMPERS

LOADING BAY FITTINGS STRAIGHT WHEEL GUIDES - BOLT DOWN TYPE


Part Number: **SP.WG.STRAIGHT**

MATERIAL: GALVANISED MILD STEEL


Weight: 45Kg Each




Standard Length: 2.0 metres
Mild Steel Thickness : 5mm

STEELWORK FOR DOCK BUMPERS**DOCK BUMPER PLATE ACCESSORIES****M12 x 100mm SHIELD ANCHOR BOLT**


Weight: 181g

**M16 x 115mm SHIELD ANCHOR BOLT**


Weight: 325g

**M16 x 160mm SHIELD ANCHOR BOLT**


Weight: 386g

**M12 x 100mm TARMAC FIXING BOLT**


Weight: 130g

**M24 x 150mm STUDDING**


Weight: 440g

**M24 x 100mm STUDDING**

Weight: 295g

**M24 x 90mm STUDDING**

Weight: 265g

**M24 x 65mm STUDDING**

Weight: 190g

PLEASE NOTE:**M24 THREADED BAR**

Available in 1 metre lengths

Weight: 2.9Kg

**M24 NUT****M24 WASHER**
OD = 60mm, ID = 26mm

Weight: 100g

Weight: 103g

Section 2

STEELWORK FOR DOCK BUMPERS

NOTES

WHEEL CHOCKS AND ACCESSORIES





| | |
|--------------------|----|
| CWC8 | 46 |
| CWC8 SOLID | 47 |
| CWC 8SP | 48 |
| TPX CHOC | 49 |
| CWC9 | 50 |
| CWC9 SOLID | 51 |
| CWC AIR | 52 |
| CWC AIR/2 | 53 |
| CWC AIR/3 | 54 |
| CWC AIR/225 | 55 |
| CWC4 SMALL | 56 |
| CWC11.H | 57 |
| CWC12.Y | 58 |
| CHOKA | 59 |

Section 3


WHEEL CHOCKS AND ACCESSORIES**Part Number: CWC8**

MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 4.2Kg



Pivoting Lashing Ring
(c/w bearing) and
3 metres of chain

**Part Number: SP.CH.3M****Part Number: PIVOT**



Weight: 1.0Kg

WHEEL CHOCKS AND ACCESSORIES

Part Number: CWC8 SOLID

MATERIAL: NATURAL/SBR RUBBER COMPOUND


Weight: 5.2Kg



Part Number: SP.CH.3M

Part Number: PIVOT

Weight: 1.0Kg





Section 3

WHEEL CHOCKS AND ACCESSORIES**Part Number: CWC 8SP**

MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 3.5Kg





WHEEL CHOCKS AND ACCESSORIES

Part Number: **TPX CHOC**

MATERIAL: TYRECORD HI-FIBRE

Weight: 4.2Kg





Section 3

WHEEL CHOCKS AND ACCESSORIES**PYRAMID WHEEL CHOCK****Part Number: CWC9**

MATERIAL: NATURAL/SBR RUBBER COMPOUND



Weight: 3.5Kg



WHEEL CHOCKS AND ACCESSORIES**PYRAMID WHEEL CHOCK****Part Number: CWC9 SOLID**

MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 5.2Kg







Section 3

WHEEL CHOCKS AND ACCESSORIES**AIRCRAFT CHOCK****Part Number: CWC AIR**

MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 6.1Kg

CAN BE SUPPLIED FROM STOCK UP
TO 1 METRE LONG.LENGTHS LONGER THAN 1 METRE
CAN BE MADE TO ORDER.

WHEEL CHOCKS AND ACCESSORIES**AIRCRAFT CHOCK****Part Number: CWC AIR/2****MATERIAL: NATURAL/SBR RUBBER COMPOUND****Weight: 6.1Kg**

Section 3



WHEEL CHOCKS AND ACCESSORIES

AIRCRAFT CHOCK

Part Number: **CWC AIR/3**

MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 6.5Kg





WHEEL CHOCKS AND ACCESSORIES

Part Number: CWC AIR/225

MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 21Kg (500mm)

This chock is available in different lengths up to a maximum of 1000mm




Section 3


WHEEL CHOCKS AND ACCESSORIES**Part Number: CWC4.SMALL**

MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 0.78Kg





Ideal for Caravans, Boat Trailers
and Motor Homes.



WHEEL CHOCKS AND ACCESSORIES**Part Number: CWC11.H**

MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 3.9Kg





Section 3

WHEEL CHOCKS AND ACCESSORIES**Part Number: CWC12.Y**

MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 3.0Kg






Section 3

WHEEL CHOCKS AND ACCESSORIES

Part Number: **CHOKA**

MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 5.8Kg



Section 3

WHEEL CHOCKS AND ACCESSORIES

NOTES

SITE SAFETY AND TRAFFIC CONTROL

| | |
|--------------------------|----|
| COR.01 | 62 |
| COR.02 | 63 |
| EXD/CORNER | 64 |
| EXD/KERB/STD | 65 |
| EXD/KERB/HD | 66 |
| SPEED RAMPS | 67 |
| SP50B | 68 |
| SP50Y | 68 |
| SP50.END | 68 |
| SP75B | 69 |
| SP75Y | 69 |
| SP75.END | 69 |
| BOLLARDS | 70 |
| FLEXIBLE BOLLARDS | 71 |
| FLEXI-CONES | 72 |
| HR.KERB | 73 |



Section 4

SITE SAFETY AND TRAFFIC CONTROL**CORNER PROTECTION****Part Number: COR.01**


MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 2Kg

STANDARD LENGTH: 800mm

Holes for fixing
10mm x 3mm

Typical usage protects any Brick or Blockwork corners from forklift damage



SITE SAFETY AND TRAFFIC CONTROL




CORNER PROTECTION - BULLNOSE

Part Number: COR.02

MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 3.7Kg

STANDARD LENGTH: 800mm





Section 4

SITE SAFETY AND TRAFFIC CONTROL**CORNER PROTECTION - HEAVY DUTY****Part Number: EXD/CORNER**


MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 25Kg

STANDARD LENGTH: 2.5 Metres



Typical usage protects any Brick or Blockwork corners from forklift damage



SITE SAFETY AND TRAFFIC CONTROL



Part Number: **EXD/KERB/STD**

MATERIAL: NATURAL/SBR RUBBER COMPOUND


Weight: 33Kg

STANDARD LENGTH: 2 Metres


20mm Optional
Reflective Strip



M12 Anchor Bolt




M12 Tarmac Bolt



4 Holes Ø 13-14mm

Threaded Stud M12 x 45mm High
Welded in Centre




FITTING PLATE

3 Base Plates required per 2 metre of Kerb

EXD/KERB/STD:

- Ideal for use in car parks.
- Can also be used to stop trucks and trailers reversing into fencing and walls.
- Easy to fix onto Concrete or







Section 4

SITE SAFETY AND TRAFFIC CONTROL**Part Number: EXD/KERB/HD**

MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 52Kg

STANDARD LENGTH: 2 Metres

20mm Optional
Reflective Strip**FITTING PLATE**



4 Base Plates required per 2 metre of Kerb

EXD/KERB/HD:

Ideal for stopping trucks and trailers reversing into fencing and walls.


Can also be used in car parks.

Easy to fix onto concrete or tarmac.




SITE SAFETY AND TRAFFIC CONTROL**SPEED RAMPS**

MATERIAL: NATURAL/SBR RUBBER COMPOUND

**SPECIFICATION**

SBR/Natural Rubber.

black
and yellow.

in



Section 4

SITE SAFETY AND TRAFFIC CONTROL

SPEED RAMPS

Part Number: **SP50B** (Black)

MATERIAL: NATURAL/SBR RUBBER COMPOUND


Weight: 8.0Kg



Part Number: **SP50Y** (Yellow)



MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 9.8Kg



50mm High Ramp

Recommended for Speeds up to 15mph






Part Number: **SP50.END** (Black Only)


MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 2.3Kg

50mm End Cap



- Manufactured from 100% SBR/Natural Rubber
- Bolt down holes for permanent fixing
- Easy to install using M12 mm bolts
- Surface pattern for extra grip
- 500mm sections in alternative black and yellow
- Integral reflector in red
- End sections available



M12 Bolt for fixing to carriageway



M12 Tarmac Bolt


SITE SAFETY AND TRAFFIC CONTROL

SPEED RAMPS

Part Number: **SP75B** (Black)


MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 14Kg

Part Number: **SP75Y** (Yellow)



MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 16Kg



75mm High Ramp



Recommended for Speeds up to 10mph

Part Number: **SP75.END** (Black Only)


MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 4Kg

75mm End Cap



- Manufactured from 100% SBR/Natural Rubber.
- Bolt down holes for permanent fixing.
- Easy to install using 12mm bolts.
- Surface pattern for extra grip.
- 500mm sections in alternative black and yellow.
- Integral reflector in red.
- End sections available.




M12 Bolt for fixing to carriageway

M12 Tarmac Bolt

Section 4

SITE SAFETY AND TRAFFIC CONTROL**BOLLARDS**

MATERIAL: HOT DIP GALVANISED MILD STEEL WITH RUBBER CAP




SITE SAFETY AND TRAFFIC CONTROL**FLEXIBLE BOLLARDS**Part Number: **FLEX.02** - 800mm

Weight: 7.3Kg

FLEX.03 - 1000mm

Weight: 7.4Kg

MATERIAL: NATURAL/SBR RUBBER COMPOUND



Section 4

SITE SAFETY AND TRAFFIC CONTROL**FLEXI-CONES****Part Number: ORANGE CONE 72CM****Weight: 1.75Kg****Part Number: ORANGE CONE 42CM****Weight: 1Kg****Part Number: GREEN CONE 72CM****Weight: 1.75Kg****Part Number: GREEN CONE 42CM****Weight: 1Kg**

Available in Orange or Green the flexi-cone collapses into its base, giving amazing storage savings. It can also be illuminated and have a beacon fitted for extra visibility if required.

Please Note: The Green Cone is made to order
(minimum quantity 1,000)



Orange Cone 72cm



Flexi-cone Beacon

Weight: 0.44KgFlexi-cone Beacon
fitted when required

Green Cone 42cm



Orange Cone 42cm
& 72cm Illuminated

SITE SAFETY AND TRAFFIC CONTROL**Part Number: HR.KERB**

MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 6.2Kg

Ideal for disabled vehicle/wheelchair or any type of vehicle which requires kerb access.



Section 4

SITE SAFETY AND TRAFFIC CONTROL

NOTES

COMMERCIAL VEHICLE MUDFLAPS & BUMPERS

| | | | |
|--|----|---------------|----|
| Mudflaps | 76 | CON.01 | 84 |
| Trailer Flaps | 77 | CON.02 | 84 |
| Rear Trailer Flaps - Plain | 78 | CON.03 | 84 |
| Personalised Mudflaps | 79 | RBTHB | 85 |
| Rear Trailer Flaps UK Style | 80 | RBTHB2 | 85 |
| Rear Trailer Flaps Continental Style | 80 | RB5 | 85 |
| Personalised Rear Trailer Flaps | 80 | RB3 | 86 |
| Personalised Rear Trailer Picture Flaps | 81 | RB8D | 86 |
| LL0.5 | 82 | RB622 | 87 |
| LL1.25 | 82 | RB822 | 87 |
| LL118 | 82 | RB1022 | 87 |
| LL112 | 82 | RB1222 | 88 |
| LL112/36/40 | 82 | RB1622 | 88 |
| LL40x40 | 82 | RB130 | 89 |
| RB2.5 | 83 | RB250 | 89 |
| RB2.5 SOLID | 83 | RB360 | 89 |
| RB2.5 HD | 83 | RB425 | 90 |


Section 5

COMMERCIAL VEHICLE MUDFLAPS & BUMPERS

MUDFLAPS

These mudflaps are available in commercial grade rubber compound and high fibre NAT/SBR rubber compound

(NB: NAT/SBR is the best material for screen printed mudflaps)



| Part Number | Imperial Size (inches) | Metric Size (mm) | Commercial Grade Weight (Kgs) | Fibre Reinforced H/Duty Grade Weight (Kgs) |
|---------------------|---------------------------|---------------------|----------------------------------|--|
| MF.249 | 24" x 9" | 610 x 229 | 1.00 | N/A |
| MF.1010 | 10" x 10" | 254 x 254 | N/A | 0.45 |
| MF.2010 | 20" x 10" | 508 x 254 | 0.85 | N/A |
| MF.912 | 9" x 12" | 229 x 305 | N/A | 0.55 |
| MF.1212 | 12" x 12" | 305 x 305 | N/A | 0.80 |
| MF.1412 | 14" x 12" | 357 x 305 | N/A | 0.85 |
| MF.1612 | 16" x 12" | 406 x 305 | 0.90 | 0.90 |
| MF.1812 | 18" x 12" | 457 x 305 | 0.95 | 1.00 |
| MF.1912 | 19" x 12" | 483 x 305 | 1.05 | N/A |
| MF.2012 | 20" x 12" | 508 x 305 | 1.05 | 1.20 |
| MF.2112 | 21" x 12" | 533 x 305 | 1.20 | 1.30 |
| MF.2212 | 22" x 12" | 559 x 305 | 1.10 | 1.30 |
| MF.2412 | 24" x 12" | 610 x 305 | 1.30 | 1.25 |
| MF.E.400X350 | 16" x 14" | 406 x 357 | 0.80 | N/A |
| MF.E.450X350 | 18" x 14" | 457 x 357 | 0.95 | N/A |
| MF.E.500X350 | 20" x 14" | 509 x 357 | 1.30 | N/A |
| MF.E.550X350 | 22" x 14" | 559 x 357 | 1.15 | N/A |
| MF.E.600X350 | 24" x 14" | 610 x 357 | 1.60 | N/A |
| MF.1816 | 18" x 16" | 457 x 406 | 1.40 | 1.35 |
| MF.2016 | 20" x 16" | 508 x 406 | N/A | 1.65 |
| MF.2116 | 21" x 16" | 533 x 406 | N/A | 1.50 |
| MF.2216 | 22" x 16" | 559 x 406 | 2.10 | 1.55 |
| MF.2416 | 24" x 16" | 610 x 406 | 1.80 | 1.85 |
| MF.1518 | 15" x 18" | 381 x 457 | N/A | 1.30 |
| MF.2018 | 20" x 18" | 508 x 457 | 1.70 | 1.60 |
| MF.2118 | 21" x 18" | 533 x 457 | 1.80 | 2.10 |
| MF.2218 | 22" x 18" | 559 x 457 | 1.85 | 1.80 |
| MF.2418 | 24" x 18" | 610 x 457 | 2.05 | 2.10 |
| MF.2612 | 26" x 12" | 660 x 305 | 1.53 | N/A |
| MF.2616 | 26" x 16" | 660 x 406 | 2.05 | N/A |
| MF.2618 | 26" x 18" | 660 x 457 | 2.30 | N/A |
| MF.2620 | 26" x 20" | 660 x 508 | 2.56 | N/A |
| MF.2236 | 22" x 36" | 559 x 914 | 4.00 | 4.40 |
| MF.2436 | 24" x 36" | 610 x 914 | 4.00 | 4.40 |
| MF9612 | 96" x 12" Coachflap | 2438 x 305 | 8.05 | N/A |
| MF9615 | 96" x 15" Coachflap | 2438 x 381 | 9.70 | N/A |
| MF9615 CHEV. | 96" x 15" | 2438 x 381 | 7.85 | 6.50 |

No entry + Pass this side coloured + chev

COMMERCIAL VEHICLE MUDFLAPS & BUMPERS

TRAILER FLAPS

Part Number: **MF2436**

MATERIAL: NATURAL/SBR RUBBER COMPOUND


Weight: 5.4Kg

Part Number: **MF2236**

MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 5Kg

As **MF2436** but 22" x 36"



All measurements in inches

Section 5


COMMERCIAL VEHICLE MUDFLAPS & BUMPERS

REAR TRAILER FLAPS - PLAIN

Part Number: **MF9612**

MATERIAL: NATURAL/SBR RUBBER COMPOUND



Weight: 10Kg



Part Number: **MF9615**

MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 12Kg



All measurements in inches

COMMERCIAL VEHICLE MUDFLAPS & BUMPERS**PERSONALISED MUDFLAPS**

MATERIAL: NATURAL/SBR RUBBER COMPOUND



Your Company Logo or Trademark can be printed onto or moulded into the mudflap.

Moulded/Raised Image

Large quantities 500+ orders only

Printed (Silk Screen)

Any quantity - low cost set-up



Available in various **COLOURS**

PLEASE ASK FOR DETAILS

Section 5

COMMERCIAL VEHICLE MUDFLAPS & BUMPERS

REAR TRAILER FLAPS (2440 x 380mm)


MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 7.7Kg

UK Style



Continental Europe Style




PERSONALISED REAR TRAILER FLAPS (2440 x 380mm)

Available as above or personalised with your Company Logo or Trademark.

Can be either screen printed onto, or moulded/raised into the trailer flap in a choice of colours:

White, Red, Green, Yellow or Orange.



COMMERCIAL VEHICLE MUDFLAPS & BUMPERS**PERSONALISED REAR TRAILER PICTURE FLAPS**

Have your logo, advert, picture or graphic printed on, giving the ultimate in personalised mudflaps.



Full length rear mudflap (actual photo of printed finish)

An advertisement for Air Europa. It features a scenic view of a coastal town with buildings and palm trees. The Air Europa logo and website 'AirEuropa.com' are on the left. On the right, there is text in Spanish advertising travel to Barcelona: 'BARCELONA CON COCHE Y HOTEL DESDE 37€ X PERSONA/NOCHE'.








An advertisement for MADD (Mothers Against Drunk Driving). It features the text '800-GET-MADD' and 'MADD' with a no-drink symbol, and the website 'www.madd.org'. In the center, it says 'if you drink don't drive'. To the right is a small photo of a baby with the caption 'GRACE LATIMER REDGATE Killed by a drunk driver'.

A traveling billboard for Texas. It features a sunset over a beach with palm trees. The text reads 'Visit Texas. It is like a whole different country.' At the bottom right, it says 'Travelling-Billboard.com'.

Section 5

COMMERCIAL VEHICLE MUDFLAPS & BUMPERS**COMMERCIAL VEHICLE BUMPERS**

MATERIAL: NATURAL/SBR RUBBER COMPOUND




Part Number: LL0.5**Weight: 5g****Part Number: LL1.25****Weight: 24g****Part Number: LL118****Weight: 21g****Part Number: LL112****Weight: 39g****Part Number: LL112/36/40****Weight: 49g****Part Number: LL40x40****Weight: 60g**

COMMERCIAL VEHICLE MUDFLAPS & BUMPERS

Part Number: RB2.5




MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 28g

**Part Number: RB2.5 SOLID**




MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 41g

**Part Number: RB2.5 HD**

MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 112g






Section 5

COMMERCIAL VEHICLE MUDFLAPS & BUMPERS**Part Number: CON.01**




MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 335g

**Part Number: CON.02**




MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 265g

**Part Number: CON.03**

MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 294g





COMMERCIAL VEHICLE MUDFLAPS & BUMPERS

Part Number: RBTHB



MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 73g

**Part Number: RBTHB2**



MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 95g

**Part Number: RB5**

MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 190g





Section 5

COMMERCIAL VEHICLE MUDFLAPS & BUMPERS

Part Number: RB3




MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 108g

**Part Number: RB8D**

MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 1Kg





COMMERCIAL VEHICLE MUDFLAPS & BUMPERS

Part Number: RB622



MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 350g

**Part Number: RB822**



MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 500g

**Part Number: RB1022**

MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 700g





Section 5

COMMERCIAL VEHICLE MUDFLAPS & BUMPERS

Part Number: **RB1222**



MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 770g

Part Number: **RB1622**

MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 1.1Kg





COMMERCIAL VEHICLE MUDFLAPS & BUMPERS

Part Number: **RB130**



Weight: 900g

MATERIAL: NATURAL/SBR RUBBER COMPOUND

Part Number: **RB250**



Weight: 1.8Kg

MATERIAL: NATURAL/SBR RUBBER COMPOUND

Part Number: **RB360**

Weight: 3.95Kg

MATERIAL: NATURAL/SBR RUBBER COMPOUND





Section 5

COMMERCIAL VEHICLE MUDFLAPS & BUMPERS**Part Number: RB425**

MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 6.1Kg



HOSE RAMPS

| | |
|--------------------------------|-----|
| PP.106 | 92 |
| PP.107 | 92 |
| PP.108 | 93 |
| HR1 | 94 |
| HR2 | 95 |
| HR2 END/MALE | 96 |
| HR2 END/FEMALE | 96 |
| HR2 Full Assembly | 97 |
| HR3 | 98 |
| HR4 | 99 |
| HCR4/FIBRE | 100 |
| HCR4/STEEL | 100 |
| HR4MOD - END SECTION | 101 |
| HR4MOD - MIDDLE SECTION | 102 |
| HR5 | 103 |
| HR6 | 104 |
| HR6/BLOCK | 104 |
| HR6/WEDGE | 104 |
| HR6/BRIDGE | 104 |
| HR7 | 105 |
| HR7/BRIDGE/2 CHANNEL | 105 |
| HR7/JIONER | 105 |
| HR.BAL.RL | 106 |

Section 6

HOSE RAMPS


CABLE COVER

Part Number: PP.106


MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 19Kg

9m in length



Section shown full size




CABLE COVER

Part Number: PP.107

MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 20Kg

4m in length




Section shown full size

CABLE COVER**Part Number: PP.108**


MATERIAL: GREY PVC

Weight: 16.5Kg

9m in length



Section shown full size





Section 6

HOSE RAMPSPart Number: **HR1**

MATERIAL: PE/SBR/NAT RUBBER



Weight: 23Kg



Part Number: **HR2**

MATERIAL: PE/SBR/NAT RUBBER

Weight: 22Kg





Section 6

HOSE RAMPS**Part Number: HR2 END/MALE**




MATERIAL: PE/SBR/NAT RUBBER


Weight: 3.5Kg

**Part Number: HR2 END/FEMALE**

MATERIAL: PE/SBR/NAT RUBBER

Weight: 4.2Kg





HR2 FULL ASSEMBLY

Section 6

HOSE RAMPSPart Number: **HR3**

MATERIAL: NATURAL/SBR RUBBER COMPOUND



Weight: 14Kg





Part Number: HR4

MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 16Kg



**Shows inter-connection
of Ramps**



Section 6

HOSE RAMPS

HOSE/CABLE BRIDGE - WITH FIBRE OR STEEL BONDED INSERT

Part Number: HCR4/FIBRE



MATERIAL: NATURAL/SBR RUBBER COMPOUND/FIBRE

Weight: 19Kg

Part Number: HCR4/STEEL

MATERIAL: NATURAL/SBR RUBBER COMPOUND/STEEL



Weight: 21Kg



Fibre insert - maximum load 5 Tonnes

Steel insert - maximum load 44 Tonnes





Shows inter-connection
of Ramps



Part Number: HR4MOD - END SECTION

MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 10.5Kg







Section 6

HOSE RAMPS**Part Number: HR4MOD - MIDDLE SECTION**

MATERIAL: NATURAL/SBR RUBBER COMPOUND



Weight: 4.85Kg

**HR4MOD x 2 + Middle Section Assembly****HR4MOD x 2 Nested**
(Takes up less shelf space when stored)


Part Number: HR5

MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 22Kg




Section 6

HOSE RAMPS**MODULAR HOSE RAMP**Part Number: **HR6****HR6/BLOCK** Weight: 33Kg



MATERIAL: NATURAL/SBR RUBBER COMPOUND

HR6/WEDGE Weight: 18Kg


MATERIAL: NATURAL/SBR RUBBER COMPOUND

**HR6/BRIDGE** Weight: 34Kg

MATERIAL: GALVANISED STEEL






TYPICAL ARRANGEMENT OF UNITS





MODULAR HOSE RAMP**HR7/BRIDGE/2 CHANNEL**

Weight: 30Kg

MATERIAL: NATURAL/SBR RUBBER COMPOUND

**HR7/JIONER** Weight: 24Kg

MATERIAL: NATURAL/SBR RUBBER COMPOUND



TYPICAL ARRANGEMENT OF UNITS WITH HR6 BLOCK AND HR6 WEDGE



Section 6

HOSE RAMPS


MODULAR HOSE RAMP

Part Number: HR.BAL.RL


MATERIAL: STEEL/NATURAL/SBR RUBBER COMPOUND

Weight: 32Kg

Complete with 2 wedges, steel plate and connectors - Can withstand a vehicle up 80 Tonne



STEEL PLATE



COMPLETE ASSEMBLY

EXTRUSIONS



| | |
|---------------------------|-----|
| EXD/3x3 - 2.44m | 108 |
| EXD/4x4 - 2.44m | 108 |
| EXD/G&A - 2.5m | 109 |
| EXD/834 - 3m | 109 |
| EXD/4x4/HD - 2.0m | 110 |
| EXD/60 x 52 | 111 |
| EXD/50 x 30 | 111 |
| EXD/DELTA - 2.6m | 112 |
| EXD/30 x 16 | 112 |
| EXD/6 x 2 | 113 |
| EXD/6 x 6 | 114 |
| EXD/8 x 6 | 115 |
| EXD/8 x 8 | 116 |

Section 7

EXTRUSIONS**Part Number: EXD/3x3 - 2.44m**


MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 13Kg

**Part Number: EXD/4x4 - 2.44m**

MATERIAL: NATURAL/SBR RUBBER COMPOUND



Weight: 16Kg



Part Number: **EXD/G&A - 2.5m**

MATERIAL: NATURAL/SBR RUBBER COMPOUND


Weight: 20Kg



Part Number: **EXD/834 - 3m**

MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 27Kg





Section 7

EXTRUSIONS**Part Number: EXD/4x4/HD - 2.0m**

MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 18.5Kg





Part Number: **EXD/60 x 52**

MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 11Kg

Standard Length: 2.5 Metres





Part Number: **EXD/50 x 30**

MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 4Kg

Standard Length: 2.5 Metres





Section 7

EXTRUSIONS

Part Number: EXD/DELTA - 2.6m

MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 20Kg





Part Number: EXD/30 x 16

MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 9Kg per Coil

Supplied as Standard Coil 12.5 metres





Part Number: EXD/6 x 2

MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 32Kg

Standard Length: 3.0 Metres




Section 7

EXTRUSIONS**Part Number: EXD/6 x 6**

MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 58Kg

Standard Length: 2.0 Metres





Part Number: **EXD/8 x 6**

MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 73Kg

Standard Length: 2.0 Metres




Section 7

EXTRUSIONS**Part Number: EXD/8 x 8**

MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 98Kg

Standard Length: 2.0 Metres



EQUESTRIAN

| | |
|---------------------------|-----|
| RIB ROLL | 118 |
| TUF SKIN | 118 |
| STABLE MAT | 119 |
| EQWELLI BOOT | 120 |


Section 8

EQUESTRIAN**Part Number: RIB ROLL**

MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 81Kg per Roll

Ideal for horsebox flooring.

Size: 36" x 40ft x 0.33" Thick
(91.4cm x 12.2 metres x 8mm)


PROFILE ACTUAL SIZE

Part Number: TUF SKIN

MATERIAL: NATURAL/SBR RUBBER COMPOUND

Weight: 77Kg per Roll

Perfect for lining the walls of a horsebox or loose box.



Size: 36" x 40ft x 1/4" - 5/16" Nominal Thickness
(91.4cm x 12.2 metres x 6mm Nominal Thickness)

Part Number: STABLE MAT

MATERIAL: HEAVY DUTY NATURAL/SBR RUBBER COMPOUND

Weight: 45KgSize: 6ft (72") x 4ft (48") x 11/16"
(1.84 Metres x 1.2 Metres x 17mm)

Very hard wearing & impervious to liquids.



| | |
|---|--|
| Stable 12' x 12' 6 mats required | |
| | |
| | |
| | |

Quote from a satisfied customer:

"...these mats are the best ever. I wish I'd put them in my stables years ago ...they save so much time and effort!"

Mrs R Galbraith - South Wales



Section 8

EQUESTRIAN

Part Number: **EQWELLI BOOT**

MATERIAL: HEAVY DUTY TREATED CANVAS & REINFORCED FLEXIBLE PVC

Weight: 300g per Boot

The all weather turn-out boot made from heavy duty treated canvas with a reinforced flexible PVC base.

Available in three sizes Large, Medium & Small - Special sizes can be made to order.



Many thanks for the **EQWELLI BOOT**. It is doing a good job of keeping Capten's foot clean & dry, & enabling him to be put out each day to graze & exercise. In fact he is feeling so much better that he canters about freely!

The **EQWELLI BOOT** can be done up very securely & is so safe. Thank you for full instructions & help with correct fitting.

I was in despair as to how to keep the mud & muck out of his damaged hoof after veterinary treatment & poulticing.

Here is a photo of Capten, 6th day of wearing the **EQWELLI BOOT** (I remove the boot, change the dressing when I put him in at night). Thank you, again for all your help.

Testimonial & Photograph courtesy of Mrs Delphine Guy, South Wales



The easy and quick solution when treating your horse's feet.



Section 8

EQUESTRIAN

Notes:

HOW TO FIND US