




	Euro Stacking Containers	Page 122
	Euro Attached Lid Containers	Page 125
	Attached Lid Security Containers	Page 127
	Stack Nest Containers	Page 129
	Storage Bins & Containers	Page 131
	Ingredients Dispensing Systems	Page 132
	Ingredients Multi Trolleys	Page 133
	Plastic Pallets	Page 134
	Load Palletisers	Page 138
	Maxi Pac Retail Bulk Display Unit	Page 140
	Folding Pallet Boxes	Page 141
	Geobox Pallet Containers	Page 143
	Hypa Cages / Retention Units	Page 144



Standard Logistics

- Standard modular dimensions for palletisation on 600 x 800mm, 1200 x 800mm & 1200 x 1000mm pallets
- Inter stacking containers to build compact and stable loads
- Vertical sides provide maximum useable volume
- Smooth bases for conveyor use
- Solid or perforated base & sides for varied applications
- Ergonomic handles for effective manual handling



V20002



V21005



V21006



V21009



V21010



V21027 + V61020



V21020



V21030



V06031



V61020 Lid

Construction	L mm	W mm	H mm	Weight Kg	Colour Options	Capacity Litres	Material	Order	Price £
Solid Base & Sides	200	150	118	0.23	GR	2	Polypropylene	V20002	5.10
Solid Base & Sides	300	200	118	0.42	GR,BL,RD	5	Polypropylene	V21005	7.25
Solid Base & Sides	400	300	74	0.48	GR	6	Polypropylene	V21006	8.22
Perf Base & Perf Sides	400	300	118	0.66	GR	10	Polypropylene	V21009	9.55
Solid Base & Sides	400	300	118	0.8	GR,RD	10	Polypropylene	V21010	12.50
Solid Base & Sides	400	300	175	1.02	GR,RD	15	Polypropylene	V21027	12.75
Solid Base & Perf Sides	400	300	235	1.18	GR	20	Polypropylene	V21026	13.09
Solid Base & Sides	400	300	235	1.27	GR,RD	20	Polypropylene	V21020	13.20
Solid Base & Sides	400	300	319	1.77	GR	30	Polypropylene	V21030	18.28
400 x 300mm Drop on lid	400	300	30	0.36	GR,RD		Polypropylene	V61020	7.59

Colour Options: Grey GR, Blue BL, Red RD



V21008



V21013



V21014



V2A021



V2A022



V20028



V20029



V21033



V2A044



V2A045



V21054 & V91005 Dolly



V21060 & V61060 Lid



V21064



V20085



V20086



V2A045 & V61045 Lid

Construction	L mm	W mm	H mm	Weight Kg	Colour Options	Capacity Litres	Material	Order	Price £
Solid Base & Sides	600	400	50	0.8	GR	8	Polypropylene	V21008	10.37
Solid Base & Sides	600	400	73	1.08	GR	12	Polypropylene	V21013	9.28
Perf Sides & Base	600	400	73	0.96	GR	12	Polypropylene	V21014	9.11
Solid Base & Sides	600	400	118	1.36	GR	21	Polypropylene	V2A021	10.33
Perf Sides & Base	600	400	118	1.11	GR	21	Polypropylene	V2A022	9.93
Solid Base & Sides	600	400	150	1.48	GR	28	Polypropylene	V20028	11.38
Perf Sides & Base	600	400	150	1.25	GR	28	Polypropylene	V20029	15.10
Solid Base & Sides	600	400	175	1.7	GR,RD	33	Polypropylene	V21033	14.70
Perf Sides & Base	600	400	235	1.83	GR	45	Polypropylene	V2A044	15.04
Solid Base & Sides	600	400	235	2.18	GR,	45	Polypropylene	V2A045	17.27
Solid Base & Sides	600	400	280	2.51	GR	54	Polypropylene	V21054	23.75
Perf Sides & Base	600	400	280	2.18	GR	52	Polypropylene	V21055*	19.04
Solid Base & Sides	600	400	319	2.75	GR,RD	60	Polypropylene	V21060	13.97
Solid Base & Sides	600	400	412	3.66	GR	75	Polypropylene	V20085	25.98
Solid Base & Perf Sides	600	400	412	3.08	GR	75	Polypropylene	V20086	24.65
600 x 400mm Drop on lid	600	400	30	0.87	GR,		Polypropylene	V61060	16.77
600 x 400mm Snap shut lid	613	411	39	0.87	GR,		Polypropylene	V61045	12.62
V91005 Dolly	604	402	162	4	RD		Polypropylene	V91005	53.79

Colour Options: Grey GR, Red RD

*V21055 Not shown




V21090



V21135 & V61087 Lid



V21162 & V61086 Lid



VOPE90



Divider Strips



Construction	L mm	W mm	H mm	Weight Kg	Colour Options	Capacity Litres	Material	Order	Price £
Solid Base & Sides	800	600	235	3.85	Grey	87	Polypropylene	V21090	28.46
Solid Base & Sides	800	600	319	4.65	Grey	125	Polypropylene	V21135	33.00
Solid Base & Sides	800	600	412	5.63	Grey	162	Polypropylene	V21162	42.05
800 x 600mm Snap shut lid	809	607	48	2.26	Grey		Polypropylene	V61086	22.13
800 x 600mm Drop on lid	800	600	33	1.86	Grey		Polypropylene	V61087	16.26
Label Clip - Pack of 50					Silver		St Steel	VOPE90	24.49
1.1m x 45mm Strip	1100	45	0.11		Grey		Polypropylene	V80045	6.48
1.1m x 88mm Strip	1100	88	0.22		Grey		Polypropylene	V80088	6.27
1.1m x 190mm Strip	1100	190	0.54		Grey		Polypropylene	V80190	12.62



Lidded Standard Euro-sized Containers

- Standard modular dimensions for palletisation on 600 x 800mm, 1200 x 800mm & 1200 x 1000mm pallets
- Attached lid for added protection for distribution or storage of higher value items
- Inter stacking containers to build compact and stable loads
- Smooth bases for conveyor use
- Ergonomic handles for effective manual handling



V20C10



V21C27



V21C20



V21C30



V21C13



V21C21



V20C28



V21C33



V21C45



V21C54



V20C85



Integral Snap-Shut Lid

Construction	L mm	W mm	H mm	Weight Kg	Colour Options	Capacity Litres	Material	Order	Price £
Solid Base & Sides	400	300	129	1.21	Grey	10	Polypropylene	V20C10**	13.40
Solid Base & Sides	400	300	186	1.43	Grey	15	Polypropylene	V21C27**	14.63
Solid Base & Sides	400	300	246	1.68	Grey	20	Polypropylene	V21C20	20.97
Solid Base & Sides	400	300	330	2.18	Grey	30	Polypropylene	V21C30	25.43
Solid Base & Sides	600	400	84	1.86	Grey	12	Polypropylene	V21C13	32.91
Solid Base & Sides	600	400	129	2.14	Grey	21	Polypropylene	V21C21	35.60
Solid Base & Sides	600	400	161	2.11	Grey	28	Polypropylene	V20C28	27.73
Solid Base & Sides	600	400	186	2.48	Grey	33	Polypropylene	V21C33	26.88
Solid Base & Sides	600	400	246	3	Grey	45	Polypropylene	V21C45	46.68
Solid Base & Sides	600	400	291	3.33	Grey	54	HDPE*	V21C54*	30.09
Solid Base & Sides	600	400	423	4.47	Grey	75	HDPE*	V20C85*	36.92

* High Density Polyethylene

** Limited stock availability – please call



Easy pickings

- Distribution Picking Containers combine the ease of access for order picking with the protection and security of a returnable container
- Sliding doors and hinged lids for access when stacked, racked or shelved



VI0552



V72E45



V72E75

Bulk Storage within easy reach

- Open front for display and easy access to the stacked container
- Label area for product identification
- Support stacking bar

Construction	L mm	W mm	H mm	Weight Kg	Colour Options	Capacity Litres	Material	Order	Price £
45 litre Bulk Picking Bin	614	384	250	2.58	Red	45	HDPE*	V72E45	22.87
75 litre Bulk Picking Bin	724	442	305	3.88	Red	75	HDPE*	V72E75	22.87
Distribution Picking Containers - DPC sliding door & multifold lid	600	400	320	3.2	Green	54	Polypropylene	VI0552	35.78

* High Density Polyethylene



Security in Distribution

- Secure with unique tamper-evident security seal fixing
- Integral lid which is permanently attached
- Multiple label options with optional card holders and adhesive label pimple areas
- Space saving nesting up to 75% when empty



V10010



V10020



V10082



V00473 Label Holder



V00701 Seal

Type	L mm	W mm	H mm	Weight Kg	Colour Options	Capacity Litres	Material	Order	Price £
Euro Attached Lid Container	300	200	200	0.85	DG / LG	6	Polypropylene	V10010**	12.71
Euro Attached Lid Container	400	300	252	1.65	DG / LG	20	Polypropylene	V10020**	18.57
Attached Lid Container	710	460	368	4.3	DG / LG	80	Polypropylene	V10082**	25.26
Label Holder					Clear		Polypropylene	V00473	1.01
(Does not suit V10010)									
Tamper evident security seals					Green	Pack 1000	Polypropylene	V00701	34.31

Colour Options: Grey GR, Blue BL, Red RD, Yellow YW, Dark Green DG, Light Green LG

** Limited stock availability – please call



Secure Distribution Containers

Moulded in super tough polypropylene for constant use with heavy loads

- Tamper evident security hinge
- Can be fitted with tamper evident security seals
- Lids have deep corner lips for safe stacking
- Moulded in handles for easy lifting
- Large ticket window
- Nest when not in use – saving up to 75% space





Stack Nest Containers

Our selection of stacking and nesting containers results from meeting the sophisticated requirements of major retailers by saving space and therefore cost on return logistics

- VDH701807 has a swing bar action giving three internal working heights
- Stacked 601 mm; Intermediate 42%; Nested 66%
- Safe Stacking
- Space saving nesting
- Maximum utilisation of vehicle fill



VDH701807

Construction	L mm	W mm	H mm	Weight Kg	Colour Options	Capacity Litres	Material	Order	Price £
Multi-height Stack Nest Container	600	400	302	2.4	Blue	54	Polypropylene	VDH701807	19.77


Maxi Nest Containers

Save up to 76% on storage and freight space with these multiple trip Stack & Nest container



V43180


- Reduce costs
- Perforated base and top edge
- All plastic – allows for metal detection
- Built-in ticket holders
- Hand grips on short sides
- No sharp edges or corners



V64100



V4190



V64245



V64260

Construction	L mm	W mm	H mm	Weight Kg	Colour Options	Capacity Litres	Material	Order	Price £
Maxi Nest container	400	300	180	1	Blue	15	Polypropylene	V43180	9.44
Maxi Nest containers	600	400	106	1.2	Blue	16	Polypropylene	V64100	9.72
Maxi Nest containers	600	400	167	1.5	Blue	28	Polypropylene	V64160	10.03
Maxi Nest containers	600	400	199	1.7	Blue	35	Polypropylene	V64190	10.03
Maxi Nest containers	600	400	253	2	Blue	44	Polypropylene	V64245	14.81
Maxi Nest containers	600	400	267	2.1	Blue	46	Polypropylene	V64260	14.22



Return Value!

- Standard 600 x 400mm size for use with 1200 x 800mm and 1200 x 1000mm pallets
- Nesting up to 70% when empty for maximum space economy during storage and returns
- Bi colour options for quick identification of stacked and nested positions
- Strong and durable for secure handling and stacking
- Ergonomic handles for safe and comfortable manual handling
- Each model interstacks



VII1018



VII1020



VII1032



VII1034



VII1051



VII1052



VII1065



VII1066

Construction	L mm	W mm	H mm	Weight Kg	Colour Options	Capacity Litres	Material	Order	Price £
Solid Sides & Base	600	400	117	1.18	LGR / DGR	18	HDPE*	VII1018	10.88
Perf Sides & Base	600	400	117	1.09	LGR / DGR	18	HDPE*	VII1020	10.45
Solid Sides & Base	600	400	200	1.84	LGR / DGR	32	HDPE*	VII1032LGR/DGR	17.61
Solid Sides & Base	600	400	200	1.84	GR / RD	32	HDPE*	VII1032GR/RD	17.61
Perf Sides & Base	600	400	200	1.6	LGR / DGR	32	HDPE*	VII1034	17.17
Perf Sides & Base	600	400	300	2.1	LGR / DGR	50	HDPE*	VII1052	20.34
Solid Sides & Base	600	400	300	2.3	LGR / DGR	50	HDPE*	VII1051LGR/DGR	20.91
Solid Sides & Base	600	400	300	2.3	GR / RD	50	HDPE*	VII1051GR/RD	20.91
Solid Sides & Base	600	400	400	3.06	LGR / DGR	70	HDPE*	VII1065	25.77
Perf Sides & Base	600	400	400	2.65	GR	70	HDPE*	VII1066	25.20
Security Lid	614	412	40	0.98	GR		HDPE*	V61046GR	13.15

* High Density Polyethylene



Container with Lid
VRMFB




Polythene Wheeled Dolly
Suitable for Bins 762 x 457mm
VRM35DY



Mobile Trolleys
with Containers
VRMFBR -
6 Containers
VRMFBMR -
3 Containers



Interstacking Ingredients Bins
VRMSB16
VRMSB11
VRMSB7
VRMSB4



Colour Options

- ☐ White
- ☐ Red
- ☐ Blue
- ☐ Green
- ☐ Yellow



Container Trolley for two
Interstacking Ingredients Bins
VRMSBDD



Container Trolley for
Interstacking
Ingredients Bins
VRMSBD

Code	Description	Dimensions L x W x H mm	Litre Capacity	Gallons Capacity	Kilograms Capacity	Price £
A	VRMFB Container with Lid	480 x 380 x 270	30	6.5	15	28.24
B	VRM35DY Container Dolly suitable for 2 x Item A	765 x 460 x 200	-	-	-	59.84
C	VRMFBR Mobile Trolley with 6 containers	910 x 465 x 1510	-	-	-	514.14
D	VRMFBMR Mobile Trolley with 3 Containers	510 x 465 x 1510	-	-	-	453.46
E	VRMSB16 Inter stacking ingredients Bin	425 x 650	73	16	-	35.65
F	VRMSB11 Inter stacking ingredients Bin	425 x 438	46	11	-	28.81
G	VRMSB7 Inter stacking ingredients Bin	425 x 300	31	7	-	24.53
H	VRMSB4 Inter stacking ingredients Bin	425 x 178	18	4	-	19.79
I	VRMSBD Container Trolley suitable for Items E-H	430 x 430 x 185	-	-	-	60.69
J	VRMSBDD Double Container Trolley suitable for items E-H	910 x 450 x 1010	-	-	-	204.14

Ingredients Dispensing Systems



Illustration above shows:-

- (A) 1 x 40 Litre Mobile Ingredients Dispenser (VRM15TR- Blue)
- (B) 4 x 90 Litre Mobile Ingredients Dispensers (VRM20TR- Red, Green, Yellow and White)
- (C) 2 x 8 Litre Bench Ingredients Dispensers (VRM8ID- 1 Yellow, 1 White)
- (D) 1 x 15 Litre Bench Ingredients Dispensers (VRM15ID- White)
- (E) 2 x 50 Litre Bench Ingredients Dispenser (VRM40ID- Yellow)
- (F) 1 x Stainless Steel Table (VSST)



Colour Options

White

Red

Blue

Green

Yellow

*White and Yellow only for VRM15ID and VRM40ID.

VSST only available in stainless steel

	Code	Description	Dimensions L x W x H mm	Litre Capacity	Kilograms Capacity	Price £
A	VRM15TR	Mobile Ingredients Dispenser	600 x 355 x 675	65	30	95.92
B	VRM20TR	Mobile Ingredients Dispenser	600 x 455 x 675	90	50	104.68
C	VRM8ID	Bench Ingredients Dispenser	400 x 295 x 250	8	8	42.31
D	VRM15ID	Bench Ingredients Dispenser	490 x 250 x 500	15	15	64.06
E	VRM40ID	Bench Ingredients Dispenser	630 x 300 x 685	40	40	72.74
F	VSST	Stainless Steel Table	2440 x 610 x 864	-	-	708.00



Ingredients Multi Trolleys

A



B



C



Choice of three stainless steel trolleys and containers.
Full labelling facility available

Containers supplied –

VRM8 – Trolley includes 9 x 8 litre containers

VRM10 – Trolley includes 3 x 15 Litre containers and 3 x 8 Litre containers

VRM15 – Trolley Includes 3 x 15 Litre containers

Code	Description	Dimensions L x W x H mm	Price £
A VRM8	Multi Trolley including 9 containers	970 x 470 x 1405	732.86
B VRM10	Multi Trolley including 6 containers	1140 x 600 x 1406	706.31
C VRM15	Multi Trolley including 3 containers	1075 x 600 x 680	492.65



Colour Options

- ☐ White
- ☐ Red
- ☐ Blue
- ☐ Green
- ☐ Yellow

ecopackpal Pallets

The Ecological & Economic Pallet..

.. the lightweight low cost alternative to timber pallets

- Moulded in regenerated raw material - recycled Polypropylene (PP) and Polyethylene (PE)
 - 9 feet version nests saving return transport space
 - All pallets have perforated deck and 7mm collar
- Strong, durable and with a constant tare
 - Will not rot, warp or absorb moisture unlike timber
 - Traceable - Hidden 'vault' for RFID tag



Recycled Pallet - 9 Feet
1200 x 800mm

£80.93

V3E003NFC



Recycled Pallet - 9 Feet
1200 x 1000mm

£44.40

V3F003NFC

Description	Material	Dimensions	Static Load Kg	Dynamic Load Kg	Weight Kg	Order	Price £
9 Feet/Perforated Deck/Collar	regen PP	1200 x 800 x 147	1500	1000*	5.9	V3E003NFC	80.93
9 Feet/Perforated Deck/Collar	regen PE	1200 x 1000 x 147	1500	1000*	7	V3F003NFC	44.40

*Strapping load

Packpal Pallets

The distribution pallet

- Strong and light for intensive trip use
 - 9 feet version nest to 62% of overall height
 - 32 nested pallets measure less than 2m
 - Strong, durable, hygienic and with a constant tare
 - Will not rot, warp or absorb moisture





Packpal Solid Deck
1200 x 1000mm

£69.24

V3F002



Packpal Perforated Deck
1200 x 1000mm

£78.30

V3F303

Dynamic Load
500Kg

Description	Dimensions	Static Load Kg	Dynamic Load Kg	Weight Kg	Order	Price £
3 Runner/Perforated Deck	1200 x 1000 x 172	1000	500	9.3	V3F303	78.30
9 Feet/Perforated Deck	1200 x 1000 x 147	1000	500	7.3	V3F003	42.56
9 Feet/Solid Deck	1200 x 1000 x 147	1000	500	8.9	V3F002	69.24





No other name carries so much weight !

Maestro is designed to meet all pallet storage, handling and distribution needs


Rackable Load
1000Kg

Dynamic Load
1200Kg

Maestro Solid Deck
1200 x 800mm

£161.69

V3L300



Maestro Pallets are tested for

- Deflection on racking
- Drop Test
- Impact resistance
- Stress cracking
- Bevelled runners and rounded edges guide forks and help prevent damage
- Smooth surfaces and curved corners help prevent dirt or water retention and aid faster more thorough cleaning



Maestro Collar Version
1200 x 1000mm

£180.77

V3M502

- Three runner or perimeter runner base options for the 1200 x 1000 version
- Available with/without 7mm load retaining lip around deck

Rackable Load
1200Kg


Dynamic Load
1500Kg

Description	Dimensions	Static Load Kg	Dynamic Load Kg	Racked Load Kg	Weight Kg	Order	Price £
3 Runner/Solid Deck	1200 x 800 x 158	5000	1200	1000	19	V3L300	161.69
3 Runner/Solid Deck/7mm lip	1200 x 800 x 165	5000	1200	1000	19	V3L302	172.78
3 Runner/Solid Deck	1200 x 1000 x 158	5000	1500	1200	23.5	V3M300	176.96
3 Runner/Solid Deck/lip	1200 x 1000 x 165	5000	1500	1200	23.5	V3M302	143.11
5 Runner/Solid Deck/lip	1200 x 1000 x 165	5000	1500	1200	24.2	V3M502	180.77

Heavy Duty Anti-Slip Pallet

Unique anti-slip profiles for safer handling

- Accepts up to 1.25 tonnes dynamic load
- 1200mm x 1000mm full perimeter base pallet
- 1200mm x 800mm 3 runner version
- High racking capability
- Fully ISO tested and compliant
- Unique antislip topdeck
- Long-life expectancy – to 10 years +



Rackable Load
1 tonne

Discounts for larger quantities

Red/Brown Anti-Slip
3 runner version (not shown)
1200mm x 800mm

£92.32

VPCRI

Red/Brown Anti-Slip
1200mm x 1000mm

£96.24

VPCR35

Description	Dimensions	Order	Qty	Price per		Order	Qty	Price per	
				unit	£			unit	£
Anti Slip Pallet	1200 x 800	VPCRI	up to 50	92.32		VPCRIQ	over 50	87.71	
Anti Slip Pallet (no metal reinfor)	1200 x 1000	VPCR35	up to 40	96.24		VPCR35Q	over 40	91.43	
Export Nestable Pallet	1200 x 800	VC1208N	up to 50	33.39		VC1208NQ	over 50	31.72	
Export Nestable Pallet	1200 x 1000	VC1210N	up to 50	37.32		VC1210NQ	over 50	35.45	
3 Runner Pallet	1200 x 800	VPHI	up to 50	78.57		VPHIQ	over 50	74.64	
3 Runner Pallet	1200 x 1000	VPH3P	up to 50	94.29		VPH3PQ	over 50	89.58	

Strong & durable Moulded Pallet

- Three runner base for easy entry
- Optional personalised overprinting
- High hygiene pallet to HACCP standards
- Conforms to ISO 8611
- Food Grade Virgin HDPE

Personalise with overprinting
(subject to minimum quantity)

Open top pallet
1200mm x 1000mm

£94.29

VPH3P

Open top pallet
1200mm x 800mm

£78.57

VPHI



Rackable Load
850kg
Dynamic load
1.25 tonne

Export Nestable Pallet

- Nestable pallet
- Ideal for export
- Lightweight
- Sturdy
- ISPM15 Compliant

Not rackable

Export nestable pallet
1200mm x 800mm

£33.39

VC1208N

Export nestable pallet
1200mm x 1000mm

£37.32

VC1210N



Dynamic load up to
1000kg



Strong and durable Moulded Pallets

Dynamic Load
1 tonne

Rackable Load
up to 250kg

Specialised and regranulated
materials available
Call for details

- Reusable, lightweight, one-piece moulding
- Low cost – ideal for export
- Easy four-way entry

HDPE

3 runner pallet
1200mm x 1000mm

£56.95

VPC4CR

3 runner pallet
1200mm x 800mm

£53.04

VPC5CR

- Tested to all ISO specifications
- Large entry gaps to accommodate all truck designs
- Performance in accordance with ISO racking and impact tests

3 runner pallet
1200mm x 1000mm

£68.75

VPHR3

3 runner pallet
1200mm x 800mm

£64.82

VPHR1

REGRANULATED PLASTIC

Dynamic Load
1 tonne

Rackable Load
up to 400kg

- Full perimeter base
- Heavy duty capability

Rackable Load
up to 850kg

DISCOUNTS FOR
LARGER QUANTITIES

Perimetric top pallet
1200mm x 1000mm

£70.71

VCR35R

Dynamic Load
up to
1 tonne

Description	Dimensions	Order	Qty	Price per		Order	Qty	Price per	
				unit	£			unit	£
Black Full Perimeter Base	1200 x 1000	VCR35R	up to 50	70.71		VCR35RQ	over 50	67.17	
3 Runner Re-Granulated Pallet	1200 x 1000	VPC4CR	up to 70	56.95		VPC4CRQ	over 70	54.11	
3 Runner Re-Granulated Pallet	1200 x 800	VPC5CR	up to 70	53.04		VPC5CRQ	over 70	50.39	
3 Runner Re-Granulated Pallet	1200 x 800	VPHR1	up to 50	64.82		VPHR1Q	over 50	61.58	
3 Runner Re-Granulated Pallet	1200 x 1000	VPHR3	up to 50	68.75		VPHR3Q	over 50	65.32	

Loadhog – Pally

The pallet and wheeled dolly in one!

Offering a truly one touch materials handling platform, the Pally seamlessly integrates all the features of both a pallet and a dolly in one ingenious 800x600mm, patented design.

Manual handling features

Dedicated push/pull handle locations

Tray location and stacking features

Two swivel, two fixed castors

Pedal lifting mechanism



Compatible with forklifts, racking and automated production lines as a stable pallet. The Pally will deliver significant reductions in supply chain handling and increases in productivity compared to traditional equipment and practices.

With the addition of the Loadhog Lid, the Pally becomes a complete, reusable, fully secure and waste-free materials handling system. One foot press on the pedal at either end transforms the unit into a fully mobile wheeled dolly (and back to a pallet again with one more press)



Key features:

- 800 x 600 x 180mm L x W x H
- One pedal push to engage pallet/dolly format
- Rated for up to 500kg load
- No additional lifting equipment required
- Actionable from both ends
- Can be used in conjunction with the Loadhog Lid as a complete system



What would Pally mean to your business?

42% LESS VEHICLES

- 64 loaded Pally units per 40ft trailer vs 45 roll cages (without double stacking)
- 42% less transport cost, on-site traffic & fuel

80% LESS SPACE

to store empty units in your operations

58% LIGHTER than cages

- 21kg v 50kg
- Easier to handle & move

EASIER TO USE

- Open from all 4 sides
- Quicker scanning
- No reliance on forklifts or other equipment

50% LESS TRIPS

to load or collect empty equipment

- 10 stacked Pallys moved in one go by an operator
- Half the number of trips needed to load or collect empty equipment
- 10 times the number of empty units stacked lineside for filling

SAFER

- Pallet-like stability on tail lifts
- Lid can be 'locked' for security
- RFID/barcoding as standard
- No trapped fingers



	Pally	Half Euro (Pally) Lid	Complete Pally & Lid System
Weight	15kg	6kg	21kg
Dimensions L x W x H	800 x 600 x 180mm	800 x 600 x 90mm	800 x 600 x 240mm
Nesting Height	80mm	60mm	240mm
Stacking Height when Nested	5 units/metre	16 units/metre	4 units/metre
Maximum Pally lifting weight	500kg	N/A	500kg
Maximum locking load per strap	N/A	Up to 140kg	140kg
Maximum load stacking height	1500mm	1500mm	1500mm
Materials	(Recycled) Polypropylene	(Recycled) Polypropylene	(Recycled) Polypropylene
RFID Transponder	ISO 15962 passive tag, read/write	ISO 15962 passive tag, read/write	ISO 15962 passive tag, read/write
	2k bits	2k bits	2k bits
Temperature	Max+40°C / Min -10°C	Max+40°C / Min -10°C	Max+40°C / Min -10°C
Order	VPAL	VHEL-2	VPALSYS
Price £	128.62	69.62	186.44



Loadhog – Pallet Lids

No more plastic wrap or banding!

The fully recyclable Loadhog lid is constructed from robust, injection moulded polypropylene and specifically designed to secure a level load to any standard wooden or plastic pallet.

The lids incorporate built in retractable hooked straps that are drawn down, located under the pallet and tensioned via a simple ratchet mechanism to secure the load without the need for stretch wrap or banding...

... The load is also released as simply, with a turn of the ratchet...

... providing a simple, fully stackable, re-usable solution that can be used time and time again in a wide variety of applications – eliminating waste, driving efficiency and cost savings in your supply chain...

Available in UK (1200 x 1000mm), Euro (1200 x 800mm) and Half Euro (800 x 600mm) formats

2 or 4 strap configurations



Unrivalled load stability:

- Reduces product spillage and damage

Twice as fast:

- Typically saves > 1 minute per pallet application compared to conventional stretch wrap and banding
- End of line application eliminates traditional securing processes, labour and space for securing pallet loads

Zero waste:

- Considerable cost savings by eliminating single-use plastic securing materials

A tidier workplace:

- Improved H&S and workplace environment by removing expensive, dangerous and unsightly waste

50% less vehicles:

- The Loadhog lid can be double or triple stacked to maximise trailer fill or conserve space in the workplace

Load security:

- Security tags can be inserted around the ratchet to evidence load tampering and misuse
- Product fully protected

Tracking and traceability:

- The lids can be fitted with an RFID tag making them traceable

Versatility:

- Can be used on returnable transit packaging such as tote bins, trays and conventional cardboard boxes

Loadhog Lids	UK Pallet Lid	Euro Pallet Lid	Half Euro (Pally) Lid
	1200 x 1000mm	1200 x 800mm	800 x 600mm
Weight	2 strap: 12kg 4 strap: 14.75kg	2 strap: 9.5kg 4 strap: 12.25kg	2 strap only: 6kg
Ext Dimensions L x W x H	1218 x 1018 x 105mm	1218 x 818 x 105mm	822 x 618 x 93mm
Nesting Height	71mm	71mm	60mm
Stacking Height when Nested	14 units/metre	14 units/metre	16 units/metre
Maximum locking load per strap	140kg	140kg	140kg
Maximum load stacking height	2500mm	2500mm	1500mm
Materials	(Recycled) Polypropylene	(Recycled) Polypropylene	(Recycled) Polypropylene
RFID Transponder	ISO 15962 passive tag, read/write 2k bits	ISO 15962 passive tag, read/write 2k bits	ISO 15962 passive tag, read/write 2k bits
Temperature	Max+40°C / Min -10°C	Max+40°C / Min -10°C	Max+40°C / Min -10°C
Order	VUKL-2 VUKL-4	VEL-2 VEL-4	VHEL-2
Price £ - 2 strap version	100.30	93.22	69.62
Price £ - 4 strap version	112.10	105.02	

The smooth handling multi-purpose bulk container

Increases the handling efficiency of bulk distribution and display of fresh produce and ambient goods within the retail sector

- Ideal for instore retail display
 - Lightweight all plastic construction
 - Hygienic, easy to clean
 - Folds down when not in use
 - Wheeled base for mobility
- Maximises vehicle utilisation
 - Handling bulk items
 - Can be used in automotive lineside applications
 - Cost effective logistics



From folded to erect unit in four easy moves



Safe stacking when full



Safe stacking even when empty



VBD702692



VBD702792

External Top Dimensions	Internal Base Dimensions	Load	Capacity	Weight	Material	Colour	Order	Price £
800 x 600 x 1000mm	756 x 556 x 846mm	250kg	357 litre	22kg	Polypropylene/ High Density Polyethylene	Black	VBD702692	261.97
800 x 600 x 1080mm	756 x 556 x 843mm	250kg	357 litre	25.5kg	Polypropylene/ High Density Polyethylene	Black	VBD702792	270.49

Bulk containers for long lasting performance in the most demanding of environments

- Fully recyclable
- A5 Landscape odette ticket holder
- Unique wall construction, lightweight but strong
- Non sequential folding
- Can be fitted with RFID tags

VFLA97520 Tytan

A folding pallet container for long lasting performance in the most demanding of environments

Suitable for:

- automotive industry
- caps and closures
- wine bags

Tytan Folding Box

£257.78

VFLA97520



Lid Suitable for boxes on this page

£43.25

VK975LID



Technical Specification:

Ext Dim: 1197 x 997 x 975mm
Int Dim: 1121 x 921 x 775mm
Load: 500kg
Capacity: 800 Litres
Weight: 48kg
Material: Polypropylene
Colour: Black



VFL059518

Exceptionally strong folding pallet box.

Suitable for:

- Heavy engineering
- Automotive Parts

Tytan Folding Box

£261.12

VFL059518



Technical Specification:

Ext Dim: 1200 x 1000 x 595mm
Int Dim: 1118 x 918 x 381mm
Load: 500kg x 5 high
Capacity: 384 Litres
Weight: 43.5kg
Material: HDPE
Colour: Black with blue sides



VFL097520

A folding pallet container for long lasting performance in the most demanding of environments

Suitable for:

- Automotive industry
- Caps and closure
- Wine bags

Tytan Folding Box

£292.67

VFL097520



Technical Specification:

Ext Dim: 1200 x 1000 x 975mm
Int Dim: 1118 x 918 x 760mm
Load: 500kg x 5 high
Capacity: 780 Litres
Weight: 63.9kg
Material: HDPE
Colour: Black





Containers for heavy weight and long-lasting performance

The reusable cost-saving alternative to metal stillages and wooden box systems

- Robustly made from HDPE structural foam
- Weather resistant
- Fold to less than 40% original height
- Accurate slam latches for quick and easy assembly
- Modular design for low cost repair
- Optional dust cover

Originally designed for the car industry, folding box pallets are becoming widely used because they offer cost-saving advantages.

This is particularly true when they're used as part of a complete system.



Lids to fit folding box models are available



From production...



To warehousing...



- Folding pallet boxes offer significant space saving when empty
- Safe stacking when full or folded down
- Stacking points are in the same places and the footprint is identical



To distribution, folding pallet boxes fit in just about anywhere



Geobox

Light and very strong high density polyethylene containers for bulk storage and distribution

- Hygienic, impact resistant, maintenance free and impervious to most forms of chemical erosion
- Safe stacking, each model interlocks to form a secure and stable stack
- 373 and 543 litre Geoboxes stack ten high with 450kg per container
- 260 litre Geobox stacks up to ten high with a 200kg load
- Feet and runners are quick and easy to replace if damaged
- Constant tare



260 Litre Bulk Storage Boxes

External Dims: 1000x600x662mm (LxWxH) Internal Dims: 929x544x519mm (LxWxH)

Colour: Tan

Construction	Runners/Feet	Weight	Order	Price £
Solid Base & Sides	Two Runners	13.5	V27250	143.38
Solid Base & Sides	Six Feet	12.7	V27270	199.17

* Limited stock availability – please call



V27250

373 Litre Bulk Storage Boxes

External Dims: 1200x1000x580mm (LxWxH) Internal Dims: 1110x910x375mm (LxWxH)

Colour: Tan

Construction	Runners/Feet	Weight	Order	Price £
Perf Base & Sides	Two Runners	28	V27401	197.36
Solid Base & Sides	Six Feet	28	V27402	203.52

* Limited stock availability – please call



V27601

543 Litre Bulk Storage Boxes

External Dims: 1200x1000x750mm (LxWxH) Internal Dims: 1110x910x545mm (LxWxH)

Colour: Tan

Construction	Runners/Feet	Weight	Order	Price £
Solid Base & Sides	Two Runners	34	V27600	311.92
Perf Base & Sides	Two Runners	33	V27601	220.52
Solid Base & Sides	Six Feet	33	V27602	219.51
Perf Base & Sides	Six Feet	32	V27603	217.78



V27602

Geobox Lid

Vacuum formed lid for 373 and 543 litre Geoboxes

1220x1017x42mm (LxWxH)

Weight 4.8kg

Vacuum formed lid

£86.37

V64401



Collapsible Hypacages

Ideal for a host of handling & distribution needs

- Robust wire construction
- Collapsible – saving on return journey costs
- Half Hinged Gate access
- Durable economical alternative to disposable packaging
- Bright electro zinc plated finish

Heavy Duty Hypacage 1/2 Drop Front



Standard Hypacage



Overall Size (nom)	Internal Height	Folded Height	Capacity	Stackability	Mesh Size	Weight/Unit	Order	Price £
1000 x 1200 x 1000mm	850mm	280mm	1000kg	4 high	65 x 120mm	51kg	V15HC3	120.00
1000 x 1200 x 900mm	750mm	210mm	1500kg	4 high	50 x 50mm	75kg	V15SJA7	169.57
1000 x 1500 x 1000mm	850mm	280mm	1000kg	4 high	65 x 120mm	63kg	V15HC6	153.77

Convert a flat pallet into a stackable container in seconds

Standard Range with Half Hinged Gate



Stackable Retention Units

- Up to 1000kg capacity
- Range of heights available
- Hinged Half Gate access as standard
- Bright electro zinc plated finish
- 25 units stack on one pallet for return journey

Pallet Size	Overall Height	Internal Height	Capacity	Stackability	Mesh Size	Folded Dimensions	Weight/Unit	Order	Price £
800 x 1200	1000mm	850mm	800kg	4 high	60 x 100mm	910 x 2050 x 65mm	30kg	V116106	89.05
1000 x 1200	1000mm	850mm	800kg	4 high	60 x 100mm	910 x 2250 x 65mm	32.5kg	V116110PT	94.98
1000 x 1200	1200mm	1050mm	800kg	3 high	60 x 105mm	1100 x 2250 x 65mm	37.5kg	V116130PT	117.31
1000 x 1200	1450mm	1300mm	1000kg	2 high	60 x 105mm	1350 x 2250 x 65mm	48.5kg	V116140PT	138.08