STORAGE DESIGN LIMITED



Mobiles, Trucks & Trolleys

	Moulded Container Trucks	Page 146
	Linbin, Tray Trolleys & Mobiles	Page 150
	Dollies & Mobile Platforms	Page 157
	Platform Trucks	Page 160
-	Powered Platform Trucks	Page 167
#	Workshop & Service Trolleys	Page 168
	Industrial & Warehouse Trolleys	Page 175
	Roll Containers	Page 177
	Load Movers	Page 181
	Pallet Trucks & Lifting Tables	Page 183
	Drum & Cylinder Handling	Page 192
A	Sack Trucks & Lightweight Trolleys	Page 196



Plastic Moulded Container Trucks

Maxi Container Trucks

- · 400 litres capacity
- Moulded in virgin 'A' medium, density polyethylene
- · Snag-free one-piece body
- 12mm plywood base strengthener
- Strong nylon castors in rocking diamond pattern
- Nesting for space-saving storage
- Red, yellow or blue
- · Lids available



Robust Rim Container Trucks

These strong, durable trucks are rotationally moulded from high density polyethylene. The space-saving tapered design allows for trucks to be nested when not in use. Available with a polypropylene base for wet work or food/hygiene use.

Robust rim with recessed gripping improves handling

- Suitable for temperatures between -20°C and +60°C
- Choice of four colours red, yellow, blue or green
- Mounted on 2 fixed and 2 braked swivel, 200mm dia rubber tyred castors
- Available with or without split lids
- Internal depth 690mm





Plastic Truck without lid 1105L × 765W × 880H £ 198.24 VSPCTPC

MASSIVE 250kg capacity

Frame Container Trucks

- · 250kg capacity
- Moulded in high density polyethylene
- Snag-free one-piece body
- Steel tube side strengtheners
- 2 fixed and 2 swivel diameter castors
- Red, yellow or blue
- Spare containers available

Please choose
Red, Yellow or Blue

Container truck
1040L × 700W × 860H

£295.79
VSCT1..

Spare body for above
£129.80
VSSB2..

Optional lid for above

£5 | .13

VSCTILID

Two Fixed Two Swivel Castors 200mm

Our best selling range of rugged trucks for every purpose

Rocker Trucks

- 300 litres capacity
- Moulded in virgin 'A' medium, density polyethylene
- · Snag-free one-piece body
- 12mm plywood base strengthener
- Strong castors in rocking diamond pattern
- Nesting for space-saving storage
- Red, yellow or blue
- · Lids available
- -20 degree C to + 60 degree C temperature range












Moulded Mobile Containers

- Mobile trolleys for food, pharmaceutical and general purpose applications
- Heavy duty polythene mouldings complete with PET Lids (Lids purchased separately)
- Easy to clean, choice of colours avaliable.
- Moulded in tough food grade polyethlene
- -30°c +80°c temperature range
- Watertight, can be drilled and fitted with drainage

Please specify colour required when ordering







Mobile Co	ontainer	Mobile Con	tainer Lid	External Dimensions	Top Internal Dimensions	Base Internal Dimensions	Load	Litres	Gallons
Order	Price £	Order	Price £	L x W x H mm	L x W x H mm	L x W x H mm	Capacity	Capacity	Capacity
VRM16TR	54.79	VRM16L	10.20	460 x 460 x 510	412 x 412 x 412	380 x 380 x 412	40kg	72	16
VRM26TR	61.02	VRM26L	10.20	$460 \times 460 \times 760$	412 x 412 x 662	370 x 370 x 662	60kg	118	26
VRM30TR	80.91	VRM30L	13.49	552 x 467 x 582	552 x 467 x 582	520 x 425 x 582	120kg	135	30
VRM45TR	100.30	VRM45L	16.94	825 x 480 x 750	740 x 410 x 647	700 x 360 x 647	150kg	200	45
VRM70TR	117.92	VRM70L	26.80	1010 x 685 x 735	903x 584 x 595	840 x 530 x 595	220kg	320	70
VRM100TR	144.13	VRM100L	32.75	1320 x 735 780	1225 x 615 x 630	1165 x 570 x 630	275kg	455	100



Container Trolleys

An attractive silver painted tubular frame which holds a removable white polypropylene container.

The push handle and the 2 fixed, 2 swivel 125mm rubber wheels make these units easy to manoeuvre.

Ideal for use with laundry and bulky items.

Order	External Dimensions L x W x H mm	Weight	Litre Capacity	Price £
VPC108Y	1210 x 710 x 820	32kg	250	320.24
VPC109Y	1420 × 860 × 860	39kg	350	352.60

All Trolleys c/w 4 x swivel castors and grey non-marking rubber tyres



Container trolley to take two multi-trip containers (VI005 on Page 127)

Welded tubular steel construction

Blue epoxy paint finish

Weight 12Kg





Load 50kg Store and Distribution trolley £ **1**0.04 VCT19PK1 $O/A H \times L \times W: 800 \times 520 \times 610 mm$

Container trolley to take two stacking containers (V21060 on Page 123)

Welded tubular steel construction

Grey epoxy paint finish

Weight 25Kg

Container shelf trolley to take two stacking euro containers (V2A021 on Page 154 and V21060 on Page 123)

Welded tubular and angle steel construction

Blue epoxy paint finish Weight 18Kg



Container shelf trolley to take 16 stacking euro containers (12 V2A021 on Page 154 and 4 V2 I 060 on Page 123)

Welded tubular and angle steel construction

Blue epoxy paint finish

Weight 75Kg





VCT50PK1

All trolleys c/w 4 x 100mm diameter swivel castors and grey non-marking rubber tyres.



VCT28PK I



Linbins: 2 of No.10



160mm rubber tyred

wheels, 4 castors

Range of complete Trolley and Linbin Tray Kits

For use in workshop, stores and many other applications – providing static or mobile storage, robust construction.

- Freestanding storage for small and large parts
- Linbin trays come with backstops and labels
- Tray end stops allow total contents of each tray to be viewed without spillage
- Supplied with adjustable feet and 125mm OD Swivel Castors (two braked)
- Load capacity of cabinet without castors 240kg, with castors 150kg
- · Grey epoxy enamelled steel frame
- Profiled sides and welded assembly for added strength and rigidity



Procart dual purpose mobile units

- provide ideal Work Tables or Storage Modules







Procart Size	Maximum Load	Weight	Order	Price £
L1016 x W495mm x H884mm	180kg	22.2kg	V90930	316.23
L1143 x W588mm x H884mm	180kg	26.8kg	V90936	345.56

STORAGE DESIGN LTD TEL:01446 772614 info@storage-design.ltd.uk www.storage-design.ltd.uk

 Innovative "I" beam design for easy access
 Heavy duty high density polyethylene structural foam moulding

Moving and handling containers is so easy with our mobile aluminium Container Trolleys New lightweight options now available

Tray or container trolleys manufactured to suit standard or non standard container sizes. Can be used in conjunction with Standard Euro Containers or any flat based container.

Each trolley is fitted with 100mm diameter plastic swivel castors (two braked).

Standard version manufactured from 45mm square aluminium tube and lightweight version manufactured from 25mm square aluminium tube.

Lightweight available as flatpack if required – please specify when ordering.

- Easy to clean Rust Free
- Resists acids and salts
- Impact resistant
- 100mm plastic swivel castors, two braked
- Special sizes ask for details
- Takes Standard Euro Containers

4 Tier Standard Mobile Aluminium Trolley

54

VLSTT6

4 Tier Standard Mobile Aluminium Trolley

4 Tier Standard Mobile Aluminium Trolley

VSTT

6 Tier Standard Mobile Aluminium Trolley £242.64

VSTT6

All trolleys are supplied without containers.
For selection of Euro Containers, please see pages 122 &123





8 Tier Lightweight
Mobile Aluminium Trolley
£ 189.40
VLSTT8

8 Tier Standard Mobile Aluminium Trolley £248. I 5 VSTT8



10 Tier Lightweight Mobile Aluminium Trolley £ 193.29 VLSTT10 Images are for illustrative

purposes only. Trays shown as

grey are also

available in

blue or red.

£300.07

VGTR60-COM



Container Trolleys with Euro or Hygienic containers Ready built, ready to go

A range of top quality trolleys complete with hardwearing polypropylene containers. These easy-handling trolleys are manufactured from high quality steel tube and are fitted with free-running castors or tyred wheels that won't mark floors. Braked castors are available – please suffix the reference number with VTSB/WTR and add £15.73 per pair.



Trolley Only

Containers each

L225.62
VGTR60

Containers each

L2.41
V2A021

Width 625mm Depth 500mm

Width 625mm Depth 500mm
Height 1135mm 4 x non marking castors

Swivel tiers can be tilted 15° or 30° in each direction.









Trolley Only

L29 | .85
VGTR25

Width 625mm Depth 930mm
Height 955mm 4 x non marking castors

All trolley frames options

available in blue or red

Complete

VGTR6L-COM



Trolley Only

Containers each

L 206.74
VGTR4L


V2A045

Width 625mm Depth 500mm
Height I 395mm 4 x non marking castors

STORAGE DESIGN LTD TEL:01446 772614 info@storage-design.ltd.uk www.storage-design.ltd.uk

STORAGE DESIGN LIMITED

Hygienic Container Trolleys



Containers each £ 13.86 Closed

£ 15.69 VRB318304



All these come complete with closed containers- ready built and ready to go!

6 Tray Trolley Trolley Only

VWTR6L

Width 795mm Depth 585mm Height 890mm

4 x non marking castors

Images are for illustrative purposes only. Trays shown as grey are also available in blue or red



8 Tray Trolley

Trolley Only VGTR80 Containers each V2A021

Width 625mm Depth 500mm Height 1415mm 4 x non marking castors Choose the hygienic container that best suits your needs - both are: $L762 \times W457 \times H92$ external $L715 \times W412 \times H72$ internal



10 Tray Trolley

Trolley Only

VWTR10L

Width 795mm Depth 585mm Height 1345mm 4 x non marking castors



10 Tray Trolley

Trolley Only

VGTR100

Containers each V2A021

Width 625mm Depth 500mm Height 1720mm 4 x non marking castors



16 Tray Trolley

Trolley Only

VWTR16L

Width 795mm Depth 585mm Height 2010mm 4 x non marking castors



6 Tray Trolley

Trolley Only

VGTR6L

Containers each

Width 625mm Depth 500mm Height 1945mm 4 x non marking castors V2A045

Euro Container Box Carts

Modular box cart trolleys designed for the transportation of a range of Euro size (600 x 400mm) boxes

- Bolt free design offering quick & easy assembly
- Units supplied in knock down kits
- Comprising of strengthened frame, 4 posts & castors and the required quantity of box runners.
- Fully adjustable to accept any number of 600 x 400 euro boxes
- Simply snap the collar onto the post anywhere on a 25mm pitch and drop the runner into position
- Strong & durable
- Made from nickel chrome mild steel with standard 75mm swivel castors.
- Unit capacity 150Kg
- Euro containers not included, available separately



Type **	Dimensions W x D x H mm	Order	Price £
Euro Box Carts for 120mm high boxes			
6 Tier Cart	480 x 610 x 1200	VEBC1211	136.00
8 Tier Cart	480 x 610 x 1450	VEBC1214	155.20
10 Tier Cart	480 x 610 x 1750	VEBC1217	174.40
Euro Box Carts for 220mm high boxes			
3 Tier Cart	480 x 610 x 1200	VEBC2211	107.20
6 Tier Cart	480 x 610 x 1750	VEBC2217	136.00
Euro Box Carts for 325mm high boxes			
2 Tier Cart	480 x 610 x 1200	VEBC3210	97.60
4 Tier Cart	480 x 610 x 1750	VEBC3217	116.80



^{**} All box cart units are delivered in knock down form for assembly



Highly Manoeuvrable Dollies

Labour saving dollies provide a safe, quiet and highly manoeuvrable means of handling and moving containers and stock around production areas and stores.

	Order	Туре	L	W	Н	Weight	Castors	Material	Price £
		mm	mm	mm	mm	Kg			
Α	V360653	Silentmaster Dolly	715	460	146	8	100mm	Polypropylene	70.06
В	V360659	Silentmaster Dolly	900	600	203	16	125mm	Polypropylene	95.88
С	VGI154YBL	. Blue Mini Dolly	600	400	110	3.5	100mm	Plastic	41.15
D	VGI154YRI	Red Mini Dolly	600	400	110	3.5	100mm	Plastic	41.15
Ε	VGII54YG	R Grey Mini Dolly	600	400	110	3.5	100mm	Plastic	41.15
F	V360660	Stackable interconnecting Dolly	600	400	120	9	75mm	Plastic	48.68

Silent Master® Plastic Dollies

- Two Sizes to chose from
- Durable injection moulded plastic platform fitted with slip-resistant discs to aid load retention
- Super smooth running non-marking all-swivel castors reduce the rolling resistance and provide improved manoeuvrability with up to 30% less effort compared with conventional castors



V360659 Dolly is fitted with corner buffers for added protection and has a recessed carry handle

Mini Plastic Platform Dolly

- A lightweight platform dolly ideal for use in offices, shops, schools, warehouses etc. Avaliable in 3 different colours- Blue, Red and Grey
- Platform is made from injected moulded plastic with $2 \times$ fixed, $2 \times$ swivel 100mm rubber tyred castors



Interconnecting Plastic Dolly

Complete flexibility

- Single dolly suits 600×400 or two 400×300 Euro Containers
- Injection moulded with anti slip discs for added load retention
- 75mm diam smooth running castors
- Up to 10 dollies can be stacked when not in use
- · Ergonomic handles for manual handling



Dollies lock together to make multiple units to suit load






Wooden Dollies

Labour Saving dollies provide a safe, quiet and highly manoeuvrable means of handling and moving containers and stock around production areas and stores.



- Three popular sizes to choose from
- · Plywood construction only
- Mounted on 90mm rubber tyred castors
- Maximum load 240kg even distributed

V329331 - 32.45 V329332 - 33.93 V329333 - 30.98



These dollies are made from hardwood construction with carpeted ends that ensures durability and strength. Ideal for use with heavy goods.

* Supplied castors loose

VFD400Y - 35.15 VFD750Y - 41.90 VFD900Y - 50.74



Multi purpose unit ideal for moving furniture, boxed items etc. The flush top is fitted with a protective ribbed green carpet cover. Mobile on 4×100 mm swivel nylon castors. (Units are supplied in pairs)

VFD201N - 75.23

Order	Туре	L	W	Weight	Capacity	Price £
		mm	mm	Kg	Kg	
V329331	Plywood Dolly	680	450	1.18	240	32.45
V329332	Plywood Dolly	910	610	1.09	240	33.93
V329333	Plywood Dolly	760	460	1.84	240	30.98
VFD400Y	Hardwood carpet ends dolly	400	400	5.5	450	35.15
VFD750Y	Hardwood carpet ends dolly	450	750	8	380	41.90
VFD900Y	Hardwood carpet ends dolly	600	900	10	545	50.74
VFD201N	Furniture Dolly	600	300	5	200	75.23
VFD900Y	Hardwood carpet ends dolly	600	900		545	



Medium Duty Tray Dollies

Designed to suit a wide range of containers including Euro Containers and Stack & Nest containers.







£65.42 VD0484901

V998222

Weight: 5.5kg Loading: 250kg Max Castors: 100mm diam Length: 825mm Width: 620mm Height: 155mm

VS91005

Weight: 4kg Loading: 250kg Max Castors: 100mm diam Length: 604mm Width: 402mm Height: 162mm

VD0484901

Weight: 4.2kg Loading: 250kg Max Castors: 100mm diam Length: 600mm Width: 400mm Height: 188mm



Confectionary Tray Dolly

£59.84

VRM35DY



£72.17
VPD350N



£82.19
VPDT63S

VRM35DY

Weight: 5kg Loading: 250kg Max Castors: 100mm Diameter Length: 765mm Width: 460mm Height: 200mm

VPD350N

Weight: 6kg Loading: 350kg Length: 610mm Width: 405mm Height: 125mm (supplied castors loose)

VPDT63S

Weight: 9kg Loading: 250kg Max Length: 610mm Width: 400mm Height: 930mm

Super Compact Sack Tracks

These versatile units are of Aluminium construction and fold and unfold in seconds. These units can be stored or transported in confined spaces making them ideal for deliveries. VGI033Y is constructed and approved to the European GS standard.







Order	Description	Overall Size	Overall Size Folded	Load	Weight	Price £
		H x W x D	H x W x D	Capacity		
VGI025Y	Mini Compact Sack Truck	1000 x 400 x 420	650 x 390 x 60	60kg	3kg	60.79
VGI033Y	Super Compact Sack Truck	1000 x 490 x 450	700 x 490 x 60	100kg	4kg	72.94
VGI043Y	Large Compact Sack Truck	1255 x 620 x 600	1010 x 595 x 97	200kg	10kg	170.80

Compact Sack Truck

Lightweight and easy to carry aluminium space saving frame sack truck can be folded to transport easily in the boot of a car. Fitted with 2×150 mm solid rubber wheels with ball bearings. GS approved.



Plastic Platform Trolley

Lightweight platform truck ideal for use in offices, shops, schools, warehouses etc. Available in 4 different colours. Made from injected moulded plastic with $2 \times \text{fixed}$, $2 \times \text{swivel}$ castors (supplied castors loose).



Multi Position Trolley

A multi position trolley for a multitude of uses with a telescopic handle and an expanding/ contracting base. Manufactured to the recognised European GS Standard. The unit also incorporates corner buffers.



Order	Description	Overall Size	Overall Size Folded	Load	Weight	Price £
		H x W x D	H x W x D	Capacity		
VGI960Y	Compact Sack Truck	1090 x 412 x 406	715 x 412 x 190	90kg	7kg	52.90
VGII52Y	Plastic Platform Trolley	825 x 710 x 460		120kg	8.5kg	48.95
VGI001Y	Multi Position Trolley	960 x 725 x 420	230 × 570 × 420	150kg	8.5kg	65.97



Silent Master® Plastic Platform Truck with brake option

- 150kg and 300kg
- Slip resistant inserts on deck
- Two fixed and two swivel castors
- Smooth running castors for manoeuvrability and 30% less effort
- Buffers fitted to V360655 and V360657
- · Optional parking brake



Order	Platform	Handle	Wheel Dia	Load kg	Weight kg	Brake	Price £
	L x W mm	Height mm					
V360650	715 x 460	920	I00mm	150kg	10kg	No	88.50
V360652	715 x 460	920	I00mm	150kg	12kg	Yes	109.57
V360655	900 x 600	980	125mm	300kg	18kg	No	143.29
V360657	900 x 600	980	I25mm	300kg	20kg	Yes	156.77

Aluminium Folding Platform Trucks

- Strong Aluminium platform trucks with folding steel handles
- For extra compact storage the sides of the handle on model VGI209Y and VGI066Y has an ergonomically designed handle for improved posture.



Order	Overall Size	Platform	Load kg	Weight kg	Price £
	H x L x W mm	Height mm			
VGI207Y	830 x 740 x 470	160mm	150kg	10kg	97.32
VGI208Y	900 x 900 x 620	160mm	150kg	14kg	132.68
VGI209Y	810 x 740 x 470	165mm	150kg	10kg	88.67
VGI066Y	1040 x 900 x 610		300kg	19kg	211.75





Folding Trolleys

An economy range of platform trucks with sheet steel base covered with an attractive non-slip red PVC surface. The folding handle allows for compact storage $\frac{1}{2}$

All products supplied knocked down



Order	Description	Overall Size	Max	Weight	Price £
		L x W x Hmm	Load		
VGII02Y	Folding Trolley with non slip PVC surface	730 x 470 x 830	150kg	8kg	48.95
VGII03Y	Folding Trolley with non slip PVC surface	910 x 610 x 880	250kg	15kg	78.35

Large Wheeled Folding Trolley

A heavy duty use platform Trolley with large pneumatic wheels which make it ideal for rough terrain. The unit also folds to make it easy to store.



Mesh Surround Trolley

Platform trolley with mesh surround manufactured from pressed steel sheet, covered with non-slip, non-marking PVC surface and fitted with all round buffering. Sides and ends of 50×100 mm mesh complete with half drop sides.



Order	Description	Overall Size	Max	Weight	Price £
		L x W x Hmm	Load		
VGI009P	Large Wheeled Folding Trolley	870 x 560 x 900	350kg	22kg	128.94
VGI213Y	Mesh Surround Trolley	870 x 560 x 900	300kg	32kg	250.85

A Heavy Duty Platform Truck



An attractive green plastic platform truck ideal for use in warehouses, laboratories, schools, garden centres etc. The corners are rounded to help prevent damage to walls. The unit also has 330mm pneumatic steel centred wheels.

B Platform Truck



Platform truck is ideal for transportation of boxes, containers etc. Fitted with 250mm pneumatic steel centred wheels.

© Platform Truck with Mesh Sides



ldeal for transportation of boxes, cartons etc. The truck has a 1200 \times 600mm mesh platform and 2 \times 275mm drop down mesh sides and ends. Fitted with 340mm pneumatic steel centred wheels. Sides and ends interlock together

D Two Tray Platform Truck



A two shelf platform truck designed for the transportation of boxes, tools etc. Fitted with 250mm pneumatic steel centred wheels. Top tray height 825mm

	Order	Description	Platform Dimensions	Load	Weight	Price £
			L x W x H mm	Capacity		
A	VTI204B	Plastic Platform Truck	1315 x 765 x 1090	350kg	29kg	195.23
В	VTI202B	Platform Truck	1220 x 610 x 310	250kg	35kg	145.17
С	VTI201B	Platform Truck with Mesh Sides	1200 x 600 x 360	500kg	43kg	165.26
D	VTI203B	Two Tray Platform Truck	980 x 510 x 335	150kg	30kg	189.29



Transport heavy loads effortlessly

Turntable Trucks from 500kg to 1000kg capacity

Our turntable trucks have easy-running wheels and top quality ball bearing turntables to make hauling and manoeuvring ridiculously easy.

- Extremely tight turning circle
- Solid Rubber or Pneumatic tyred wheels
- · Choose exterior grade plywood or steel decking
- Choose plywood, steel or mesh ends and side panels

TURNTABLE TRUCKS - SIZE/CAPACITY AND DECK FINISH OPTIONS



Deck Finish	1200 x 600	Load	Price £	1500 x 760	Load	Price £	2000 x 1000	Load	Price £
Plywood	VTR122	500kg	247.29	VTR126	750kg	355.50	VTR132	1000kg	465.93
	VTR122P	500kg	255.71	VTR126P	750kg	355.50	VTR132P	1000kg	465.93
Steel	VTR222	500kg	239.14	VTR226	750kg	390.86	VTR232	1000kg	494.64
	VTR222P	500kg	239.00	VTR226P	750kg	390.86	VTR232P	1000kg	494.64

Removable Steel Panels
These steel panels can be retrofitted

Pneumatic
tyred wheels

REMOVABLE - STEEL PANELS (2 x END - 2 x SIDE PANELS)

 Deck Size I200 x 600 Price £
 1500 x 750 Price £
 2000 x 1000 Price £


 Order
 VRPI26
 92.79
 VRPI57
 105.36
 VRP201
 119.00





A clever simple to operate brake system, effective when the handle is in the upright position, finishes off the range of accessories but unlike the other options these are factory fitted and need to be specified at the time of ordering.

• BRAKES - please suffix the part number with VPBI and add £55.36 to the price.





Power Go-Far Platform Truck

- · Load capacity 450kg
- · Normal days work without recharging
- · Reduces the risk of injury associated with manual handling
- Anti-pinning device (auto-reverses on contact with operators body).
- Platform length 1070mm with non-slip plastic surface
- Includes horn and key lock
- Easy to operatre with deadmans brake
- · Variable speeds
- · Forward and reverse
- · Highly manoeuvrable
- Unit 600mm wide, fits through most standard doorways







Power Truck

- Load capacity 500kg
- Includes auto braking system which is coupled with a fail-safe electro mechanical disk brake
- Includes an emergency stop button
- · CE Marked and plated
- Motor: 370W
- Running time (fully charged): 3 hours
- Charge time: 7/8 hours
- Overall size: $1080H \times 1275L \times 630W$ mm
- Platform size: I 270L x 360W mm
- Weight:121kg
- Maximum forward speed: 8km/h
- Maximum backward speed: 4km/h









Our wide range of Industrial Trolleys

- Two ranges paint finish and zinc plated
- Industrial grade roller bearing castors
- Solid rubber 200mm diameter tyres
- Robust welded steel construction







Capacities from 350kg to 500kg

- Durable painted steel construction
- 600mm wide fits most standard doorways
- Strong exterior grade plywood decking

FIRM LOADING TRUCKS - TIMBER SIDES								
Style	1000 x 600	Price £	1000 x 700	Price £	1200 x 800	Price £		
Single End	VTC601P	154.33	VTC701P	161.20	VTC801P	171.13		
Double End	VTC602P	192.37	VTC702P	200.70	VTC802P	213.86		
Three Sided	VTC603P	210.30	VTC703P	235.39	VTC803P	232.40		
Four Sided	VTC604P	230.24	VTC704P	238.89	VTC804P	253.94		

FIRM LOADING TRUCKS - ZINC PLATED MESH SIDES								
Style	1000 x 600	Price £	1000 x 700	Price £	1200 x 800	Price £		
Single End	VTC601M	164.29	VTC701M	170.16	VTC801M	180.51		
Double End	VTC602M	209.04	VTC702M	216.06	VTC802M	228.74		
Three Sided	VTC603M	233.39	VTC703M	239.13	VTC803M	255.87		
Four Sided	VTC604M	260.23	VTC704M	267.24	VTC804M	289.39		

BALANCED TRUCKS - TIMBER SIDES								
Style	1000 x 600	Price £	1000 x 700	Price £	1200 x 800	Price £		
Single End	VTC601PBW	165.33	VTC701PBW	172.20	VTC801PBW	182.13		
Double End	VTC602PBW	203.37	VTC702PBW	211.70	VTC802PBW	224.86		
Three Sided	VTC603PBW	221.30	VTC703PBW	229.67	VTC803PBW	243.40		
Four Sided	VTC604PBW	241.24	VTC704PBW	249.89	VTC804PBW	264.94		

BALANCED TRUCKS - ZINC PLATED MESH SIDES								
Style	1000 x 600	Price £	1000 x 700	Price £	1200 x 800	Price £		
Single End	VTC601MBW	175.29	VTC701MBW	181.16	VTC801MBW	191.51		
Double End	VTC602MBW	219.84	VTC702MBW	227.06	VTC802MBW	239.74		
Three Sided	VTC603MBW	244.39	VTC703MBW	250.13	VTC803MBW	266.87		
Four Sided	VTC604MBW	271.23	VTC704MBW	278.24	VTC804MBW	300.39		





Any truck can be supplied with a bumper strip and every firm loading truck can be supplied with two braked castors as an option if required:

- I. BUMPER STRIP please suffix the part number with VBS I and add £34.50 to the price.
- 2. BRAKED CASTORS please suffix the part number with VTSP200 and add £14.30 to the price.



Three size options to choose from:

1000 x 600

 1000×700

 1200×800

Zinc Plated Platform Trucks

Capacities from 500kg to 700kg

- Durable steel construction with tough zinc coating
- Zinc plated steel load floor
- Zinc plated steel mesh panels
- Optional braked castors
- · Optional bumper strip









ZINC PLATED - FIRM LOADING TRUCKS - ZINC MESH SIDES

Style	1000 x 600	Price £	1000 x 700	Price £	1200 x 800	Price £
Single Sided	VZPT6001	198.60	VZPT7001	212.44	VZPT8001	235.89
Double Sided	VZPT6002	240.73	VZPT7002	256.69	VZPT8002	282.39
Three Sided	VZPT6003	274.29	VZPT7003	291.31	VZPT8003	318.91
Four Sided	VZPT6004	305.91	VZPT7004	325.01	VZPT8004	352.61



Deep Shelf Trolleys

All products supplied knocked down



Of Heavy plastic construction, these units are tough enough for most environments. The units are easy to clean and will not chip or dent. The push/pull handle has storage facilities for those small easy to lose items.

These units are fitted with $2 \times$ fixed, $2 \times$ swivel non-marking 125mm rubber castors. These units are also impact and moisture resistant.

Units come with 2 or 3 shelves.

	2 Shelf Unit		
Overall Size	Clearance between	Weight	Price £
H x L x Wmm	Shelves mm		
850 x 950 x 440	700	18kg	123.65
850 x 1100 x 650	350	23kg	154.05
	3 Shelf Unit		
850 x 950 x 440	700	22kg	153.07
850 x 1100 x 650	350	30kg	195.91
	H x L x Wmm 850 x 950 x 440 850 x 1100 x 650 850 x 950 x 440	Overall Size Clearance between H x L x Wmm Shelves mm 850 x 950 x 440 700 850 x 1100 x 650 350 3 Shelf Unit 850 x 950 x 440 700	Overall Size Clearance between Weight H x L x Wmm Shelves mm 850 x 950 x 440 700 18kg 850 x 1100 x 650 350 23kg 3 Shelf Unit 850 x 950 x 440 700 22kg

Plastic Platform Trolleys

- Load capacity 200kg
- Chrome plated steel handles
- Shelves made from injection moulded reinforced plastic
- Finish resists most acids and alkalis
- Two swivel, two fixed castors
- Wheels with non-marking rubber tyres, I25mm diameter
- Hygienic and easy to clean





Description	Platform	Handle	Maximum	Weight	Order	Price £
	Size	Height	Load			
Single End	810 × 500	860	200kg	13kg	VGI917Y	134.06
Single Folding End	810 × 500	860	200kg	14kg	VGI911Y	130.92
Double Ends	810 x 500	860	200kg	16kg	VGI912Y	136.66
2 Tier Platform	810 x 500 x 190/710	930	200kg	20kg	VGI915Y	178.99
3 Tier Platform	810 x 500 x 190/450/710	930	200kg	25kg	VGI916Y	231.03





Super Strong Thermoplastic Trolleys

Versatile range of trolleys made from durable injection moulded thermoplastic

- · Load capacity 90kg
- Assemble in less than five minutes
- Will not rust, dent or chip
- Shelf colours red, blue, beige or green
- · Resistant to most substances
- Fitted with 4 x 100mm swivel castors, 2 with brakes







Service Trolleys

This range of aesthetically pleasing shelf trolleys is avaliable in two colours, either buttermilk or grey, both with aluminium uprights. The shelves are manufactured from hard wearing plastic. Shelves on models VHI414Y and VHI424Y have a 25mm lip to three sides and a 5mm rim to one side. Shelves on the remaining models have a full 25mm lip around all sides to help prevent items sliding off. These units are fitted with 4 x swivel non-marking rubber castors.





Order	Description	Overall Size	Weight	Price £
VHI414Y	Buttermilk 3 Shelf Trolley	790H x 800L x 410W mm	8kg	115.18
VHI424Y	Grey 3 Shelf Trolley	790H x 800L x 410W mm	8kg	115.18
VHI514Y	Buttermilk 3 Shelf Trolley	960H x 1030L x 510W mm	19kg	157.32
VHI524Y	Grey 3 Shelf Trolley	960H x 1030L x 510W mm	19kg	157.32
VHI004Z	Optional buckets to fit all models	I x Small- 172H x 332L x 232W mm	-	42.86
		I x Large- 562H x 336L x 236W mm		





- Easy to assemble in less than five minutes
- Available in combinations of flat shelves and deep storage trays
- Four castors, two braked
- Wheels with rubber tyres, I 00mm diameter
- Mallet included
- Easy to clean




Ideal for use in workshops, maintenance departments, storerooms, the electronics and pharmaceutical industries

- Smooth hygienic surfaces
- · Simply wipe clean
- Will not rust, dent or chip
- Superstrong polyethylene moulded trays mean shelves will not rust, dent or chip

Description	Overall Dimensions L x W x H mm	Dimensions Between Shelves	Maximum Load	Weight	Order	Price £
3 Storage Trays	920 x 640 x 975	280/280	175kg	24kg	VGI337L	314.82
2 Storage Trays	920 x 640 x 960	635	175kg	20kg	VGI237L	232.56
4 Shelf Trolley	610 x 457 x 1185	305	180kg	18kg	VGI436L	171.10
5 Shelf Trolley	810 x 610 x 1525	295	180kg	40kg	VGI437L	360.74
3 Shelf Trolley	1220 x 610 x 915	140/458	200kg	33kg	VGI438L	432.91







Service Trolleys



Order	Description	Overall Size	Clearance between Shelves	Weight	Price
VGI834L	2 Shelf Trolley	880H x 890L x 610W mm	650mm	16kg	234.46
VGI835L	3 Shelf Trolley	865H x 890L x 610W mm	292mm	22kg	274.06
VGI841L	3 Shelf Trolley	840H x 610L x 458W mm	305mm	llkg	166.07

4 Colour Options Available

Blue

Red

Green

Yellow

These easy to manoeuvre units are ideal for use in offices, schools, workshops, maintenance departments, storerooms etc. Constructed from super strong polyethylene the units will not rust, dent or chip. Ideal for use in colour coded departments.

When ordering please add colour code to the order number

Blue (BL), Red (RD), Green (GN) and Yellow (YW)

Coloured Service Trolleys





3 Colour Options Available

Blue

Red

Green

When ordering please add colour code to the order number

Blue (BL), Red (RD), Green (GN)

Order	Description	Overall Size	Dimensions between shelves	Weight	Price £
		L x W x H mm	Top/ Bottom mm	kg	
VGI851L	2 Shelf-Top Flat shelf, Bottom Storage Trays	610 x 458 x 980	660	П	191.07
VGI852L	3 Shelf-Top & Middle Flat shelves and bottom storage trays		305/305	12	228.42
VGI853L	3 Shelf-Top, middle & bottom storage trays		305/ 305	13.5	238.33
VGI861L	2 Shelf, Top Flat shelf, bottom storage trays	813 x 610 x 915	635	19.5	354.60
VGI862L	3 Shelf-Top & Middle flat shelves & bottom storage trays		280/ 280	26	433.72
VGI863L	3 Shelf-Top, middle & bottom storage trays		280/ 280	28	481.88

Service Trolleys with Cupboard





Order	Description	Overall Size	Weight	Price £
VGI843W	3 Shelf Trolley	610H x 457L x 864W mm	13kg	156.18
VGI844CW	3 Shelf Trolley with cupboard	610H x 457L x 864W mm	21kg	313.71
VGI825W	3 Shelf Trolley	610H x 457L x 1067W mm	l4kg	161.41
VGI826CW	3 Shelf Trolley with cupboard	610H x 457L x 1067W mm	22kg	318.93

3 Colour Options Available

Blue

Red

Yellow

When ordering please add colour code to the order number

Blue (BL), Red (RD), Yellow (YW)

This combination (trolley and shelf)

VTRTA5082 +

VTRHA508

00.

VTRTA4104



Adjustable Shelf Trolleys

These versatile shelf trolleys have steel frames and 12mm laminate-finished particle board shelves in a steel surround. They're supplied flat packed and are quick to assemble using just an Allen key. Then you can easily add shelves and adjust their heights whenever you like.

Adjustable Trolley D535 × W900 × H1015

30.00

Max. Load

150kg

- Choice of sizes and configurations
- Load capacities from 150kg to 300kg
- · Hardwearing powder coated finish
- · Optional mesh end panels



1	
d	Addition of mesh panel to avoid spillage

Description	Dimensions	Order	Price	Description &	Order	Price
	D x W x Hmm	Ref	£	Dimensions (D x Lm	m) Ref	£
2 Shelf Trolley	535 x 900 x 1015	VTRTA4082	230.00	Extra Shelf – 430 x 800	VTRHA408	59.00
2 Shelf Trolley	535 x 1100 x 1015	VTRTA4102	237.00	Extra Shelf – 430 x 1000	VTRHA410	64.00
2 Shelf Trolley	635 x 900 x 1015	VTRTA5082	244.00	Extra Shelf – 530 x 800	VTRHA508	65.00
2 Shelf Trolley	635 x 1100 x 1015	VTRTA5102	248.00	Extra Shelf – 530 x 1000	VTRHA510	70.00
4 Shelf Trolley	535 x 1100 x 1535	VTRTA4104	382.00	Extra Shelf – 430 x 1000	VTRHA410	64.00
4 Shelf Trolley	635 x 1100 x 1535	VTRTA5104	402.00	Extra Shelf – 530 x 1000	VTRHA510	70.00
End Frame Mesh	Panel 364 x 604 (price	is per pair – Ipr	for 2 shelf/2	or for 4 shelf)	VNET2	39.00

All-purpose chrome trolleys



2 Shelf Trolley

Dimensions (W x D)	Order	Price £
610mm x 460mm	VET1824/2	83.20
762mm x 460mm	VET1830/2	88.00
914mm x 460mm	VET1836/2	92.80
1070mm x 460mm	VET1842/2	99.20
610mm x 610mm	VET2424/2	96.00
762mm x 610mm	VET2430/2	102.40
914mm x 610mm	VET2436/2	108.80
1070mm x 610mm	VET2442/2	116.80

3 Shelf Trolley

Dimensions (W x D)	Order	Price £
610mm x 460mm	VET1824/3	95.20
762mm x 460mm	VET1830/3	102.40
914mm x 460mm	VET1836/3	109.60
1070mm x 460mm	VET1842/3	119.20
610mm x 610mm	VET2424/3	112.80
762mm x 610mm	VET2430/3	122.40
914mm x 610mm	VET2436/3	132.00
1070mm x 610mm	VET2442/3	144.00





4 x 125mm Solid Rubber Castors

Light and Heavy

Our choice of Table and Workshop Trolleys – and Heavy Industrial Trolleys

Table and Workshop Trolleys

- Fully welded tube and angle construction
- Two fixed and two swivel castors
- 150kg load capacity
- Solid rubber 125mm tyres
- Fixed plywood shelves with 20mm upstand





Table and Workshop Trolleys Description Shelf Heights mm Price £ 2 Tier Tray Trolley 285, 805 VTT160 193.54 3 Tier Tray Trolley 285,545,805 VTT161 239.50 3 Tier Tray Trolley and cupboard 285,545,805 VTT162 321.66

045H x 620W x 1160L leff Height 285, 545 d 805mm

VTT162

Cupboard supplied with 2 keys

H x (20)M x 11(0)

1045H × 620W × 1160L Sheff Height 285,545 and 805mm £239.50 VTT161

Accessories

VTT160

Description	Order	Price £
Brakes to Swivel Castors	VB032	9.00
Pneumatic Tyred Wheels	VB008	92.85
All Swivel Castors	VB031	6.80

Heavy Industrial Trolleys

- Fully welded angle construction
- Stable and strong
- · 500kg load capacity
- Two fixed and two swivel castors
- Heavy duty castors with solid rubber 200mm tyres
- Choice of flat plywood or steel tops



Supplied in a fully welded construction using an angle section mainframe in two alternative sizes.

Two finish options are also available: a single or two shelf version finished in polyurethane coated plywood or steel.





500Kg Capacity - Welded Trolleys

Deck Finish	1000 x 700	Price £	1200 x 800	Price £
Plywood (I Shelf)	VAT23T	198.35	VAT24T	228.20
Plywood (2 Shelves)	VAT21T	231.29	VAT22T	256.93
Steel (I Shelf)	VAT23M	196.60	VAT24M	237.41
Steel (2 Shelves)	VAT21M	236.00	VAT22M	267.17

- I. BUMPER STRIP suffix the pt. no. with VBSI and add £34.50 to the price.
- 2. BRAKED CASTORS suffix the pt. no. with VTSB200 and add £14.30 to the price.





Robust general purpose trolleys in two sizes

Available in 2 styles 2 and 3 tier and 2 shelf finishes Plywood and Steel
Dimensions:
L1070mm W615mm H1045mm

Industrial Tray Trolleys

- L1070mm × W615mm × H1045mm
- Two and three shelf styles
- · Choice of plywood and steel shelves
- Rubber tyred wheels 160mm diameter
- Fully welded tube and angle construction

• Finished in blue or red epoxy





Style	1.Timber	Price £	2.Fixed Shelf	Price £	3.Tray/Shelf	Price £
Two Shelves – Blue/Red	VTT60	137.89	VTT62R	153.64	VTT62W	179.50
Three Shelves – Blue/Red	VTT61	163.61	VTT63R	185.17	VTT63W	224.46

- L855mm × W500mm × H1065mm
- Two and three tray styles
- Swivel castors 127mm diameter
- · Finished in blue or red epoxy





477.16

469.06

548.00

574.70

Order Picking Steps to suit your warehouse order picking requirements

2075mm High Picking Trolley

These two fully welded trolley and step combinations are available in a choice of configurations.

- Load capacity 175kg
- L1730mm x W620mm
- 125mm castors







VSS59M

VSS59T

VSS59W

VSS59B

Reversible steel shelves/trays

kg

60

60

70

65

Fixed plywood shelves

Removable baskets

Tray heights mm

650

650

650

785*

Usable

Bottom

185

185

185

320*

Weight

 $W \times L$

525 x 935

525 x 935

510 x 920

500 x 905

Removable baskets	
* dimension to top of basket	

Tray type

Fixed steel trays

Fixed plywood trays

Removable steel trays

Тор

1115

1115

1115

1245*

- · Load capacity 125kg
- L1325mm × W495mm
- 125mm castors



Style I:
Two Baskets

4 swivel 125mm non marking castors



Style 2: Plywood trays

4 swivel 125mm non marking castors



Style 3: Reversible steel shelves/trays

4 swivel 125mm non marking castors
Spring loaded steps act as a brake when in use

I I 50mm High Picking Trolley









Versatile, narrow general purpose Industrial Trolleys Built tough to last years

This range of trolleys can handle all kinds of jobs from factory stock movement to post room deliveries. One thing's for sure, they're all made to take the rough and tumble of industrial use.

- Manufactured from welded tubular steel
- · Light and easy to handle
- · Smooth running castors
- · Solid rubber tyres
- Braked castors available suffix order no. with VTSB160Z and add £12.50 to price

600mm Wide Trolleys

- L1070mm x H1160mm (four shelf H1500mm)
- · Two swivel castors, two fixed
- Optional braked castors
- 160mm diameter wheels
- · 250kg load capacity
- Plain or zinc plated mesh ends

1500MM HIGH TROLLEYS

Style	Open Ends	Price £	Mesh Ends	Price £
4 Shelves	VRII6	279.00	VRII8	364.10

350KG TOTAL CAPACITY I 50KG BASE CAPACITY

VNAST3

Even the 625mm wide models will fit most standard doorways

625mm Wide Trolleys

- L1030mm x H1785mm
- Punched steel flush surface shelves
- 160mm diameter wheels
- 350kg load capacity rubber tyred castors
- 'Slot-on' front and rear wire panels



1785MM HIGH TROLLEYS

Style	Order	Price £
2 Shelves / Mesh Ends	VNAST2	323.33
2 Shelves / Mesh Ends / I Panel	VNAST3	362.40
2 Shelves / Mesh Ends / 2 Panels	VNAST4	401.47


I I 60MM HIGH TROLLEYS

Style	Open Ends	Price £	Mesh Ends	Price £
2 Shelves	VR100	192.50	VR102	272.26
3 Shelves	VRII3	236.90	VRII5	316.50



Economy Nestable "A" Frame Roll Containers









				-			
Description	Ext. Dimensions	Int. Dimensions	Ground Weight Capacity		Order	Price	
	L x W x Hmm	L x W x Hmm	Clearance mm	kg	kg	Ref	£
Roll Container	735 x 850 x 1690	800 x 670 x 1425	157	56.5	600	V19A110	153.77
Optional Detachable	Shelf -	-	-	-	-	V19768LS	8.46

Round Pockets

- Designed for mesh cages/ roll pallets
- 3 sizes available
- Magnetic looped header
- Tough plastic provides protection from the elements

Price £	Order	Pack Qty	Size H x W
37.20	VWRP4V/10	10	297 x 210
159.00	VWRP4V/50	50	297 x 210
30.90	VWRP5H/I0	10	148 x 210
132.00	VWRP5H/50	50	148 x 210
27.60	VWRP6H/I0	10	105 x 210
117.00	VWRP6H/50	50	105 x 210



Also see Security Containers on Page 127



Worktainer

Ideal for all types of bulky product

- Load capacity 500kg
- Strong steel construction
- · Choice of two sizes
- Plastic base reinforced with galvanised steel tubes
- Easy to manoeuvre
- Four swivel castors, two braked
- Wheels with rubber tyres 150mm diameter
- · Collapse and nest for compact storage
- Front bar for extra rigidity
- Finish: Epoxy powder coated grey



Both units have a front bar to keep the unit rigid

Work Container
LI 100 × W800 × H1700

£354.15

WWMP800Y

Plastic platform is reinforced with

Galvanised Steel Tubes.

escription	L x W x Hmm	L x Wmm	weight kg	Order	£
ork Container	800 x 600 x 1700	740 x 570	42	VWMP600Y	311.03
ork Container	1100 × 800 × 1700	1040 × 770	53	VWMP800Y	354 15

The right hand side end panel folds out and the plastic base folds down into position.

Rolcontainers – designed for the heaviest products

- · Load capacity 600kg
- Strong all steel construction
- Easy to manoeuvre
- Four swivel castors, two braked
- Wheels with rubber tyres 150mm diameter
- Epoxy powder coated beige finish
- Collapse and nest for compact storage
- · Front bar for extra rigidity
- Weight: 42kg



3 Sided Rolcontainer that can be folded to 90 degrees for nesting when not in use.

Jumbo Demountable Roll Pallets

Ideal for handling larger bulky items yet dismantle to a fraction of their assembled size for return packaging or where space is at a premium.

- Bright electro zinc plated finish steam clean or pressure wash
- 3 or 4 sided configuration
- · Hinged gate access





Dims. LxWxHmm	Int.Dims. LxWxHmm	Load/ Shelf	Weight Unit	Order	Price £
3 Sided					
800×1200×1833	800 x 1200 x 1650	100kg	36kg	V172003	161.54
4 Sided c/w 1/2 gate					
800×1200×1833	800 x 1200 x 1650	100kg	45kg	V17200HG	192.31
Shelf for Jumbo	800 x 1200	100kg	-	V1739503	26.54



Heavy Duty Distribution Trolley

Supplied knocked down

This heavy duty unit is ideal for use in factories, warehouses etc. Standard units come with a base shelf only. However optional shelves are available. (A maximum of 3 will fit). These shelves can be placed at 630, 1050 and 1440mm.





Furniture & Large Load Movers

Manual Furniture Mover

Maximum load capacity 600kg

- · Safely operated by one person
- · Robust lifting mechanism
- · Sold as a pair

A set of transport units, each fitted with a safety mechanical winch and a securing strap. Strap length 5 metres. For bulky and heavyweight items. Ideal for removal, maintenance, installation applications.

OPERATION:

Position lifting plates underneath item to be moved, adjust upper support rail and tension securing straps. Lift item on both sides to equal height and

TECHNICAL SPEC:

- · Powder coated finish
- Lifting plates with non-slip pads
- Upper and lower support rails with protective cover
- · Winch with crank handle and gear mechanism
- 4 Swivel castors with roller bearings
- Non-marking polyurethane wheels suitable for most hard floors

Model		VFM60
Load Capacity	kg	600
Lifting Height	mm	300
Lifting Plate W x D	mm	225 x 120
Overall Size (L x W x H)	mm	570 x 390 x 780
Net Weight	kg	25





Manual Furniture Mover
£495.00
VFM6

Hydraulic Furniture Mover

Maximum load capacity 1800kg

- For professional transport of heavyweight items
- Ideal for delivery, removal, maintenance and assembly applications.
- For switch cupboards, safes, containers and machinery
- Sold as a pair. A set of two transport units, each fitted with a hydraulic pump and securing strap. Strap length 5 metres. Steering handles for direct wheel control. Load is easily transported and accurately positioned.

OPERATION:

Position lifting plates underneath item to be moved. Tension securing straps. Lift item on both sides to equal height and move

TECHNICAL SPEC:

- · Load facing rails with protective strips
- · Powder coated finish
- Heavy duty wheels with ball bearings
- Non-marking polyurethane wheels suitable for most hard floors

Model		VFM180B
Load Capacity	kg	1800
Lifting Height	mm	250
Lifting Plate W x D	mm	600 x 60
Overall Size $(L \times W \times H)$	mm	680 x 420 x 1070
Net Weight	kg	86





Hydraulic Furniture Mover
£795.00
VFM180B



Load Skates -The easy way to move heavy and awkward loads

Roller Crowbar • Load I.5 tonnes • Steel tube lever bar 2000mm long · Nylon roller 100mm diameter • Maximum skate/ toe height 200mm • Weight I3kg 1.5t Roller Crowbar VFCM60

Shifting Skate Sets

- Industrial shifting skates can be used wherever heavy objects have to be moved
- Skates are maintenance free and come with handles for easy handling
- I x Steerable Skate and Drawbar with 2 x Adjustable Skates and Connecting Rods
- Skate sets with 2t-128t capacity are also available
- · Capacity: 9t
- Skate Height: 105mm
- Roller size: ø 85mm
- · Roller material: Nylon
- · Capacity: 18t
- Skate Height: 115mm
- Roller size: ø 85mm
- Roller material: Nylon
- · Capacity: 36t
- Skate Height: 115mm
- Roller size: ø 83mm
- Roller material: Steel





Compact Adjustable Speed Hydraulic Jacks



- Capacity: 3000 kg
- Lifting stroke: 130 mm
- Minimum toe height: 15 mm
- Lifting range at toe: 15-240 mm
- · No. of steps: 3
- · Approx. weight: 21.5 kg
- Capacity: 6000 / 7500 kg
- Lifting range at toe: 35 - 195 mm
- Lifting range at end plate: 320 - 580 mm
- Capacity at toe: 6000 kg
- · Approx. weight: 22.5 kg Notes: 6t Lifting capacity on toe, 7.5t on top

7.5t Speed Jack

VTBL60

10t Speed Jack VHML100

· Capacity: 12000 kg 12t Speed Jack

· Lifting stroke: 140 mm · Minimum toe height: 40 mm

• Lifting range at toe: 40 - 180

· Approx. weight: 68 kg

Notes: 12t Lifting capacity on toe, 15t on top



Capacity: 10000kg

· Lifting range at toe: 30-260

• Lifting range at end plate: 420-650

VTBL120

· Approx. weight: 35 kg



25t Speed Jack VHML250

- Capacity: 25000 kg
- Lifting range at toe: 58 273 mm
- Lifting range at end plate: 505 720 mm
- Approx. weight: 100 kg

8t Speed Jack VTGL80

- · Capacity: 8000 kg
- · Lifting stroke: 140 mm
- Minimum toe height: 25 mm
- Lifting range at toe: 25-295 mm
- No. of steps: 3
- · Approx. weight: 28 kg

Rolling Corners

- · Load 400kg
- · Set of four corners
- · Made from formed and welded steel sheet
- Fitted with 3mm thick rubber tyres
- H75 x L300 x W300mm
- · Light Grey Powder Coating



4 x 100kg Rolling Corners VRMDI

- · Load 600kg
- Set of four corners
- Made from formed and welded steel sheet
- Fitted with 3mm thick rubber tyres
- H75 x L300 x W300mm
- Orange Powder Coating



4 x 150kg Rolling Corners VRMD2

Important weight must be evenly distributed on all 4 corners





- Loads up to 500kg
- 3 Position control lever
- Low profile forks
- Polyurethane steering wheels and single nylon load rollers
- Lift height: 60-170mm
- Light weight- weighs only 35kg
- Ideal for back of the van or for handling small pallets
- This pallet truck is not suitable for standard Euro or GKN Pallets

Order	Fork	Width	Load	Price
	Length	over Forks	Capacity	£
VLLT500	800mm	380mm	500kg	199.00

Budget Pallet Truck



- Loads up to 2200kg
- 3 Position control lever
- Tapered Forks
- Nylon steering wheels and single nylon load rollers
- Lift height: 85-200mm

Order	Load	Fork	Width	Price
	Capacity	Length	of forks	£
VDF5401150	2200kg	1150mm	550mm	199.00

Hand Pallet Trucks- DB series




- Constructed to high German design specification and conforms to CE standards and EU directives
- Various fork lengths/widths available
- Polyurethane wheels and tandem rollers





Order	Fork	Width	Load	Weight	Price
	Length	over Forks	Capacity		£
VDB001	1150mm	520mm	2000kg	68kg	265.30
VDB450	450mm	520mm	2000kg	42kg	383.50
VDB500	500mm	520mm	2000kg	46kg	383.50
VDB600	600mm	520mm	2000kg	48kg	383.50
VDB800	800mm	520mm	2000kg	54kg	278.48



Heavy Duty Pallet Trucks





Top quality, full specification hand pallet truck made from high-grade steel to the latest design. Robust build to give many years of hard work. Suitable for all types of warehouse, industrial and agricultural use.

- Six standard sizes
- Easily load up to 2500kg
- Nylon wheels, single rollers standard, all other wheel combinations available
- Extra long and short pallet trucks also in stock
- Special Fork lengths from 500 to 3500mm and widths from 300 to 1540mm can be made to order

Order	Fork Length	Width over Forks	Capacity	Price £
VMA25-10-54	1000mm	540mm	2500kg	235.00
VMA25-11-54	1150mm	540mm	2500kg	235.00
VMA25-12-54	1220mm	540mm	2500kg	235.00
VMA25-10-68	1000mm	680mm	2500kg	235.00
VMA25-11-68	1150mm	680mm	2500kg	235.00
VMA25-12-68	1220mm	680mm	2500kg	235.00

Optional Extras:

Add to above prices

Order	Description	Price £
VNTN	Nylon Tandem Load Roller	18.00
VRSPU	Rubber Steer Wheels & Single Polyurethane Load Rollers	30.00
VPUTPU	Polyurethane steer wheels & Tandem load rollers	35.00
VPFB	Parking Foot Brake	65.00
VTHB	Travel and Parking Hand Brake	115.00

Quick Lift Heavy Duty Pallet Truck



- Raise forks 25mm in one stroke and only 5 strokes to full height
- Comfortable rubberised plastic handle
- · Loads up to 2500kg
- 3 Position control lever
- Rubber steer wheels and single polyurethane load rollers
- Choice of different wheel materials
- Optional parking and travel brakes
- Lift Height: 85-200mm

Order	Fork Length	Width over forks	Load Capacity	Price £
VQL25-10-54	1000mm	540mm	2500kg	269.00
VQL25-11-54	1150mm	540mm	2500kg	269.00
VQL25-12-54	1220mm	540mm	2500kg	269.00
VQL25-10-68	1000mm	680mm	2500kg	269.00
VQL25-11-68	1150mm	680mm	2500kg	269.00
VQL25-12-68	1220mm	680mm	2500kg	269.00



Printer's Heavy Duty Pallet Trucks



- Ideal for narrower and/or shorter pallets used in the printing industry
- · Loads up to 2500kg
- Compact design- easy to negotiate in tight spaces
- · 3 position control lever
- Comfortable rubberised plastic handle
- Nylon steering wheels and single nylon load rollers as standard
- Choice of different wheel materials
- · Optional parking and travel brakes
- Lift height: 75- 190mm

Order	Fork Length	Width over Forks	Capacity	Price £
VMA25/09/45	900mm	450mm	2500kg	259.00
VMA25/10/45	1000mm	450mm	2500kg	259.00

Extra Long Heavy Duty Pallet Trucks



- Designed for handling long loads or two pallets simultaneously
- · Loads up to 2000kg
- 3 position control lever
- Comfortable rubberised plastic handle
- Nylon steering wheels and single nylon load rollers as standard
- Choice of different wheel materials
- Optional parking and travel brakes
- Lift height: 85 200mm


Order	Fork Length	Width over Forks	Capacity	Price £
VMA20/15/54	1500mm	540mm	2000kg	355.00
VMA20/18/54	1800mm	540mm	2000kg	445.00
VMA20/20/54	2000mm	540mm	2000kg	565.00
VMA20/15/68	1500mm	680mm	2000kg	355.00
VMA20/18/68	1800mm	680mm	2000kg	455.00
VMA20/20/68	2000mm	680mm	2000kg	565.00

Hand Pallet Truck with Adjustable Width Over Forks



- Hand Pallet truck with adjustable width over forks allows handling of different size pallets with one machine
- Available in three fork lengths and two width ranges
- Width over forks is adjustable either from 400 to 520mm (ideal for the printing industry for example) or from 530 to 680mm (for general warehouse and transportation use).
- Revolutionary design
- Economical and practical
- · High quality, robust build

Order	Fork Length	Width over Forks	Price £
VPTA25MS	910mm	400-520mm	295.00
VPTA25M	1060mm	400-520mm	295.00
/PTA25ML	I I 60mm	400-520mm	295.00
/PTA25LS	910mm	530-680mm	295.00
/PTA25LM	1060mm	530-680mm	295.00
/PTA25L	1160mm	530-680mm	295.00



Weighing Pallet Trucks



- · Hand Pallet truck with built in scales
- 2000kg capacity
- 0.5kg increments
- 0.1% accuracy
- Available with 560 x 1150mm or 690 x 1150mm forks
- Rubber steer wheels and tandem polyurethane load rollers
- Works from rechargeable battery pack

Order	Fork	Width	Load	Price
	Length	over Forks	Capacity	£
VMAWS-EUR	1150mm	560mm	2000kg	1,195.00
VMAWS-GKN	1150mm	690mm	2000kg	1,195.00

Heavy Duty Drum & Cable Pallet Truck



- · Loads up 2000kg
- Perfect for heavy duty pallet & coil transportation
- 1150mm length forks
- · High quality powder coating
- High quality hydraulic pump
- Pressure control valve for a long lifetime
- Regulated lowering via hand lever
- Smooth running polyurethane rollers
- CE certified

Order	Load Capacity	Roller Diameter	Width of forks	Weight	Price £
VRH500	2000kg	400-600mm	760mm	125kg	621.86
VRH700	2000kg	600-800mm	850mm	140kg	645.46
VRH900	1000kg	750-1100mm	965mm	135kg	731.60
VRHI000	2000kg	800-1200mm	1000mm	165kg	755.20
VRHI500	2000kg	1200-1600mm	1150mm	185kg	814.20

All Terrain Hand Truck



- Adjustable fork widths
- 4 pneumatic tyres
- Strengthened drawbar
- Controlled lowering via regulated hand lever
- CE certified
- Loads up to 1200kg
- Product code- VBF-GL





High Lift Pallet Truck

- Hand pallet trucks used to raise pallets to an ergonomic working height
- · Help prevent back strain and injury
- Automatically braked when forks raised over approx 300mm
- 1000 or 1500kg capacity
- Two standard sizes
- Manual and Electric versions
- · Stainless steel and galvanised versions available






Order	Fork Length	Width over Forks	Lift Type	Capacity	Price £
VMHL540M	II60mm	540mm	Manual	1000kg	499.00
VMHL680M	II60mm	680mm	Manual	1000kg	499.00
VMHL540E	II60mm	540mm	Electric	1000kg	1,195.00
VMHL680E	II60mm	680mm	Electric	1000kg	1,195.00
VJL5215	I I 00mm	520mm	Manual	1500kg	549.00
VJL6815	II00mm	680mm	Manual	1500kg	549.00
VJE5215	I I 00mm	520mm	Electric	1500kg	1,295.00
VJE6815	II00mm	680mm	Electric	1500kg	1,295.00

Skid Lifter

- Combination of high lift pallet truck and lift table
- Forks for lifting pallets and removable platform for lifting boxes
- Foot pump to raise forks and easy release lowering lever on handle
- Polyurethane tyred wheels
- 500kg or 1000kg capacity
- Two standard widths









With greater focus on health and safety in today's workplace, manual lifting tables provide a convenient and practical solution to today's manual handling needs of many industries.

Mobile Scissor Lift Table



- Mobile scissor lift table CE marked and conforms to EN I 570 (safety requirements for lifting tables)
- Manual hydraulic lift operated by foot pump with relief valve preventing overload
- · Two fixed and two swivel polyurethane tyred castors with brakes
- · Special sizes and modifications available on request

Order	Platform Size	Lift Height	Approx Weight	Capacity	Price £
VTXL150	450 x 700mm	225-740mm	43kg	150kg	275.00
VTXL200	500 x 1000mm	340-1000mm	70kg	200kg	325.00
VTXL300	500 x 815mm	280-900mm	75kg	300kg	345.00
VTXL500	500 x 815mm	280-900mm	79kg	500kg	395.00
VTXL800	510 x 1000mm	420-1000mm	115kg	800kg	495.00
VTXLI000	515 x 1015mm	380-1000mm	118kg	1000kg	565.00
VTXLI500	610 x 1220mm	420-1010mm	142kg	1500kg	695.00
VTXLI50D	450 x 700mm	300-1100mm	64kg	150kg	345.00
VTXL350D	500 x 910mm	350-1300mm	103kg	350kg	445.00
VTXL680D	610 x 1220mm	475-1500mm	170kg	680kg	595.00
VTXL800D	610 x 1220mm	485-1500mm	181kg	800kg	645.00

Manual Lifting Table



- Load capacity up to 1500kg
- Robust steel construction
- · High quality powder coated finish and hydraulic pump for long service
- · Solid foot pump for lifting the table
- · Regulated lowering via hand lever
- Brakes on both steering rollers
- Smooth running polyurethane rollers
- CE certified

Order	Table Height	Platform Dimensions	Approx Weight	Capacity	Price £
VSPS150	1110mm	740 x 450mm	44kg	150kg	410.64
VSPS350	1300mm	910 x 500mm	71kg	350kg	501.50
VSPS680	1510mm	1210 x 610mm	75kg	680kg	805.94
VSPB500	900mm	600 x 800mm	85kg	500kg	678.50
VSPA 1000	1000mm	1020 x 510mm	71kg	1000kg	690.30
VSPA 1500	1000mm	1220 x 600mm	75kg	1500kg	722.90

Electric Static Lifting Table

- Stepped and hydraulic height adjustment
- Offer ergonomic working conditions
- Can be fixed or sunk into the ground
- Robust scissor construction
- High quality powder coated finish and hydraulic pump
- Overpressure valve guarantees a longer life for long service
- CE Certified
- 750W Hub Motor





Order	Load Capacity	Lifting Height	Max. Height of Table	Min. Height of Table	Size of Platform	Weight	Price £
VHIW1-0EU	500kg	1010mm	1200mm	190mm	1300 x 800mm	l 60kg	1,604.80
VHIW2-0EU	1000kg	1010mm	1200mm	190mm	1300 x 800mm	220kg	1,781.80
VHIW4-0EU	2000kg	1010mm	1200mm	190mm	1300 x 800mm	280kg	2,106.30
Features U-Shape Design							
VHTF-U	1000kg	840mm	760mm	80mm	1450 x 1140mm	235kg	2,448.50
Features a Ramp							
VHTF-G	100kg	680mm	760mm	82mm	1450 x 1140mm	250kg	2,596.00



Manual High Lift Fork Truck with Platform

This manual high lift fork truck combines functions such as lifting, transporting and stockpiling. On the detachable platform, cartons and other products can be unpacked easily. Once you need a forklift, remove the platform and you can transport pallets with minimum stress. The forks can be lowered to a height of 85mm. These trucks are very light and easy to use. Every lorry should be equipped with one...

- Combines lifting, transporting and stockpiling with a detachable platform
- With a minimum fork height of 85mm, the platform truck can be used like a forklift
- · Retractable pedals makes easy lifting and shunting easy
- Controlled lowering through hand valve
- Chromed frame
- Safe grip on two steering rollers and two rollers
- · High quality polyurethane rollers



Order	Lifting Height	Total Weight	Price £
VSP0485	850mm	75kg	654.90
VSP0412	1200mm	81kg	702.10
VSP0415	1500mm	91kg	732.78

All units:

Length of Platform: Load Capacity:

400kg 650mm

Mini Fork Height: Width of Platform:

90mm 580mm


Load Centre: Length of Forks:

320mm 640mm

Width: Width of Forks:


580mm 540mm

Semi Electric High Lift Fork Truck with Platform









Battery: Width of Platform: 12V/60Ah 576mm Total Width: Charger: Integrated 600mm

400 kg Load Capacity and lifting height of 2.5m

Application in retail industries, for example, in super markets. Great for picking tasks and transportation of palletized and non-palletized goods. One person can control the integrated platform, therefore the truck is ready to transport pallets or displays easily.

- · Handy and compact
- Easy to use
- · Lifting and lowering is electrically operated
- · Can be used as a forklift truck
- · Rechargeable at any plug due to the integrated charger
- Supplied with platform fork arms
- Safe grip on two steering rollers and two rollers
- · High quality polyurethane rollers







Manual Lift Stacker







Move and lift loads manually with ease. The manual lift stacker E-VSDJ-series can lift 1000kg up to heights of 1.2m, 1.6m, 2.5.m, or 3.0m Drive and steer the high lift stacker truck manually. The low mast height allows the truck to pass through almost any doorway.

- · Lift manually
- Stepless regulated lowering
- · Low overall height, fits through almost every door
- Large castors for extra manoeuvrability
- · Intensified drawbar
- · Robust handgrip for good handling
- Safe surface grip due to polyurethane rollers
- Ball bearing rollers with life time lubrication

		Мо	del	
	VSDJ1012	VSDJ1016	VSDJ1025	VSDJ1030
Load Capacity	1000kg	1000kg	1000kg	1000kg
Lifting Height	I.2m	I.6m	2.5m	3.0m
Min Fork Height	90mm	90mm	90mm	90mm
Load Centre	600mm	600mm	600mm	600mm
Height, retracted	1720mm	1980mm	1860mm	2080mm
Height, Extended	1750mm	2080mm	2950mm	3420mm
Total Length	1750mm	1750mm	1750mm	1750mm
Total Width	800mm	800mm	870mm	870mm
Fork Length	1150mm	1150mm	1150mm	1150mm
Forks Width	570mm	570mm	575mm	575mm
Turning Radius	1400mm	1400mm	1500mm	1500mm
Hub	Pedal	or	via	via
Total Weight	436kg	516kg	543kg	570kg
Price £	1,056.10	1,091.50	1,410.10	1,445.50

Heavy Duty Manual Lift Stacker

Robust, yet lightweight stackers for use with Euro pallets.

Ergonomic design with tiller handles at waist height and pushing handles at shoulder height to provide extreme manoeuvrability. Free turning steering swivel castors

Swivel castors make these machines easy to use in the tightest spaces.

All stackers are fitted with safety valves to prevent overloading.

- Special capacities up to 1800kg
- Lift heights up to 3700mm
- Fully pivoting 360 degree castors
- Steer wheel fitted with brake
- Safety valve prevents overloading
- · Burst pipe safety valve
- Straddle versions, galvanised or stainless steel finish available on request

Order	Lift Height	Width over Forks	Capacity	Price £
VKI 500/1500	1500mm	300 – 740mm (adjustable)	500kg	845.00
VKI 1000/1200	1200mm	550mm	1000kg	945.00
VKI 1000/1600	1600mm	550mm	1000kg	995.00
VKI 1000/1600 A	1600mm	240 – 940mm (adjustable)	1000kg	1,045.00



Order	Lift Height	Width over Forks	Capacity	Price £
VKI 1000/2500	2500mm	550mm	1000kg	1,245.00
VKI 1000/3000	3000mm	550mm	1000kg	1,345.00
VKI 1500/1600	1600mm	550mm	1500kg	1,445.00



Semi Electric Lift Stackers

Move manually, electric lift!. The semi electric high lift truck of the VE-SDJ-series can lift 1000kg electrically up to heights of 1.6m, 2.5.m, or 3.0m. Drive and steer the high lift truck manually. The chain drive makes it possible to shunt with minimum effort. The low mast height allows the truck to pass through almost any standard doorway.

- · Lift electrically or manually
- Stepless regulated lowering
- Low overall height, fits through most doorways
- Chain drive to ensure optimal manoeuvrability
- · Intensified drawbar
- Maintenance free battery

- Chargeable at any plug (230/240V)
- Steering rollers with hand brake
- Robust handgrips for good handling
- Safe surface grip due to polyurethane rollers
- Ball bearing rollers with life time lubrication



	Model				
	VE-SDJ1516	VE-SDJ1525	VE-SDJ1530	VE-SDJ1535	
Load Capacity	1500kg	1500kg	1500kg	1500kg	
Lifting Height	1.6m	2.5m	3.0m	3.5m	
Overall Height (fully retracted)) 1980mm	1780mm	2030mm	2280mm	
Height (fully extended)	2000mm	3040mm	3520mm	4020mm	
Overall length	1580mm	1580mm	1720mm	1720mm	
Overall width	762mm	762mm	762mm	762mm	
Length of Forks	1100mm	I I 00mm	I I 00mm	I I 00mm	
Width of Forks	570mm	570mm	575mm	575mm	
Turning Radius	1280mm	2175mm	2175mm	2175mm	
Lifting Mode	Hub	or	or	Drawbar	
Lifting Motor	1.5kW	1.5kW	1.5kW	1.5kW	
Lifting Speed	100mm/s	100mm/s	100mm/s	100mm/s	
Load Centre	600mm	600mm	600mm	600mm	
Power of Battery	12V/150Ah	12V/150Ah	12V/150Ah	12V/150Ah	
Overall Weight	436kg	516kg	543kg	570kg	
Price £	3,174.20	3,329.96	3,806.68	4,121.74	

Heavy Duty Electric Lift Stacker

Robust, yet lightweight stackers for use with Euro pallets.

Ergonomic design with tiller handles at waist height and pushing handles at shoulder height to provide extreme manoeuvrability.

Swivel castors make these machines easy to use in the tightest spaces.

All stackers are fitted with safety valves to prevent overloading.

- Special capacities up to 1800kg
- Lift heights up to 3700mm
- · Chain linked steering
- · Steer wheel fitted with brake
- Safety valve prevents overloading
- Burst pipe safety valve
- Straddle versions, galvanised or stainless steel finish available on request
- Electric models complete with built-in charger

Order	Lift Height	Width over Forks	Capacity	Price £
VKIE1000-1600	1600mm	545mm	1000kg	1,995.00
VKIE1000-2500	2500mm	545mm	1000kg	2,125.00
VKIE1000-3000	3000mm	545mm	1000kg	2,245.00
VVEI000/3500	3500mm	545mm	1000kg	3,950.00
VVEI000/3700	3700mm	545mm	1000kg	4,250.00









Drum Handling

- Lifting

- Specially designed to assist companies to safely and effortlessly handle substances stored in drums
- All products are overload tested
- Instruction manuals, test certificates and certificates of conformity to the machinery directive (CE Marked) are supplied as standard

tances stored in drums achinery directive

Automatic Drum Clamps

For lifting and transporting standard 210 and 120 litre drums

- Automatic engage and disengage does not require driver to leave his seat
- · Maintenance free for life
- The heavier the drum the tighter the grip

Drum Size	Capacity	Fork Spacing	Max. Fork Sec.	Weight	Order	Price £
I x 210 litre	500kg	420/700 mm	140 x 55 mm	54kg	VW240165	418.06
2 x 210 litre	1000kg	473/830 mm	180 x 55 mm	93kg	VW240167	593.37
1x 120 or 210 litre	500kg	420/700 mm	140 x 55 mm	50kg	VW240166	488.86



Gator Grip

For lifting and transporting steel, plastic and fibreboard drums by forklift truck

Gator Grip

£70 | .26

VW240168

- Unit quickly converts from 210 litre mode to 120 litre mode no tools required
- Unique patented gripping mechanism automatically locks

Automatic Drum Clamps

- Firmly grips drums even over rough terrain
- · Allows placing of drums in tight places

Model	Capacity	Fork Spacing	Max. Fork Sec.	Weight	Order	Price £
I Drum Unit	500kg	420/700 mm	140 x 55 mm	57kg	VW240168	701.26
2 Drum Unit	1000kg	473/830 mm	180 x 55 mm	94kg	VW240169	888.37

Polyjaws

- Patented fork attached drum lifting
- Forklift driver does not need to leave cab to engage or disengage from drum
- Works on 210 & 120 litre polythene drums
- Drums must have at least a 5mm lip





Ergonomic Drum Transporter

- For lifting and transporting standard 210 and 120 litre drums
- Foot operated hydraulic pump for effortless lifting
- 125mm polypropylene wheels and castors
- · Floor lock for safe parking





Drum Turning Units

- · Available fork mounted
- Option of solid steel band for steel drums or webbing band for plastic/fibre drums
- Crank handle controlled gear units (ratio 30:1)
- Adaptation kit available enables any unit to handle 120 litre drum (Part - VW270180, Please call for details)





	Drum Type (210 Litre)	Drum Band	Control	Capacity	Size (LxWxH)	Fork Spacing	Max. Fork Size (WxD)	Weight	Order	Price £
う	Steel, plastic & fibre board	Polyester webbing	Crank	250kg	767 x 965 x 495 mm	620/955	168 x 66 mm	67kg	VW240172F	745.09
È	Steel, plastic & fibre board	Polyester webbing	Loop Chain	250kg	767 x 965 x 495 mm	620/955	168 x 66 mm	67kg	VW240160F	920.40
¥	Steel	Solid Steel	Crank	400kg	767 x 965 x 495 mm	620/955	168 x 66 mm	67kg	VW240172	662.49
윤	Steel	Solid Steel	Loop Chain	450kg	767 x 965 x 495 mm	620/955	168 x 66 mm	69kg	VW240160	866.46

Standard Hoist Attached Drum Tilting Unit

- Control handle makes it unnecessary for controller to touch drum
- Adaptation kit available for handling 120 litre drums

Drum Type (210 Litre)	Drum Band	Capacity	Size (LxWxH)	Weight	Order	Price £
Steel, plastic & fibre board	Polyester webbing	250kg	490 x 851 x 900 mm	20kg	VW240163F	531.00
Steel	Solid steel	250kg	490 x 851 x 900 mm	22kg	VW240163	497.29

Standard Hoist £497.29 VW240163

Horizontal Drum Sling

Suitable for 210 litre drums



Drum	Capacity	Weight	Order	Price £
210 Litre Steel	360kg	2.5kg	VW240179	85.97

Drum Pincer

Suitable for 210 litre drums



Capacity	Weight	Order	Price £
500kg	17kg	VW240171	119.69

Vertical Drum Sling

Capacity Weight

- Large location pads prevent damage to drum
- Ideal for loading drums into salvage drums
- Version capable of handling salvage drums available (VW240102)

Order

Price £

,			
450kg	8kg	VW240164	106.20
\/ti D	Cl:		
Vertical Drum	-	let l	
[*] 106	5.20	2	
V	5 .20 W240164	The state of the s	
_		1	
	-	-	
	11		
	-		1
1			
0.9			W.
Р	lease call	for details	
			.
	or the en	tire range	

Cylinder Trolley

Toe plate slides upwards when trolley is placed against a pallet.



Welders Trolley

Designed with safety in mind with 2 rear castors for extra stability.



VS1711

Cylinder Trolleys

- Designed for cylinders dia \times H: 325 \times 535mm
- Single rear handle. Steel cylinder hook plate with cylinder retentions chain.
- Wheels: I 60mm dia sold rubber tyres
- Weight: 8kg





- Designed for cylinders dia \times H: 380 \times 1250mm
- Twin rear handle. Solid footplate and vertical side tubes with cylinder retention chain.
- Wheels: 200mm dia sold rubber tyres
- Weight: I 6kg

Cylinder Trolley
£ | 35.60


VSC16

Stair Climber Cylinder Trolley

- Designed for cylinders dia x H:325 x 535mm
- Tubular construction with star wheel stair climb facility. Continous loop handle.
- Tubular vertical side protection
- Cylinder retention with retention chain.



Drum Stands



Order	Size mm I x w x H	Height under side of Drum mm	r Wheel Size Size mm	Roller mm	Weight kg	Price £
VDH440Z	865 x 595 x 350	280	-	-	5.4	82.28
VDH442S	865 x 595 x 385	315	100 Fixed- 75 Castor		14	155.17
VDH443Z	865 x 595 x 350	290	-	75	7.2	119.14
VDH445S	865 x 595 x 385	325	100 Fixed- 75 Castor	75	15.4	193.00

Oxygen Cylinder Stand



Order	Size mm	Maximum Cylinder	Weight	Price
	HxLxW	Size mm	kg	£
VTS178L	1100 x 420 x 400	140	8	221.90
VTS179L	1100 x 460 x 410	140	13	298.82
VTS180L	1100 x 470 x 480	140	14	309.16





Circular Drum Dolly



Max load 300kg

- Capacity 300kg
- 75mm nylon wheels with roller bearings
- Flat steel braces fitted with four swivel castors

Drum Tilt Lever

handle and cross member with rim hook.



Drum Trucks

Built for heavy industrial use

- Strong tubular construction
- Two wheel designs for value
- · Rear castor designs for extra stability
- Extra long handle for more leverage
- Sliding centre section with hook to grasp drum lip
- Solid or pneumatic tyres
- · Enamel finish
- Plastic hand grips





Pallet Loading Drum Truck

Designed for loading steel or plastic 210 litre drums onto pallets or platforms.

- · Sliding drum retention clamp
- 250mm and 200mm dia rubber tyred wheels with roller bearings









VDT41P











Steel Sack Trucks





Steel Flat Back Sack Truck





Folding Toe Sack Trucks

These easy to store folding toe sack trucks incorporate large wheels for a smooth ride over rough terrain.

They come in three varying sizes.

Order	Overall Size H x W mm	Max Load	Price £
A VST20F	1070 x 495	150kg	85.97
B VST22F	1300 x 610	250kg	111.99
VTCS66Y	1150 x 560	150kg	125.14







Stairclimbers







	Order	Overall Size H x W mm	Folded Size H x W mm	Price £
(VSM22	1090 x 470	600 x 470	138.41
(VSM16	1150 x 595	•	161.64
-	VTCS60Y	1110 × 430	_	133 68

Fitted with star wheel system to provide the greatest ease in transporting loads up and down steps and stairways.

The star wheel system also helps transportation over rougher terrain making these trucks ideal for locations with variable terrain.

Stairclimber D (VSM22) folds for handy storage and transportation.





Conventional Sack Trucks



• Strong traditional design with a choice of 'toe' lengths to suit your products



• Smooth running wheels

Heavy Duty Sack Truck



- Unit ideal for heavy duty use
- A hard wearing powder coat finish
- Knuckle guard hand grips and wheel guards for extra safety

Angle Iron Sack Truck



- Sack truck incorporates a hard wearing blue powder coated finish
- Knuckle guard hand grips
- Unit also incorporates 200mm rubber wheels with steel centres
- Perfect for heavy duty use

	Order	Description	Overall Size H x W mm	Toe Size W x D mm	Max Load	Price £
A	VST26	Conventional Short Toe Sack Truck	1170 x 635	355 x 305	200kg	121.50
B	VST27	Conventional Long Toe Sack Truck	1170 x 635	355 x 450	200kg	124.47
	VSTIOIP	Heavy Duty Conventional Sack Truck	1140 x 605	395 x 230	350kg	146.83
	VST102P	Heavy Duty Conventional Sack Truck	1140 x 605	395 x 450	350kg	149.59
(VGII57H	Heavy Duty Sack Truck	1168 x 550	390 x 300	300kg	99.07
	VTCS57Y	Angle Iron Sack Truck	1120 x 450	320 x 240	250kg	156.63



Versatile Multi Purpose 3 in I Truck

Wheels: 200mm dia solid rubber tyred wheels

Rear Castors: I 20mm dia swivel castors with rubber tyres and roller bearings

Rectangular section and round tube welded construction

Solid Toe Plate: L \times W: 200 \times 475mm

Finish: Blue Epoxy



4 Wheel Transporter O/A L x W X H: I I 70 x 930 x 480mm

Platform Truck
O/A L x W X H: 1250 x 830 x 480mm

Super Heavy Duty

£ | 2 | .50

VST26



Sack TruckO/A L × W X H:585 × 1250 × 480mm

Two Way Cargo Truck

Two Way Cargo Truck

Wheels: 250mm Pnuematic Wheels

Rear Castors: 100mm dia swivel castors with rubber castors

Tubular welded construction

Solid Toe Plate: L x W: 335 x 310

Finish: Blue Epoxy





Sack Truck O/A L x W X H: 1175 x 390 x 585

Platform Truck O/A L x W X H: 930 x 390 x 1175



Aluminium Two Way Sack Trucks
These models unfold to enable the units to be used as platform trolleys with pneumatic wheels to provide a smooth ride over uneven surfaces



Aluminium Two Way Sack Truck Overall Size: 1310H x 510W mm Weight: 20kg Wheels: 250mm pneumatic

Maximum Load 150kg



Aluminium Two Way Sack Truck Overall Size: 1560H × 510W Weight: 20kg Wheels: 250mm pneumatic

Maximum Load 150kg

Aluminium Three Way Sack Truck

Simply and easily converts from a basic sack truck to a four wheel sack truck or platform truck





Sack Truck: H1310mm 4 wheel Sack Truck: H1030mm × L1130mm Platform Truck: H1030mm x L1180mm Foot Iron: W450 x D230mm Wheels: 2 x 245mm pneumatic

 2×125 mm rubber castors

Model	Description	Weight	Price £
VGI935P	Aluminium Three Way Sack Truck	19kg	285.09



Aluminium Sack Trucks

Lightweight aluminium sack trucks fitted with Blue knuckle hand grips and concave cross members for carrying uneven loads. Fitted with 260mm pneumatic wheels which can help give a smooth ride over uneven terrain.

Maximum Load 80kg



Fixed Toe Plate

Overall Size: 1215H × 480W × 492D mm Foot Iron Size: 205W x 355D mm Weight: 9kg

Fixed Toe Plate and Wheel Guards VGI997P

Overall Size: 1160H × 500W × 480D mm Foot Iron Size: 205W x 315D mm Weight: 7kg

Maximum Load 100kg



Overall Size: 1310H × 500W × 470D mm Foot Iron Size: 205W x 355Dmm Weight: 10kg



Fixed Toe Plate and Skids

Overall Size: 1310H × 470W × 610D mm Foot Iron Size: 250W x 270D mm Weight: I I kg

Aluminium Sack Trucks

Lightweight aluminium sack trucks . Fitted with 250mm pneumatic wheels which can help give a smooth ride over uneven terrain. Foot iron size 355W x 225D mm. Supplied knocked down.

Maximum Load 120kg











Clever Folding Trolley and Box

Manufactured from injection moulded plastic and anodised aluminium frame this lightweight and durable unit can be collapsed quickly and easily with one hand. The unit includes a folding box which can be clipped to the top platform. The upper tray is hinged to allow for bulky items to be accommodated on the lower tray. Load capacity: 20kg on top tray & 40kg on bottom tray. (additional boxes available upon request)



Large Folding Box Trucks

These compact folding trucks are very easy to use- constructed from durable, moulded plastic it folds flat for easy carrying and storage. Perfect for lightweight carrying and storage. VGI042Y even comes with its own lid.

