



Steps, Ladders & Access Products

	Kick & Folding Steps	Page 288
	Mobile Safety Steps	Page 289
	Easy Slope & TiltNPush Steps	Page 293
	Heavy Duty Mobile Steps	Page 294
	Aisle Picking Steps	Page 295
	Aluminium Platform Steps	Page 296
	Combi Ladders & Platforms	Page 298
	Extension Ladders	Page 301
	Work Platforms & Podiums	Page 302
	Access Platforms & Towers	Page 304
	Access Cages	Page 307
	Access Ramps	Page 308

Our wide range of mobile steps – they're easy to move but stay where they're put

Kick Steps – glide freely, stop securely

These handy steps move easily on spring loaded castors. When you stand on them, the castors retract and the non-slip base stays firmly in place.

- Free-running spring-loaded castors
- Base with non-slip edging
- Scratch/rust-proof plastic version
- Metal version in choice of five colours



Metal Kick Steps available in five colours

State colour at time of ordering.

Please suffix GR=Grey, BL=Blue, RD=Red, BK=Black, GN=Green



Plastic Kick Steps available in four colours

State colour at time of ordering.

Please suffix GR=Grey, BL=Blue, RD=Red, BK=Black

Painted Steel Stepstools



V13712



V23123



V23102

- Doubles as a step or a stool
- Clean to handle painted finish
- Large rubber matted treads (V23102 & V23123)
- Folds flat for easy storage
- Painted steel structure



Order	Product	No. of Treads	Top Tread Height	Product Weight	Price £
V13712	Handy Step	2	0.45m	4.2kg	29.74
V23123	2 Step	2	0.47m	5kg	35.08
V23102	Step & Stool	2	0.47m	6kg	40.76

Chrome Stepstools



V22043



V22042

- Doubles as a step or a stool
- Clean to handle chrome finish
- Large rubber matted treads
- Folds flat for easy storage
- Coloured back support for added comfort when sitting (V22042)
- High handrail for added support and stability (V22043)



Order	No. of Treads	Top Tread Height	Product Weight	Price £
V22042	2	0.47m	5kg	41.87
V22043	3	0.72m	8kg	53.00

Handy Two-steps

A choice of three styles, all with easy-running 50mm castors. When you stand on the steps, the castors spring into their housings, and the non-slip housing grips the floor for rock-solid stability.

- Ribbed rubber or special non-slip treads
- Durable powder coat finish
- Choice of blue, red or grey

Single Sided - 2 Step
L545 x W535 x H610

£120.64

VRST1

Platform Height 508mm
O/all height 610mm
O/all WxL 535 x 545
Platform WxD 380 x 180
Weight 7KG
4 x 50mm Sprung
Loaded Castors



Double Sided - 2 Step
L695 x W510 x H1035

£176.07

VRST2H

Platform Height 465mm
O/all height 1035mm
O/all WxL 545 x 695
Platform WxD 355 x 230
Weight 10KG
4 x 50mm Sprung
Loaded Castors



Platform Height 508mm
O/all height 1185mm
O/all WxL 535 x 545
Platform WxD 380 x 180
Weight 8KG
4 x 50mm Sprung
Loaded Castors

Single Sided - 2 Step
L545 x W535 x H1185

£132.79

VRST1H



Style	Step Finish	Order	Price £	Step Finish	Order	Price £
Single sided	Rubber	VRST1H	132.79	Anti Slip	VRST1HAS	134.21
Double sided	Rubber	VRST2H	176.07	Anti Slip	VRST2HAS	179.57

TWO STEP (with grab rail) - Please suffix BL - BLUE, RD - RED, GR - GREY

Style	Step Finish	Order	Price £	Step Finish	Order	Price £
Single sided	Rubber	VRST1	120.64	Anti Slip	VRST1AS	122.07
Double sided	Rubber	VRST2	154.21	Anti Slip	VRST2AS	157.29

TWO STEP (no grab rail) - Please suffix BL - BLUE, RD - RED, GR - GREY

Wheelalong Steps – handy steps with built-in wheels

- Choice of rubber or special anti-slip tread finish
- Available in blue, red or grey

Platform Height 510mm
O/all height 1025mm
O/all WxL 455 x 605
Platform WxD 380 x 180
2 x 80mm Fixed Wheels



Rubber
Tread

Wheelalong - 3 Step
H1310 x W455 x D805

£118.36

VPAS3

Anti-Slip Tread Option

£120.50

VPAS3AS

Wheelalong - 2 Step
H1025 x W455 x D605

£96.93

VPAS2

Anti-Slip Tread Option

£98.36

VPAS2AS..




Rubber
Tread

The colour range:
Blue (BL), Red (RD),
Grey (GR)

Please state colour at time of order

The tread
finish options:



Anti-Slip

Style	Step Finish	Order	Price £	Step Finish	Order	Price £
Two Step	Rubber	VPAS2	96.93	Anti Slip	VPAS2AS..	98.36
Three Step	Rubber	VPAS3	118.36	Anti Slip	VPAS3AS	120.50

Please suffix BL - Blue, RD - Red, GR - Grey

Sturdy two, three, four and five step range

When working out the height you need, remember a maximum working height from the top of the platform is 1500mm.

- Retracting spring mounted castors
- Non-slip housing bases
- Durable powder coat finish
- Choice of blue, red, grey, yellow, white, green and orange

Platform Height 252mm
O/all height 1190mm
O/all WxL 550 x 650
Platform WxD 400 x 380
4 x 50mm Sprung Loaded Castors

Style	Step Finish	Order	Price £
Two Step	Rubber	VDFS2	147.99
	Anti Slip	VDFS2AS	150.84
Three Step	Rubber	VDFS3	195.26
	Anti Slip	VDFS3AS	199.19
Four Step	Rubber	VDFS4	238.09
	Anti Slip	VDFS4AS	243.09
Five Step	Rubber	VDFS5	288.67
	Anti Slip	VDFS5AS	295.10

Please specify colour choice when ordering

2 Step Mobile
L650 x W550 x H1190
£147.99
VDFS2



Bright
colourful
design



5 Step Mobile
L1225 x W550 x H1135

£288.67

VDFS5

Platform Height 1270mm
O/all height 1935mm
O/all WxL 550 x 1225
Platform WxD 400 x 380
4 x 50mm Sprung Loaded Castors

4 Step Mobile
L1005 x W550 x H1160

£238.09

VDFS4

Platform Height 1016mm
O/all height 1680mm
O/all WxL 550 x 1005
Platform WxD 400 x 380
4 x 50mm Sprung Loaded Castors

3 Step Mobile
L790 x W550 x H1430

£195.26

VDFS3

Platform Height 762mm
O/all height 1430mm
O/all WxL 550 x 790
Platform WxD 400 x 380
4 x 50mm Sprung Loaded Castors



Mobile Steps

- 2 to 5 step versions
- Wrap around handrail
- Easy to move – firm when in use
- Easy glide sprung castors with domed floor covers to give firm and stable floor contact when weight is applied to step
- 3, 4 and 5 step versions also available in stainless steel for “clean” environments



2 Step Mobile
L540 x W580 x H1185
£153.64
VS005



3 Step Mobile
L795 x W580 x H1425
£193.50
VS009



4 Step Mobile
L955 x W580 x H1683
£217.14
VS011



5 Step Mobile
L1120 x W580 x H1940
£253.07
VS013

All steps come with
4 x 50mm Sprung Loaded Castors

Style	Step Finish	Order	Price £	Step Finish	Order	Price £
Two Step**	Rubber	VS005	153.64	Anti Slip	VS006	156.50
Three Step	Rubber	VS009	193.50	Anti Slip	VS010	197.43
Four Step	Rubber	VS011	217.14	Anti Slip	VS012	222.14
Five Step	Rubber	VS013	253.07	Anti Slip	VS014	259.50

(**grab rail)

Please suffix order no. with choice of colour BL - Blue, RD - Red, GN - Green, YN - Yellow, WH - White

	Treads (inc platform)			
	2**	3	4	5
Average working height (m)	2.00	2.26	2.52	2.77
Platform height (mm)	508	762	1016	1270
Platform width (mm)	380	380	380	380
Platform depth (mm)	280	280	280	280
O/all height inc rails (mm)	1185	1425	1683	1940
O/all width (mm)	580	580	580	580
O/all depth (mm)	540	795	955	1120
Weight (kgs)	11	14	17	20

(**grab rail)

Storage Bins & Containers
Shelving & Accessories
Racking & Warehouse Equipment
Storage Cabinets, Lockers & Closets
Manual Handling Equipment
Modular Trucks & Trailers
Workbenches, Workbenches & Tool Storage
Office Furniture & Storage
Health & Safety, Waste & Environmental
Access Products
50 Projects



Medium Duty Mobile Access Steps Designed to be used by one person

- Three, four and five step versions
- Strongly made from welded tubular steel
- Castors for easy moving
- Under load, castors retract so rubber feet contact floor
- Maximum working height from top of platform is 1500mm

3 Tread Access Steps Med.
duty/Rubber Tread

£231.50

VS3660R

Platform Height 685mm
Platform Width 560mm
Platform Depth 340mm
O/all height 1525mm
O/all WxD 640 x 695
Weight 24KG
4 Sprung Loaded Castors

4 Tread Access Steps Med.
duty/Rubber Tread

£269.36

VS4660R

Platform Height 915mm
Platform Width 560mm
Platform Depth 340mm
O/all height 1755mm
O/all WxD 640 x 850
Weight 28KG
4 Sprung Loaded Castors

5 Tread Access Steps Med.
duty/Rubber Tread

£304.43

VS5660R

Platform Height 1145mm
Platform Width 560mm
Platform Depth 340mm
O/all height 1985mm
O/all WxD 640 x 1000
Weight 32KG
4 Sprung Loaded Castors

Average working height 2.65m

Average working height 2.21m

Average working height 2.44m



When working out the height you need, remember a maximum working height from the top of the platform is 1500mm.

Medium Duty specifications (mm)

Number of Steps	Rubber Tread Order	Price £	Anti-Slip Tread Order	Price £	Punched Tread Order	Price £	Aluminium Tread Order	Price £
3	VS3660R	231.50	VS3660AS	237.21	VS3660PT	231.50	VS3660AL	258.21
4	VS4660R	269.36	VS4660AS	276.50	VS4660PT	269.36	VS4660AL	304.29
5	VS5660R	304.43	VS5660AS	313.00	VS5660PT	304.43	VS5660AL	347.36

No of Treads inc. platform	Platform W x D	Platform Height	Overall H x W x D
3	560 x 340	685	1525 x 640 x 695
4	560 x 340	915	1755 x 640 x 850
5	560 x 340	1145	1985 x 640 x 1000

Easy Slope Mobile Steps – shallow 48 degree angle allows comfort forward facing descent

- Manufactured and approved to European GS Standard
- Strong reinforced handrails
- Steel construction, welded platform and handrails
- Epoxy powder finish grey
- Extra-wide treads 750mm x 180mm for added safety
- Expanded steel mesh treads and platform
- Platform size 800mm x 500mm
- Platform handrail height 1000mm
- Wheels: 2 x 200mm black rubber tyred & 2 x 100mm nylon castors
- Lever operated retractable safety bar deters access when castors are lowered
- 6-12 step versions despatched folded for easy on-site erection

Standard Slope options available on request

7 Step Mobile Steps

£1,271.32
VGS4107



Note: Please check overall height prior to order

Easy Slope 48 degree Angle

Steps	Platform Height	Overall Dimensions H x W x D	Weight Kg	Order	Price £
3	690	1690 x 1000 x 1125	45	VGS4103	590.91
4	920	1920 x 960 x 1310	55	VGS4104	752.28
5	1150	2150 x 960 x 1515	74	VGS4105	853.02
6	1380	2380 x 980 x 1725	88	VGS4106	1,064.54
7	1610	2610 x 1030 x 1930	103	VGS4107	1,271.32
8	1840	2840 x 1080 x 2140	117	VGS4108	1,445.93
9	2070	3070 x 1130 x 2345	132	VGS4109	1,648.24
10	2300	3300 x 1180 x 2555	146	VGS4110	1,826.02
11	2530	3530 x 1230 x 2760	166	VGS4111	2,059.66
12	2760	3760 x 1280 x 2965	186	VGS4112	2,251.09

6 - 12 Step versions are despatched folded for easy on site erection



The shallower angle of 48 degrees allows forward facing descent in safety and comfort

Tilt 'n' Push Steps

The steps have two handles at the front fitted with knuckle guard hand grips for lifting, facilitating mobility of the unit on the two fixed rear nylon castors. Steel framed steps for safety, strength & durability

- Low maintenance
- Lightweight – easy to handle
- Platform size 490 x 600mm
- Tread size 490 x 160 mm
- Painted or galvanised
- Manufactured & approved to European GS standard

Steps	Platform Height	Overall Dimensions H x W x D	Weight Kg	Painted Order	Price £	Galvanised Order	Price £
3	750	1750 x 820 x 1235	43	VGS7813P	557.06	VGS7803G	652.41
4	1000	2000 x 820 x 1420	48	VGS7814P	710.42	VGS7804G	815.29
5	1250	2250 x 1020 x 1605	54	VGS7815P	847.05	VGS7805G	961.57
6	1500	2500 x 1120 x 1790	60	VGS7816P	974.08	VGS7806G	1,098.43

Inward Opening Gate (Painted) VGS710Z £124.90 (Galvanised) VGS700Z £134.59

5 Step Mobile Steps


£847.05
VGS7815P



Storage Bins & Containers
Shelving & Accessories
Racking & Warehouse Equipment
Storage Cabinets, Lockers & Drawers
Manual Handling Equipment
Mobiles, Trucks & Trailers
Workbenches, Worktops & Tool Storage
Office Furniture & Storage
Health & Safety, Waste & Environmental
Access Products
50 Projects

Heavy Duty Mobile Access Steps

Built for years of heavy work



Average working height 3.50m



Top Gate

- Available on all models
- Secured by spring mounted bolt
- Allow access from platform to mezzanine floors/vehicles etc.

Order VASTG **£89.70**

8 Tread Aluminium Access Step


£609.14

VLL856AL

2 x 100mm +
2 x 200mm
castors

8 Tread
heavy duty
access steps

Locking lever to retract the front castors ...



No of Treads inc. platform	Average Working Height	Platform Height	Overall H x W x D	No. of Treads inc. platform	Average Working Height	Platform Height	Overall H x W x D
5	2750	1250	2165x850x1230	10	4000	2500	3145x1000x2210
6	3000	1500	2415x850x1410	11	4250	2750	3665x1000x2390
7	3250	1750	2665x850x1590	12	4500	3000	3915x1000x2570
8	3500	2000	2915x850x1770	13	4750	3250	4165x1250x2750
9	3750	2250	3165x850x1950	14	5000	3500	4415x1250x2930

Top Gate adds 380mm to Overall depth

7 Tread Aluminium Access Step

£547.71

VLL756AL

- Large outboard rear wheels with rubber tyres 200mm diameter
- Retracting front castors with positive position locking
- Choose from five to fourteen steps
- Four tread options – rubber, anti-slip, punched or aluminium
- Manufactured to order



Four Tread Options:

Rubber	Anti-Slip	Aluminium	Punched
			

Style	Tread	Order	Price £	Tread	Order	Price £
5 Step	Rubber	VLL556R	403.00	Anti Slip	VLL556AS	409.00
6 Step	Rubber	VLL656R	453.00	Anti Slip	VLL656AS	459.86
7 Step	Rubber	VLL756R	513.29	Anti Slip	VLL756AS	521.00
8 Step	Rubber	VLL856R	569.21	Anti Slip	VLL856AS	577.79
9 Step	Rubber	VLL956R	632.50	Anti Slip	VLL956AS	641.93
10 Step	Rubber	VLL1056R	742.79	Anti Slip	VLL1056AS	753.07
11 Step	Rubber	VLL1156R	814.29	Anti Slip	VLL1156AS	826.29
12 Step	Rubber	VLL1256R	909.79	Anti Slip	VLL1256AS	922.64
13 Step	Rubber	VLL1356R	1,010.14	Anti Slip	VLL1356AS	1,023.86
14 Step	Rubber	VLL1456R	1,099.43	Anti Slip	VLL1456AS	1,111.43
5 Step	Punched	VLL556PT	403.00	Aluminium	VLL556AL	426.57
6 Step	Punched	VLL656PT	453.00	Aluminium	VLL656AL	482.07
7 Step	Punched	VLL756PT	513.29	Aluminium	VLL756AL	547.71
8 Step	Punched	VLL856PT	569.21	Aluminium	VLL856AL	609.14
9 Step	Punched	VLL956PT	632.50	Aluminium	VLL956AL	674.00
10 Step	Punched	VLL1056PT	742.79	Aluminium	VLL1056AL	792.07
11 Step	Punched	VLL1156PT	814.29	Aluminium	VLL1156AL	883.57
12 Step	Punched	VLL1256PT	909.79	Aluminium	VLL1256AL	981.50
13 Step	Punched	VLL1356PT	1,010.14	Aluminium	VLL1356AL	1,091.71
14 Step	Punched	VLL1456PT	1,099.43	Aluminium	VLL1456AL	1,176.21

Promaster Platform Shop Steps

- Heavy duty aluminium
- Platform stepladders
- Large non-slip feet
- Handrails for added safety




Height of Platform	Treads	Order	Product Weight	Price £
1.04m	5	VII1805	7.6kg	159.54
1.27m	6	VII1806	8.5kg	172.92



Height of Platform	Treads	Order	Product Weight	Price £
1.73m	8	VII1808	10.3kg	202.34
2.19m	10	VII1810	13.0kg	240.85
2.66m	12	VII1812	14.8Kg	268.69

Mobile Picking Steps



- Mobile platform and double fronted picking steps
- Double fronted steps allows users to ascend both sides of the ladder for maximum flexibility
- Easy to manoeuvre - simply fold and wheel to next location
- Twin side handrails and high top handrail for maximum security
- Heavy duty aluminium structure and strong deep treads & large non-slip feet

B Platform Picking Steps

Height of Platform	Treads	Order	Product Weight	Price £
0.8m	4	VII1404	9.0kg	208.69
1.27m	6	VII1406	10.7kg	244.18
1.73m	8	VII1408	12.5kg	279.66
2.19m	10	VII1410	14.5kg	315.14

A Double Fronted picking steps

Height of Platform	Treads	Order	Product Weight	Price £
0.8m	4	VII1304	10.0kg	235.33
1.27m	6	VII1306	11.7kg	279.66
1.73m	8	VII1308	13.5kg	324.08
2.19m	10	VII1310	15.5kg	368.41

Blue Seal Aluminium Stepladders

- Extra large standing platform 50% greater than standard stepladders
- Strong, deep treads for comfort and security
- Twin safety handrails
- High support rail and handy work tray
- Platform to support rail height 0.75cm 2-7 tread
- Platform to support rail height 0.67m 8 tread only



* 8 Tread is BS 2037
Class I, 130kg (20.4st)



Height of Platform	Treads	Order Product	Weight	Price £
0.35m	2	V10502	4.25kg	60.85
0.58m	3	V10503	5kg	65.59
0.8m	4	V10504	5.75kg	71.51
1.03m	5	V10505	6.5kg	82.16
1.25m	6	V10506	7.5kg	98.16
1.48m	7	V10507	9kg	116.50
1.79m	8	V10508*	9.7kg	159.13



Promaster Aluminium Stepladders

- Wide range of heights available: choose from three to eight treads
- Secure non-slip treads
- High safety support rail
- Platform to support rail height 0.60m
- Also available with tool tray



Height of Platform	Treads	Order Product	Weight	Price £
0.58m	3	V60003	2.9kg	38.84
0.8m	4	V60004	3.4kg	43.53
1.03m	5	V60005	3.9kg	44.97
1.25m	6	V60006	4.6kg	53.99
1.48m	7	V60007	6kg	62.07
1.75m	8	V60008	7.2kg	79.11

Promaster Builder's Stepladder

- Heavy duty aluminium
- Swingback stepladder
- Large non-slip feet



Top Tread Height	Treads	Order	Weight	Price £
0.8m	4	V60104	4kg	71.76
1.04m	5	V60105	4.7kg	77.88
1.27m	6	V60106	5.5kg	83.59
1.73m	8	V60108	7kg	94.43
2.19m	10	V60110	8.7kg	110.84
2.66m	12	V60112	11kg	130.78
3.12m	14	V60114	12.8kg	160.01

Promaster Platform Stepladder

- Heavy duty aluminium
- Swingback stepladder
- Large non-slip feet



Platform Height	Treads	Order	Weight	Price £
0.8m	4	V60204	5.8kg	86.02
1.04m	5	V60205	6.5kg	93.09
1.27m	6	V60206	7.3kg	98.75
1.73m	8	V60208	9kg	118.29
2.19m	10	V60210	11.3kg	142.27
2.66m	12	V60212	13.1kg	167.80

Promaster Fibreglass Platform

- Non-Conductive fibreglass stiles ideal for electrical work
- Large platform
- Large non-slip feet
- Platform to support rail height 0.62m



Platform Height	Treads	Order	Weight	Price £
0.95m	4	V60424	8.4kg	111.19
1.18m	5	V60425	9.8kg	119.94
1.42m	6	V60426	11kg	127.44
1.88m	8	V60428	13.9kg	161.29
2.34m	10	V60430	17.1kg	198.61
2.80m	12	V60432	20.6kg	236.25



Promaster 3 Way Combination Ladder

- Combines a stepladder, extension ladder and a stairwell ladder all in one product
- Unique sliding mechanism for easy conversion to all three ways
- Wide splayed base and heavy duty feet for stability and grip
- Non-slip rungs for comfort and security

Stepladder Top Rung Height	Extension Ladder Length	Order Product	Weight	Price £
1.56m	2.74m	V68006	7.2kg	81.17



Blue Seal 3 Way Combination Ladder with Work Tray

- Combines a stepladder, extension ladder and a stairwell ladder all in one product
- Unique sliding mechanism for easy conversion to all three ways
- Strong work tray usable in all modes, for loads up to 12kg
- Wide played base and heavy duty feet for stability and grip
- Non-slip rungs for comfort and security



Stepladder Top Rung Height	Extension Ladder Length	Order Product	Weight	Price £
1.56m	2.74m	V28026	7.4kg	82.80



Blue Seal 4 Way Combination Ladder

- Combines a stepladder, extension ladder, stairwell ladder and freestanding extension ladder all in one product
- Unique operating mechanism for easy conversion to all 4 ways
- Wide non-slip rungs for comfort and security



Stepladder Top Rung Height	Extension Ladder Length	Freestanding Extension Ladder Length	Order Product	Weight	Price £
1.56m	3.9m	2.74m	VL21014	12.1kg	142.93



Promaster Box Section Reform Ladder

- Available in doubles and triples
- Box section stiles for strength and rigidity
- Non-slip 'D' shaped rungs
- Non-slip feet



Section x Rungs	Closed Length	Extension Ladder Length	Freestanding Extension Ladder Length	Order Product	Weight	Price £
2 x 6	1.85m	2.95m	-	V66206	10.60kg	104.94
2 x 8	2.41m	4.07m	-	V66208	12.96kg	119.80
2 x 10	2.97m	5.19m	-	V66210	15.31kg	134.71
2 x 12	3.53m	6.31m	-	V66212	19.98kg	161.00
2 x 14	4.09m	7.43m	-	V66214	24.49kg	176.93
3 x 6	1.85m	4.04m	2.92m	V66306	15.20kg	136.49
3 x 8	2.41m	5.44m	3.76m	V66308	18.72kg	159.55
3 x 10	2.97m	6.84m	4.88m	V66310	22.17kg	210.48
3 x 12	3.53m	8.24m	5.72m	V66312	29.25kg	249.89
3 x 14	4.09m	9.92m	6.56m	V66314	36.00kg	279.26



5 Way Combination Ladder & Platform



- Combines a stepladder, extension ladder, stairwell ladder, level platform and a stair platform all in one product
- Quick to set up and easy to use
- Large non-slip platform
- Rigid construction with wide base stabiliser




Stepladder Top Rung Height	Extension Ladder Length	Max Platform Height	Platform Size (LxW)	Order Product	Weight	Price £
1.56m	2.74m	1.2m	1.2m x 0.32m	V21055	12.9kg	161.34



Multi-Purpose Combination Ladder with Platform

- Compact folded dimension for easy transportation and storage
- Removable, non-slip work platform
- Stabiliser bar for extra stability
- Simple 'Click-Lock' hinge system
- Suitable for a wide variety of uses



Stepladder Height	Platform Height	Extension Height	Order Product	Weight	Price £
1.75m	0.96m	3.6m	V25044	14kg	140.22



Promaster Box Section Double Extension Ladder

- Heavy duty extension ladders
- Box section stiles for strength and rigidity at any height
- Non-slip 'D' shaped rungs
- Non-slip feet

Sections x Rungs	Closed Length	Open Length	Weight	Order	Price £
2 x 6	1.85m	2.95m	8.3kg	V65018	78.32
2 x 8	2.41m	4.07m	10.46kg	V65024	93.19
2 x 10	2.97m	5.19m	12.62kg	V65030	108.07
2 x 12	3.53m	6.31m	14.79kg	V65035	134.37
2 x 14	4.09m	7.43m	18.29kg	V65041	150.30
2 x 15	4.37m	7.7m	19.45kg	V65044	169.99
2 x 17	4.93m	8.82m	23.18kg	V65049	199.10
2 x 19	5.49m	9.94m	28.11kg	V65055	218.17




Promaster Box Section Triple Extension Ladder

- Heavy duty extension ladders
- Box section stiles for strength and rigidity at any height
- Non-slip 'D' shaped rungs
- Non-slip feet



Sections x Rungs	Closed Length	Open Length	Weight	Order	Price £
3 x 6	1.85m	4.04m	13.17kg	V65118	109.87
3 x 8	2.41m	5.72m	16.50kg	V65124	132.94
3 x 10	2.97m	6.84m	19.67kg	V65130	183.86
3 x 12	3.53m	8.52m	26.37kg	V65135	223.29
3 x 14	4.09m	10.20m	32.89kg	V65141	252.65





Promaster Telescopic Safety Platform

- Unique, adjustable telescopic multi-height design can be used in stairwell and on uneven ground
- Stabilisers fold and adjust for convenience and extra safety
- Wheels allow for easy repositioning
- Solid work platform with toeboards for added security
- Platform dimensions 0.6m x 0.42m
- Lightweight and strong aluminium construction
- Quick and easy to assemble
- Safety guardrail on all sizes
- Approved by the Health & Safety Executive



Platform Height	Number of Treads	Folded Height	Weight	Order Product	Price £
1.06m to 1.52m	4 to 6	2.38m	30kg	V60304	792.45
1.77m to 2.23m	7 to 9	3.13m	36kg	V60307	988.13

Smart Deck Access Platform

- One person operation
- Simple to assemble and dismantle
- No pins, clips or component bags to lose, damage or forget when assembling
- Easy to transport and store - can be transported by car
- Compact dimensions allow easy manoeuvring while assembled
- Fully guardrailed to ensure user safety at all times, at all heights
- Access and egress from either end of the platform
- Max working height of 3m



Platform Size	Deck Height	Handrail Height	Weight	Order Product	Price £
1.1m to 0.73m	0.45m, 0.53m, 0.60m, 0.74m, 0.87m	1.02m	24.7kg	V60401	784.70

Promaster Podium Step

- Folds for easy transportation
- Hook locking devices on each step
- Easy to operate gate locking hook
- Telescopic side frame extends and locks into position
- Maintains a guardrail height of 1m above the platform in all 4 platform heights
- Non-slip platform



Order	Platform Heights	Platform Dimensions	Overall Height	Overall Width	Overall Length	Product Weight	Price £
V60301	0.4m, 0.8m, 1m, 1.12m	0.6 x 0.6m	1.99m	0.68m	1.25m	22kg	751.24

Pak Flat Podium

- Lightweight and robust low-level flat pack work platform
- 2 platform heights
- Simple to assemble
- Quick to erect
- Easy to store and manoeuvre
- Fits through standard doorways
- No detachable parts



Order	Platform Size	Platform Height	Max Assembled Size (WxDxH)	Handrail Height	Weight	Price £
V60311	0.55m x 0.55m	0.50m & 0.75m	0.68m x 1.2m x 1.8m	1.7m from ground	23kg	521.49
V60312	0.60m x 0.60m	0.70m & 0.95m	0.73m x 1.4m x 2.1m	1.9m from ground	25kg	766.56



Handy & Maxi Work Platforms

- Simple and safe to use with locking hinges for added safety
- Wide and deep non slip platform
- Perfect for all odd jobs
- Compact folded dimensions
- Lightweight and easy to transport



V29011



V29002



Order	Platform Width	Platform Length	Platform Height	Weight	Price £
V29011	0.3m	0.69m	0.5m	4.1kg	46.39
V29002	0.36m	0.99m	0.5m	4.9kg	59.22

Adjustable Steel Work Platforms Approved to European GS Standard

- Mild steel angle construction, easily adjustable in height by turning the threaded feet
- Available with either a galvanized 50 x 38mm mesh grid or solid ribbed rubber platform
- Ribbed rubber platform is set on top of 18mm thick plywood
- Units can be placed alongside each other to provide a large working area
- Epoxy powder coated grey frame finish

Galvanized Work Platform

£494.⁰⁷

VGS024Z



Galvanised 50 x 38mm Grid						
Platform Size	Adj. height: 140 - 210mm			Adj. height: 230 - 300 mm		
	Weight kg	Order	Price £	Weight kg	Order	Price £
610 x 610	16	VGS011Z	221.84	17	VGS021Z	230.62
610 x 910	25	VGS012Z	307.21	26	VGS022Z	316.19
610 x 1210	34	VGS013Z	399.85	35	VGS023Z	408.86
610 x 1510	43	VGS014Z	485.22	44	VGS024Z	494.07

Ribbed Rubber Platform						
Platform Size	Adj. height: 140 - 210mm			Adj. height: 230 - 300 mm		
	Weight kg	Order	Price £	Weight kg	Order	Price £
610 x 610	13	VGS031Z	182.43	14	VGS041Z	188.82
610 x 910	16	VGS032Z	243.65	17	VGS042Z	250.00
610 x 1210	19	VGS033Z	309.29	20	VGS043Z	317.61
610 x 1510	22	VGS034Z	370.44	23	VGS044Z	381.20

Ribbed Rubber Work Station

£188.⁸²

VGS041Z





Universal Platforms

- Constructed from tubular steel with either a powder coated or galvanised finish.
- Non-slip aluminium platform and treads
- Designed to extend from the universal platforms into various configurations to suit site operational requirements
- System facilitates various platform height options within any installation
- Handrails can be fitted as required
- These units can be terminated by using either a platform step unit or an end rail
- Using the platform turn units these units can be configured into a 'L' or 'T' shape to suit your needs



No. of Steps	Platform Height	Overall Dims L x W mm	Weight Kg	Painted Version		Galvanised Version	
	mm			Order	Price £	Order	Price £
Platform Step Unit- Platform Size: 500 x 600mm							
2	500	730 x 690	24	VMUP208A	330.38	VMUP208G	413.27
3	750	900 x 690	28	VMUP308A	377.18	VMUP308G	474.27
4	1000	1070 x 690	32	VMUP408A	430.31	VMUP408G	543.35
Platform Extension Unit- Platform Size: 1160 x 600mm							
2	500	1160 x 690	34	VMUP205A	474.50	VMUP205G	597.03
3	750		38	VMUP305A	488.69	VMUP305G	614.42
4	1000		42	VMUP405A	502.88	VMUP405G	631.74
Platform Infill Unit- Platform Size: 600 x 600mm							
2	500	700 x 690	18	VMUP206A	269.48	VMUP206G	340.52
3	750		20	VMUP306A	282.15	VMUP306G	356.27
4	1000		22	VMUP406A	294.76	VMUP406G	372.08
Platform Turn Unit- Platform Size: 680 x 600mm							
2	500	730 x 690	18	VMUP207A	310.86	VMUP207G	392.47
3	750		20	VMUP307A	326.67	VMUP307G	411.43
4	1000		22	VMUP407A	339.29	VMUP407G	427.24

Description	Painted Version		Galvanised Version	
	Model	Price £	Model	Price £
Handrail to Suit- 2 Step Units	VMUPHR2A	68.74	VMUPHR2G	85.15
Handrail to suit- 3 Step Units	VMUPHR3A	76.61	VMUPHR3G	95.61
Handrail to Suit- 4 Step Units	VMUPHR4A	83.87	VMUPHR4G	104.51
Handrail to suit- Extension Units	VMUPHR5A	93.52	VMUPHR5G	118.19
Handrail to suit- Infil Units	VMUPHR6A	63.94	VMUPHR6G	78.81
Handrail to suit- Turn Units	VMUPHR7A	68.74	VMUPHR7G	85.15
End Handrail- Extension & Infil Units	VMUPHR8A	67.13	VMUPHR8G	82.95
End Handrail- Turn Unit	VMUPHR9A	70.28	VMUPHR9G	87.24



DIY Access Tower

- Slot together construction - quick and easy to erect
- Lightweight aluminium construction
- Integrated trapdoor for safe internal climbing
- Wheels allow for repositioning when erected
- Stabilisers for added safety
- Platform dimensions 1.4m x 0.5m
- Suitable for domestic use



Order	Description	Consists of	Overall Height	Platform Height	Pack Weight	Price £
V50005	Base Tower	2 x 6- rung base sections 2 x 6- rung upper sections 1 x Platform 4 x Diagonal braces 4 x Horizontal braces 2 x Base elements 2 x Castors 2 x Stabilisers	3.79m	2.75m	26kg	340.44
V50010	2m Extension Pack	2 x 6- rung sections 1 x Platform 2 x Diagonal braces 2 x Hand rails 2 x Guard rails 2 x Stabilisers	5.9m	4.8m	21.6kg	314.79

Trade Access Tower

- Lightweight aluminium construction
- Non-slip platform with toe boards (V5008)
- Integrated trapdoor for safe internal climbing
- Folding base frame - easy to transport and erect
- Safety stabilisers (V50008)
- Platform dimensions 1.46m x 0.6m
- Suitable for professional and domestic use

Order	Description	Consists of	Pack Weight	Price £
V50006	Base Pack	1 x Folding base frame 1 x Diagonal brace 1 x Platform 4 x Castors	26.5kg	362.81
V50007	1.8m Extension PACK A	2 x Frame sections 1 x Diagonal brace 3 x Horizontal braces	9kg	176.63
V50008	3.5m Extension PACK B	2 x 1.7m frame sections 2 x Diagonal braces 1 x Toe board set 4 x Stabilisers 2 x Horizontal braces	28.5kg	360.74
V50009	5.2m Extension PACK C	2 x 1.7m frame sections 1 x Platform 2 x Horizontal braces 3 x Diagonal brace	20.5kg	319.36



Order	Description	Reach Height	Platform Height	Working Platform	Overall Base
V50006	Base Pack	2.69m	0.94m	0.6m x 1.46m	0.83m x 1.75m
V50006	Base Pack				
V50007	PLUS Extension Pack A	3.55m	1.80m	0.6m x 1.46m	0.83m x 1.75m
V50006	Base Pack				
V50007	PLUS Extension	5.25m	3.50m	0.6m x 1.46m	*2.88m x 3.70m
V50008	Pack A + B				
V50006	Base Pack				
V50007	PLUS Extension				
V50008	Pack A + B + C	6.95m	5.20m	0.6m x 1.46m	*2.88m x 3.70m

V50009
* Includes Stabilisers



Forklift Mounted Access Platform

Manufactured according to health and safety executive guidance note PM28 (3rd edition) December 2005

Approved to be used by 2 persons of average weight - max total load capacity 350kg

The access platform has been designed to provide easier access for your maintenance, repair and installation requirements.

- Fully welded construction
- Floor located in formed kickboard surround
- Rear RSA frame with wire mesh panels and handrail
- Hinged entry gate with spring return and raised safety lock
- Spring loaded bolt holds gate closed
- Platform locks onto lift truck forks with threaded screw jacks and heel locks
- Safety Yellow enamel finish
- Options castors and tool tray

Capacity	350kg
Platform Width x Length	1000 x 1000mm
Handrail Height	1010mm
Total Height	1925mm
Overall Width (Not including screw jacks)	1020mm
Overall Depth	1020mm
Gate Width	510mm
Weight (Approx)	78kg
Order	VASPI
Price £	514.26



- 2 swivel, 2 fixed castors, 100mm dia.
- Nylon wheels.
- Provides for ease of movement and storage when not in use.
- Increase height by 145mm.

Order	Price £
VASP4	34.75



Gate Lock

- Welded tool tray hooks onto front guard rail with locking screws.
- L100 x W200 x D200
- Weight: 10kg

Order	Price £
VASP2	40.45





Folding Aluminium Ramp

- Strong, lightweight aluminium ramps ideal for wheelchair access into buildings etc and for use with sack trucks and trolleys
- Durable hinge system means the unit is able to be folded and easily carried and stored
- Max load capacity 300kg
- VGIAR3Z fits easily into a car boot



Order	Overall Size (L x W)	Folded Size (L x W x H)	Weight	Price £
VGIAR3Z	910 x 730mm	910 x 3000 x 600mm	5.5kg	145.94
VGIAR5Z	1520 x 740mm	1520 x 300 x 600mm	10.5kg	234.82

High Entry Aluminium Ramps

Designed for use in areas where the height differences is between 200mm and 480mm.

The VAR200H ramp is hinged to fold to half its length for simple transportation and easy storage. A handle hole and large 200mm cushion wheels make this unit easy to manoeuvre into position.

The unit has a load capacity of 300kg



VAR200H

High Entry Ramp

£812.75

VAR200H

Low Step Ramps

VAR100L



VAR100L



VAR200H

Order	Overall Size (L x W)	Folded Size (L x W x H)	Weight	Price £
VAR200H	1800 x 8050mm	920 x 800 x 450mm	45kg	812.75
VAR100L	1250 x 1110mm	-	20kg	338.22
VAR101L	1520 x 1110mm	-	26kg	384.00
VAR102L	1820 x 1110mm	-	30kg	478.70