

Plastic Container Systems



Model 1

Mobile Tray Racks Capacity 200kg UDL

Complete with specified Euro container box trays
600 x 400 external L x W.

Rack construction: Welded square section steel tube construction with formed tray supports and steel top cover.

Metal strap prevents trays being pushed through when loading

Wheels: 4 swivel castors with 100 mm dia. nylon wheels.

Finish: blue epoxy, with red epoxy handles.

Full tray specifications and prices for extra trays: See Euro Containers panel, bottom of opposite page.

3 Shallow Tray
Models
105mm internal tray
height

Optional extra

Total stop brakes

Ref: **B103**

Model	No of trays	Internal tray ht.	Weight kg	O/all rack ht.	Ref
1	6 x PC005	105mm	38	1100mm	CT206
2	8 x PC005	105mm	46	1405mm	CT208
3	10 x PC005	105mm	53	1710mm	CT210



7 Model Range

Versatile mobile
steel racks

Uniform overall
L x W 700 x 525mm

Complete with
specified container
box trays



Model 2



Model 3



Model 5

Racks also available
for PC022 containers
(int ht 300mm).
Prices on application

Mobile Tray Racks Capacity 200kg UDL

Complete with specified Euro container box trays
600 x 400 external L x W.

Rack construction: Welded square section steel tube construction
with formed tray supports and steel top cover.

Metal strap prevents trays being pushed through when loading

Wheels: 4 swivel castors with 100 mm dia. nylon wheels.

Finish: blue epoxy, with red epoxy handles.

Full tray specifications and prices for
extra trays: See Euro Containers panel,
bottom of page.

Optional extra

Total stop brakes

Ref: **B103**

4 Deep Tray Models
164mm and 220mm
internal tray heights

Model	No of trays	int. tray height	O/all rack Ht.	Weight kg	Ref
4	6 x PC020	164mm	1420mm	42	CT506
5	8 x PC020	164mm	1830mm	51	CT508
6	4 x PC021	220mm	1250mm	37	CT604
7	6 x PC021	220mm	1780mm	49	CT606

Euro Containers

Tray specification

Solid base/sides - hand grips 4 sides.

Thermal resistance -30°C to +60°C

washable up to 110°C Non toxic polyethylene



External L x W: 600 x 400 mm
Internal L x W: 555 x 355 mm

These trays are **NOT suitable for food** and medical storage etc.

Capacity Litres	Internal height	External height	Weight Kgs	Min. order	Ref
21	105 mm	118 mm	1.5	6	PC005
33	164 mm	175 mm	1.87	6	PC020
45	220 mm	235 mm	2.25	4	PC021
60	300 mm	319 mm	2.73	4	PC022



Model 7

Plastic Container Systems

Mobile Tray Racks

A versatile range of mobile steel racks

Welded square section steel tube construction with formed tray supports.

Wheels: All swivel castors with 100mm dia nylon wheels

Finish: Red epoxy.

Trays: 21 litre solid grey containers Ref PC005 (for full specification see bottom of page)

Total stop brakes

Ref: **B103**



supplied complete with grey European 600 x 400mm plastic containers.

No of trays	O/all size L x W x H mm	Weight kg	Uniform load total capacity	Ref
2 x 5	955 x 650 x 945	50	200 kg	CT405
6	525 x 650 x 1100	33	200 kg	CT406
8	525 x 650 x 1405	41	200 kg	CT408
10	525 x 650 x 1710	48	200 kg	CT410

Euro Dolly

with optional tug handle

Maximum total capacity: 250 Kgs.

Finish: Blue epoxy.

Wheels: 2 fixed, 2 swivel castors with 125mm dia. wheels, solid rubber tyres and roller bearings.

Brakes: Total stop brakes extra

Ref: **B032** each



Containers are **NOT** included. For containers, please see below.

Type	o/a dimensions L x W x H mm	max load Kgs	Wt. Kgs	Ref
Euro Dolly	640 x 415 x 195	250	12	CT64
Handle	920 x 305 x 30		1.5	TD804
Euro Trolley	950 x 615 x 985	350	24	CT81

Designed to carry European 600 x 400mm range of containers in any combination of heights

Euro Trolley

Maximum total capacity: 350 Kgs.

Finish: Blue epoxy.

Wheels: 2 fixed, 2 swivel castors with 160mm dia. wheels, solid rubber tyres and roller bearings.

Brakes: Total stop brakes extra

Ref: **B024**



Euro Containers



These trays are **NOT** suitable for food and medical storage etc.

Tray specification

Solid base/sides - hand grips 4 sides.

Thermal resistance -30°C to +60°C

washable up to 110°C Non toxic polyethylene

External L x W: 600 x 400 mm

Internal L x W: 555 x 355 mm

Capacity Litres	Internal height	External height	Weight Kgs	Min. order	Ref
21	105 mm	118 mm	1.5	6	PC005
33	164 mm	175 mm	1.87	6	PC020
45	220 mm	235 mm	2.25	4	PC021
60	300 mm	319 mm	2.73	4	PC022

Mobile Tray Racks

With white non-toxic
polyethylene trays

FOOD
GRADE

Tray specification

All round grip. Solid base and sides
External H x W x L: 80 x 450 x 754 mm
Internal H x W x L: 68 x 412 x 717 mm
Thermal resistance: -30°C to +60°C
washable up to 110°C



CT306



CT310



CT316

All welded angle construction. Finished in red epoxy.
Plastic trays slide onto fixed metal tray supports. Metal strap prevents trays being pushed through when loading. Optional steel top cover.
Wheels: 4 swivel castors, white nylon 100mm dia wheels

No. of Trays	Overall floor area mm	Overall height mm	Weight Kg	Ref
6	780 x 530	890	36	CT306
8	780 x 530	1120	45	CT308
10	780 x 530	1320	53	CT310
12	780 x 530	1580	62	CT312
16	780 x 530	2000	74	CT316

Capacity
200kg UDL
All Models

Alternative sizes
or models to suit
customers own
containers available
on request.

Optional Extras:

Top Cover sheet steel (factory fitted)
weight: 5 kg
Ref: **CT3**

Additional Trays

Ref: **PC004** (single tray)

Brakes: Total stop

Ref: **B103**

Container Trolley

Capacity 150 kg UDL

with white food trays.

FOOD
GRADE

Ideal trolley for food processing industry.
Also suitable for many other applications.
Containers recessed in open angle frame.

Overall dimensions:

H x W x L: 1050 x 515 x 770 mm

Finish: Grey epoxy

Wheels:

4 swivel castors 125mm dia.wheels

Grey non marking tyres.

Weight: 29 kg

Ref: **CT101**

Optional extras

Brakes: Total stop

Ref: **B047**

Additional trays

Ref: **PC004** (single tray)

Container specification:

Non toxic Polyethylene

Washable up to 110°C

Thermal resistance -30°C to +60°C

External H x W x L: 80 x 450 x 754 mm

Internal H x W x L: 68 x 412 x 717 mm




Plastic Container Systems



Model CT05
3 fixed tiers



Frame levels: 200; 650; 1200 mm



Swivel tiers can be
tilted 15° or 30° in
either direction

Stock Trolleys Cap 150 kg UDL with drop-in ply shelves or Euro trays

Welded tubular and angle frame construction,
O/a H x L x W : 1200 x 915 x 470 mm
2 fixed — 2 swivel castors with 125mm dia. rubber
tyred wheels. Roller bearings.
Finish: Blue epoxy
Brakes: Total stop Ref: **B032**

Equipment supplied	Construction	Weight	Ref
3 x drop-in ply shelves	3 fixed tiers	24 kg	CT04
3 x drop-in grey trays (PC005)	3 fixed tiers	28 kg	CT05
3 x drop-in grey trays (PC005)	1 fixed, 2 swivel tiers	30 kg	CT06

Tray specification

(Stock Trolleys and Container Trolleys)

Solid base/sides - Hand grips 4 sides
External H x W x L: 118 x 400 x 600 mm
Internal H x W x L: 105 x 355 x 554 mm
Thermal resistance -30°C to +60°C
washable up to 110°C Non toxic polyethylene
Not suitable for food or medical etc.

Additional Grey Trays

Ref: **PC005**

Container Trolleys with plastic trays

For industrial, office and processing operations
Literally hundreds of applications.
Supplied with general purpose grey non toxic
trays PC005.

Superbly finished all welded rigid construction
in tube and angle.
Trays recessed within the open angle frames.
Finish: Grey epoxy throughout.



Model CT08

Model CT09

Note:

Special trolley models can be
quoted on request to suit your
own tray containers



No. of trays	O/all H x W x L mm	Frame levels mm	Gap mm	Castors	Wheel dia. mm	Weight kg	Ref	Brakes (extra) Ref
3	1020 x 465 x 615	300 x 600 x 900	165	Stem fixing - 4 swivel	100	31	CT08	B051
6	1050 x 615 x 875	220 x 520 x 820	165	Plate fixing - 2 fixed 2 swivel	160	42	CT09	B028

All containers are removable and manufactured in polyethelene with smooth snag free interiors and therefore suitable for general products including clothing and textiles as well as food product use.

Container colour NATURAL - Food quality
- Suitable for all food products
Also suitable for bulk products in granular, powder and liquid form.
All steelwork finished blue epoxy.

Container Trucks

Welded steel chassis and tubular container supports.

Model	L x W x H internal mm	Capacity Cu ft	Wheel equipment	Weight Kg	Ref
CT83	762 x 559 x 610	9	125 mm RT 4 swivel	27	CT83
CT84	915 x 610 x 610	12	125 mm RT 4 swivel	35	CT84

Optional Extras

Total stop brakes extra (pair)
for CT83 & CT84: Ref: **B032**

Loose fit lids

for CT83: Ref: **PC026**
for CT84: Ref: **PC027**

Additional containers

	Cap Cu ft	Wt	Ref
For CT83	9	10kg	PC002
For CT84	12	17kg	PC001

Lightweight Container Trucks

Welded steel chassis and tubular container supports.
Stem fixing swivel castors for maximum mobility.
2 container sizes. Choice of brakes and lids.

Optional extras

Total stop brakes
Ref: **B047**

Loose fit Lids

for CT85 Ref: **PC026**
for CT86 Ref: **PC027**

Model	Container L x W x H internal mm	Capacity Cu ft	Wheel equipment	Weight kg	Ref
CT85	762 x 560 x 610	9	4 x stem fix swivel RT	25	CT85
CT86	915 x 610 x 610	12	non marking	33	CT86

Additional containers

	Cap Cu ft	Wt	Ref
For CT85	9	10kg	PC002
For CT86	12	17kg	PC001

Mobile Tanks

Welded angle base with 4 nylon plate fixing castors.
2 container sizes.

Optional extras

Total stop brakes
Ref: **B105** pair


Loose fit Lids

for CT62 Ref: **PC026**
for CT63 Ref: **PC027**

Model	Container L x W x H internal mm	Capacity Cu ft	Wheel equipment	Weight kg	Ref
CT62	762 x 560 x 610	9	4 x nylon swivel castors	23	CT62
CT63	915 x 610 x 610	12		31	CT63

Additional containers

	Cap Cu ft	Wt	Ref
For CT62	9	10kg	PC002
For CT63	12	17kg	PC001



Plastic Container Systems



Standard Model CT82



Standard Model CT88



Loose fitting lid

For food grade container trucks,
see previous 2 pages

Plastic Container Trucks

Capacity 250kg

Welded steel angle construction with removable steel tube side bars to hold containers

Overall L x W x H: 1025 x 730 x 810mm

Finish: Blue or red epoxy (to match container colour)

Wheels:

Standard: 2 fixed and 2 swivel castors with 160mm dia rubber tyred wheels with roller bearings.

Balance Configuration: (highly manoeuvrable): 2 fixed and 2 swivel castors with 160mm dia rubber tyred wheels with roller bearings.

Container Bins:

Red or blue, polyethelene, non-food quality with smooth snag-free interiors; suitable for general products including clothing and textiles. Containers are removable and stackable when empty.

Containers are also available separately.

Capacity: 360 litres

Temperature range -10° to +60° c

Internal L x W x H: 930 x 630 x 600mm

Wheel type	Colour	Wt	Ref
Standard wheels	Blue	32kg	CT82
	Red	32kg	CT88
	Optional total stop brakes		B024 (pair)
Balance wheels	Blue	32kg	CT87
	Red	32kg	CT89
Brakes not available on balance wheel models			
Bin Options			
Spare bin	Blue	10kg	PC003
	Red	10kg	PC032
Loose lid	Blue	4kg	PC028
	Red	4kg	PC029



Balance wheel configuration Model CT89




Multi-Trip Container Trolley

Capacity: 50kg UDL

Welded tubular steel construction
O/A H x L x W: 1010 x 952 x 420mm
Blue epoxy finish
Wheels: 4 x 125mm dia castors fitted with grey non-marking tyres.
Weight: 12kg
Ref (without containers): **CT03**

To carry 2 x 54ltr
Multi-trip containers
(containers extra)



Multi-Trip Containers

Capacity: 54ltr
L x W x H Internal: 508 x 335 x 285mm
External: 600 x 400 x 320mm
Green body with green lid
Ref: **PC019**

Container Carrier Trolleys Capacity: 50kg UDL



To carry 2 x 50ltr
containers without lids
(containers extra)



To carry 2 x 54ltr
containers with lids
(containers extra)

Model CT07

Welded tubular steel construction
Blue epoxy finish
O/A H x L x W: 940 x 1180 x 440mm
Castors: 4 x 125mm dia swivel castors fitted with grey non-marking tyres.
Weight: 14kg
Ref (without containers): **CT07**



Option clipboard
steel clipboard
Blue epoxy finish
Ref: **T07**

Containers

	50ltr
lids	without
internal H x L x W	270 x 460 x 340mm
external H x L x W	300 x 600 x 400mm
weight	2.3kg
colour	grey/ L.grey
Ref	PC070

Model CT02

Welded tubular steel construction
Blue epoxy finish
O/A H x L x W: 1010 x 950 x 515mm
Wheels: 4 x 125mm dia castors fitted with grey non-marking tyres.
Weight: 13kg
For use with your own containers
Ref (without containers): **CT02**

Plastic Container Systems



Model CT20

Store and Distribution Trolleys

Supplied complete with containers

This versatile mobile range offers good capacity and flexibility.


Removable tote style, open fronted, red plastic containers for storage and distribution of a wide range of goods. Finish: grey epoxy.

Wheels: 4 x 100 mm dia. swivel castors fitted with grey non-marking rubber tyres and thread guards.

Optional extra: total stop brakes

Ref: **B051** (pair)

Choice of tops:
flush sheet steel or
recessed tray lined with
ribbed rubber.



Model CT23

Model	Top surface	No. of tote containers Ext. H x W x L (mm)		O/all H x W x L mm	Load cap kg	Weight kg	Ref
		180 x 415 x 375	295 x 415 x 455				
CT20	sheet steel	4	-	1010 x 510 x 590	150	27	CT20
CT21	lined tray	4	-	1010 x 510 x 590	150	27	CT21
CT22	sheet steel	2	1	1010 x 510 x 590	150	26	CT22
CT23	lined tray	2	1	1010 x 510 x 590	150	26	CT23
CT24	sheet steel	8	-	1010 x 510 x 1050	150	47	CT24
CT25	lined tray	8	-	1010 x 510 x 1050	150	47	CT25
CT26	sheet steel	2	4	1010 x 510 x 1050	150	45	CT26
CT27	lined tray	2	4	1010 x 510 x 1050	150	45	CT27



Model CT25



Model CT26



Model CT28



Model CT29




Model CT19

No. and type of containers	Containers H x W x L mm (ext.)	O/all H x W x L mm	Load cap kg	Weight kg	Ref
2 x tote	295 x 415 x 455	890 x 520 x 610	150	19	CT28
4 x tote	295 x 415 x 455	890 x 540 x 1130	150	22	CT29
2 x box	320 x 400 x 600	890 x 510 x 800	150	25	CT19

Store and Distribution Trolleys

Supplied complete with red plastic containers.

Finish: Grey epoxy.



Additional Containers

Note: Tote bins PC007/PC008 will stack.

Container Type	Container H x W x L (mm)	Ref
Box	320 x 400 x 600	PC006
Tote	180 x 415 x 375	PC007
Tote	295 x 415 x 455	PC008



Optional extra.

Total stop brakes

Ref: **B051**

Price (pair)

All the trolleys on this and opposite page are fitted with 100 mm dia. swivel castors with grey rubber non-marking tyres and thread guards

Plastic Container Systems



Model CT46

Container Shelf Trolleys

A versatile range designed for 600 x 400 Euro containers and/or open fronted yellow stock boxes.

Containers

Use your own containers or choose from the selection opposite.

General trolley specification:

Welded steel tube and angle construction

Versatile
Space efficient
Mobile storage

CT46 Capacity: 150kg UDL

Accepts 1 standard 600 x 400 Euro container per shelf (containers not included).

Overall L x W x H: 670 x 420 x 975 mm

Shelf heights: 330; 975mm

Castors: 4 swivel, 125mm dia with grey non marking tyres.

Finish: Blue epoxy.



Model CT47

CT47 Capacity: 400kg UDL

Accepts 4 standard 600 x 400 Euro containers per shelf (containers not included).

Overall L x W x H: 1730 x 615 x 1315 mm

Shelf heights: 235; 595; 955; 1315 mm

Castors: 2 fixed and 2 swivel, 160mm dia rubber tyred wheels with roller bearings.

Finish: Blue epoxy.

Model	o/all size L x W x H mm	Capacity kg	wt kg	Ref
CT46	670 x 420 x 975	150	18	CT46
CT47	1730 x 615 x 1315	400	75	CT47
CT48	1280 x 650 x 1410	350	63	CT48



Model CT48

CT48 Capacity: 350kg UDL

Accepts 3 standard 600 x 400 Euro containers per shelf (containers not included).

Overall L x W x H: 1280 x 650 x 1410 mm

Shelf heights: 245; 520; 805; 1090 mm

Shelf L x W: 1250 x 600 mm

Castors: 2 fixed and 2 swivel, 160mm dia rubber tyred grey non marking wheels with roller bearings.

Finish: Red epoxy with varnished plywood shelves.



Model CT49

CT49 Capacity: 400kg UDL

Accepts 2 standard 600 x 400 Euro containers, or 6 yellow stock boxes per shelf (containers not included)

Overall L x W x H: 1280 x 450 x 1410 mm

Shelf heights: 245; 520; 805; 1090 mm

Shelf L x W: 1250 x 405 mm

Castors: 2 fixed and 2 swivel, 160mm dia rubber tyred grey non marking wheels with roller bearings.

Finish: Red epoxy with varnished plywood shelves.

Model	o/all size L x W x H mm	Capacity kg	wt kg	Ref
CT49	1280 x 450 x 1410	400	51	CT49
CT50	705 x 460 x 1390	300	37	CT50



Model CT50

CT 50 Capacity: 300kg UDL

A useful stock trolley for mobile small parts storage, supplied complete with 9 yellow stock boxes.

Overall L x W x H: 705 x 460 x 1390 mm

Stock boxes L x W x H (external): 455 x 210 x 230mm

Shelf heights, front: 225; 550; 875mm

Fixed shelves, base flat top 2 angled


Castors: 2 fixed and 2 swivel, 160mm dia rubber tyred grey non marking wheels with roller bearings.

Finish: Red epoxy with varnished ply shelves

Containers

Plastic containers, available in packs, suitable for trolleys on these pages.

Capacity Litres	Internal height	External height	Weight Kgs	Min. order	Ref
Dark Grey Euro Containers - solid - L x W: 600 x 400mm					
21	105 mm	118 mm	1.5	6	PC005
33	164 mm	175 mm	1.87	6	PC020
45	220 mm	235 mm	2.25	4	PC021
60	300 mm	319 mm	2.73	4	PC022
Suit models: CT46; CT47; CT48 & CT49					
Euro Red Boxes - solid - L x W: 600 x 400mm					
60	300 mm	320 mm	2.73	4	PC006
Suit models: CT46; CT47; CT48 & CT49					
Yellow Stock Boxes - solid - L x W: 455 x 210mm					
10	215 mm	230 mm	1.5	3	PC018
Suit models: CT49 & CT50					



Euro Red Box

Yellow Stock Boxes