

Basket Trolleys



Super Service Trolley

Capacity: 150kg UDL

Construction: Formed and welded rectangular steel tube frame.

Overall H x W x L: 1035 x 525 x 1035mm

Writing tray W x D: 390 x 200mm

Removable basket sizes

H x W x L:	2 x	290 x 385 x 585mm
	1 x	100 x 250 x 385mm

Castors: 4 swivel castors fitted with 125mm dia wheels, and grey non marking rubber tyres.

Trolley fitted with 4 protective revolving corner buffers.

Finish: Red epoxy framework. Baskets white epoxy

Weight: 28kg

Ref: **BT 100**

Many uses
including
Stores Offices
Warehouses
Schools and
Mail Centres

Distribution Trolley

Capacity: 200kg UDL

Construction: Formed and welded steel tube frame.

Overall H x W x L: 1070 x 535 x 1170mm

Removable basket sizes

H x W x L:	320 x 520 x 1055mm
	190 x 520 x 1055mm

Diamond balanced wheel configuration for total manoeuvrability.

Castors: 2 fixed, 2 swivel castors fitted with 160mm dia bright zinc plated wheels with rubber tyres and roller bearings.

Finish: Red epoxy framework. Baskets white epoxy

Weight: 43kg


Ref: **BT 106**

Option

Hook-on end basket

H x W x L: 320 x 115 x 320mm

Ref: **B71**



Basket and tray trolleys - 3 tier

Capacity 100kg UDL

Ideal trolley
for small item
handling

3 tier trolley, with bottom parcel grid
supplied with choice of:
2 removable baskets **or** 2 steel trays.
(extra baskets or trays available).

Construction: Formed and welded
steel tube .

Overall L x W x H: 855 x 430 x 1055mm

Shelf heights without containers:

170; 455; 810mm

Model BT109: 2 removable baskets

H x W x L: 240 x 305 x 450mm with
10mm dia top rim.

Model BT110: 2 removable steel trays

H x W x L: 70 x 310 x 465mm

Castors: 4 swivel castors fitted with
100mm dia wheels, threadguards and
grey non marking rubber tyres.

Finish: Red epoxy framework. Baskets
and trays white epoxy.

Weight: BT109 - 18kg; BT110 - 22kg

Ref: **BT 109**

Ref: **BT 110**



Model BT109



Model BT110

48
HOURS
DESPATCH

Basket and tray trolleys - 2 tier

Capacity 100kg UDL

Construction: Formed and welded steel tube.

Overall L x W x H: 700 x 435 x 920mm

Shelf heights without containers: 180; 605mm

Model BT107:

2 removable baskets

H x W x L: 240 x 305 x 450mm with
10mm dia top rim.

Model BT108:

2 removable steel trays

H x W x L: 70 x 310 x 465mm

Castors: 4 swivel castors fitted with 100mm dia
wheels, threadguards and grey non marking
rubber tyres.

Finish: Red epoxy framework
Baskets and trays white epoxy.

Weight: BT107 - 15kg; BT108 - 19kg

Ref: **BT 107**

Ref: **BT 108**

Accessories for all models:

Extra baskets

H x W x L: 240 x 305 x 450mm

Ref: **B107** (each)

Extra trays

H x W x L: 70 x 310 x 465mm

Ref: **T108** (each)

Total stop brakes

Ref: **B086**



Model BT107



Model BT108



Model 1



Model 2



Model 3

Mailroom Trolleys

Designed for use in the office mailroom environment. Ideal for distribution of stationery, post and other lightweight items.

Manufactured from tubular steel with wire containers with 25 x 25mm mesh, complete with protective edges.

Castors: 4 x 100mm all swivel stem fitting castors with grey non-marking tyres and thread guards.

Each trolley fitted with rotating corner buffers as standard.

Finish frame red epoxy, baskets white epoxy

Three models:

Model 1	Top tray (with divider)	L x W x H 1032 x 502 x 315mm
	Bottom tray	1032 x 502 x 85mm

Model 2	6 top pockets	6 x 340 x 502 x 195mm
	Bottom tray	1032 x 502 x 85mm

Model 3	Top tray	1032 x 502 x 85mm
	6 side pockets	1 x 490 x 450 x 375mm
		2 x 490 x 220 x 270mm
		3 x 490 x 580 x 210mm

Optional extra	Total stop brakes
	Ref B051 (pair)

Model	O/all L x W x H	Weight	Ref
1	1182 x 597 x 1005 mm	20 kg	BT101
2	1182 x 597 x 1005 mm	24 kg	BT102
3	1182 x 597 x 1005 mm	25 kg	BT103

Mailroom stairclimber

Tubular steel framework with 2 wire mesh removable baskets.

Frame finished in red epoxy, baskets in white epoxy.

3 x 160mm dia wheels set in star configuration for stairclimbing.

O/a H x W x D:
1085 x 470 x 610mm

Basket int. W x D x H:
400 x 245 x 215mm

Top of basket heights from floor: 320 & 805mm

Weight 15kg

Ref **SM25**



Mailroom trolleys

Ideal for mailroom or office

Smart, durable
Postal red frame
and white baskets

Capacity: 75 kg
Wheels: 2 x 200 mm dia rear
wheels, 2 x 75 mm dia. swivel front
castors with grey non marking tyres.
Finish: Red epoxy frame, white
epoxy baskets



Model 1

Model 1
Two baskets and sheet steel base
Baskets L x W x H: 305 x 450 x 290 mm
Clearance between baskets: 275 mm



Model 2

Model 2
Two baskets
each L x W x H: 305 x 450 x 290 mm
Clearance between baskets: 210 mm



Model 3

Baskets can be fitted with rails
to accept suspension files
Ref: **BTFR**

Model 3
Two baskets and base tray
Top basket L x W x H: 305 x 450 x 295 mm
Lower basket L x W x H: 305 x 450 x 240 mm
Clearance between baskets: 130 mm



Model 4

Model 4
Three baskets
Top basket L x W x H: 510 x 435 x 295 mm
Lower basket L x W x H: 510 x 435 x 250 mm
Clearance between baskets: 175 mm
Rear basket L x W x H: 155 x 280 x 415 mm
Front revolving corner buffers.

Model	O/all L x W x H	Weight	Ref
1	680 x 500 x 1070 mm	17 kg	BT619
2	500 x 590 x 1050 mm	14 kg	BT620
3	680 x 510 x 1085 mm	19 kg	BT621
4	800 x 565 x 1040 mm	21 kg	BT622

Post Room Trolley

Capacity 150kg UDL



Ideal for office
and mailroom

Tubular steel frame with three steel trays. Back
and sides infilled with varnished MDF panels.
4 x 100mm swivel castors with grey non-
marking tyres and thread guards.
Overall L x W x H: 825 x 555 x 1050 mm
Shelf L x W: 750 x 500mm
Shelf heights: 200; 550; 895mm
Total weight: 38kg
Red handle Ref: **TT20R**
Green handle Ref: **TT20G**
Yellow handle Ref: **TT20Y**
Blue handle Ref: **TT20B**

Suspended Mail Bag Trolleys

Manufactured from square section steel tube with
sheet steel base.
Wheels: 4 swivel castors 75mm dia. with grey
non-marking tyres.
Finish: Red epoxy
Steel pegs for hook-on mail bag (bags not supplied)

Single unit

W x D x H: 395 x 395 x 1120 mm
weight: 9 Kg
Ref: **BT85**

Double unit (illustrated)

W x D x H: 765 x 395 x 1120 mm
Weight: 16 Kg
Ref: **BT86**

Single or double bag units



Ideal for
internal mail
collection and
distribution

Basket Trucks



1

Single basket truck

Blue epoxy frame and handle fitted with 2 swivel 2 fixed castors 125 mm dia. rubber tyred wheels. Roller bearings. Removable basket L x W x H: 805 x 535 x 555 mm



2

Double basket truck

Blue epoxy frame and handle fitted with 2 swivel 2 fixed castors 160 mm dia. rubber tyred wheels. Roller bearings. Removable baskets L x W x H: 680 x 480 x 450 mm



3

Single basket dolly truck

Blue epoxy frame fitted with 4 swivel castors 125 mm dia. rubber tyred wheels. Roller bearings. Removable basket L x W x H: 680 x 480 x 450 mm

Specification for all baskets:

Angle frame with solid rod top rim.
Mesh size 25 x 25 mm 12 swg
Finish: Durable white epoxy



4

Triple basket truck

Grey epoxy tubular frame fitted with 4 stem fitting swivel castors with 100 mm dia. grey non-marking tyred wheels with thread guards. Two castors supplied with total stop brakes as standard. Removable baskets L x W x H: 815 x 550 x 180 mm

Truck	baskets supplied	O/all L x W x H mm	Basket L x W x H mm	capacity kg	Castor dia.mm	Weight kg	Trucks with baskets Ref	Additional baskets Ref (each)	Total stop brake Ref (pair)
①	1	895 x 550 x 900	805 x 535 x 555	150	125	30	BT81	B81	B032
②	2	1090 x 705 x 985	680 x 480 x 450	250	160	50	BT82	B83	B024
③	1	490 x 460 x 600	680 x 480 x 450	150	125	28	BT83	B83	B032
④	3	900 x 600 x 1115	815 x 550 x 180	150	125	27	BT84	B84	fitted as standard

Basket and Mini Turntable Trailers

103



Mini Basket Turntable Trailer

Capacity 150 kg

with removable basket

Greased turntable plate steering with T bar tow handle.

Fixed rear axle.

Welded steel angle frame chassis.

Overall L x W: 950 x 500mm

Wheels: 160mm dia rubber tyred roller bearings

Finish: Blue epoxy trailer, white epoxy baskets.

Choice of 2
basket heights

Baskets: Angle infilled frame with solid rod rim.

Mesh 25 x 25mm 12swg

Basket Height mm	Basket L x W mm	Deck height mm	Weight kg	Ref
160	935 x 490	215	23	MW22
250	935 x 490	215	24	MW23


Additional baskets

Height mm	Ref
160	B22
250	B23

Mini Box Truck Turntable Trailer

MW Series

Capacity 150 kg

Fixed timber box body
mounted into protective
steel angle frame.

Available in 2 box heights

Greased turntable plate with T bar tow handle.

Fixed rear axle.

Welded steel angle frame chassis.

Finish: Blue epoxy steelwork

Wheels: 160 mm dia. rubber tyred roller bearing wheels.

O/a L x W mm	Deck H mm	Sides H mm	Weight kg	Ref
950 x 500	215	145	24	MW20
950 x 500	215	250	26	MW21

Mini Turntable Trailer

Capacity 150 kg

Office, factory and general use

Tubular steel chassis with plywood deck.

Deck height: 215mm

Turntable steering, fixed rear axle.

Wheels: 160mm dia rubber tyred roller bearings.

Finish: Blue epoxy

O/all L x W: 950 x 500 mm

Ref: MW25

Tradermate

Easily transported
Weighs only 19kg