

Hazardous cabinets



Storage cabinets for hazardous materials

Strong welded 20swg steel construction.
Lever lock handles with 2 rods locking top and bottom, 2 keys.
Pesticide/chemical cabinets have door vents to prevent fume build-up
Adjustable punched trays to contain spills and allow them to drain into removable sump
Removable sump for convenient removal of spills
Powder coated finish
Warning stickers



Reinforced doors

Door vents in pesticide/chemical cabinets prevent build-up of fumes

Lever handles and two rod locking and 2 keys

Shelf trays have punched drain holes to allow any spillages to drain into base sump

Shelf trays are adjustable to a 25mm pitch

Removable sump collects any spillages and permits convenient removal.



Flammable Cabinet
Yellow BS08E51



Flammable Cabinet
D. Grey BS632



Acid Cabinet
White BS00E55



Pesticide / Chemical Cabinet
Red BS04E53




Coshh Cabinet
L. Grey BS00A05

	size H x W x Dmm	shelves	Flammable Yellow	Flammable D. Grey	Coshh L. Grey	Acid White	Pesticide/chemical Red	Pesticide/chemical Green
Cabinet	457 x 457 x 457	1	FB2	FB2G	CFB2	AFB2	PFB2	PFB2G
	610 x 457 x 457	1	FB4	FB4G	CFB4	AFB4	PFB4	PFB4G
	712 x 355 x 305	2	FB5	FB5G	CFB5	AFB5	PFB5	PFB5G
	915 x 457 x 457	1	FB10	FB10G	CFB10	AFB10	PFB10	PFB10G
	712 x 915 x 457	1	FB15	FB15G	CFB15	AFB15	PFB15	PFB15G
	915 x 915 x 457	1	FB20	FB20G	CFB20	AFB20	PFB20	PFB20G
	1220 x 915 x 457	2	FB25	FB25G	CFB25	AFB25	PFB25	PFB25G
	1525 x 915 x 457	3	FB26	FB26G	CFB26	AFB26	PFB26	PFB26G
	1830 x 457 x 457	3	FB29	FB29G	CFB29	AFB29	PFB29	PFB29G
Extra shelf	1830 x 915 x 915	3	FB30	FB30G	CFB30	AFB30	PFB30	PFB30G
	457 x 457		ES1	ES1	ES1	ES1	ES1	ES1
	915 x 457		ES2	ES2	ES2	ES2	ES2	ES2
Stand	460 x 355 x 305		SS10	SS10G	CSS10	ASS10	PSS10	PSS10G
Stand	460 x 915 x 457		SS11	SS11G	CSS11	ASS11	PSS11	PSS11G

Stands

460mm high stand
355 x 305mm suitable for FB5
915 x 457mm suitable for FB15 and FB20



Flammable Liquids Storage

All cabinets meet the requirements of the Highly Flammable and Liquefied Petroleum Gases Regulations 1972 (Section 5 Part D), The Health and Safety Executive Guide HS(G)51 1990 and the Factory Inspectorate Certificate of Approval No 1 Parts 3 and 4.

The maximum volume of any flammable liquid with a flashpoint below 32°C that may be stored in a flame resistant cabinet within a workroom is 50 litres (regardless of the total capacity of the storage cabinet).



Flammable Cabinets
Yellow BS08E51

First Aid Cabinets

Storage cabinets for First Aid supplies and equipment



Instantly recognisable
Clear identification labelling
Clean, durable white powder coat

Wall-fixing Cabinets

Strong welded 20swg steel construction.
Fixed shelf and internal drawer tray
Lock with 2 keys
cabinets pre-drilled for fixing (fixings not included)
Powder coated finish
Warning stickers

Floor-standing Cabinets

Strong welded 20swg steel construction.
Shelves adjustable to 25mm pitch
Lever lock handles with 2 rods locking top and bottom, 2 keys.
Powder coated finish
Warning stickers

	size H x W x Dmm	shelves	Ref
Cabinet	915 x 457 x 457	1	FAC10
	915 x 915 x 457	2	FAC60
	1220 x 915 x 457	2	FAC65
	1830 x 915 x 915	3	FAC70
Wall Cabinet	600 x 400 x 300	1	FAWC3
	600 x 500 x 300	1	FAWC4
	600 x 800 x 300	1	FAWC6
Extra shelf	457 x 457		ES1
	915 x 457		ES2



First Aid Cabinets
White BS00E55

PPE Cabinets

Storage cabinets for Personal Protective equipment



Designed and manufactured to meet the requirements of The Personal Protective Equipment at Work Regulations 1994

PPE Cabinets

Strong welded 20swg steel construction.
Shelves adjustable to 25mm pitch
Lever lock handles with 2 rods locking top and bottom, 2 keys.
Powder coated finish
Identification labelling

	size H x W x Dmm	shelves	Ref
Cabinet	915 x 457 x 457	1	PPE10
	915 x 915 x 457	2	PPE60
	1220 x 915 x 457	2	PPE65
	1830 x 915 x 915	3	PPE70
	1830 x 915 x 915	3	PPE71
Extra shelf	457 x 457		ES1
	915 x 457		ES2



PPE Cabinets
Cabinet Grey BS00A05
Doors BS18E53